



Offi : 0261- 2201532

Fax : 0261-2228394

Grams : SVNIT

**Sardar Vallabhbhai National Institute of Technology,
Surat-395 007.**

No.: AMD/SVNIT/ Soil Lab./2018/ 503

Date: 16/05/2018

SUB: - ENQUIRY FOR SUPPLY OF AIR CONDITIONER


Dear Sir,

You are requested to quote your prices for supply of stores listed overleaf. The quotations may be sent to the undersigned in a sealed envelope and subscribed as: **“Quotation with reference to Enquiry No. AMD/SVNIT/Soil lab./2018/503 dated 16/05/2018 on or before 25/05/2018.**

The quotations should be furnished with the following information.

- 1) The brand or make of each item should be specifically stated and wherever necessary, Complete set of specifications and dimensions should be given.
- 2) If asked, samples are accompany the quotations
- 3) Sales tax, General tax, Central Sales tax, Custom duty, Delivery and Installation charges, if not included in the prices quoted, should be clearly specified.
- 4) The period of validity of the quotation should be at least 60 Days. Offers subject to prior sale may please be avoided.
- 5) **The delivery period (maximum 15 days is allowed for this item from date of issue of supply order) is to be clearly mentioned in the quotation.**
- 6) The mode of delivery of the stores may be mentioned. The delivery should be F.O.R. SVNIT, Surat.
- 7) All concessions available to an educational institution should be specified and also taken into account while quoting.
- 8) This Institute is located within the limits of S.M.C. & exempted from the paying of octroi duty on incoming goods from outside limits of S.M.C.
- 9) This Institute is registered with the dept. of scientific & industrial Research (DSIR) for the purpose of availing custom duty exemption & central excise duty exemption, and hence the certificate to this effect will be issued wherever it is necessary on demand.
- 10) **Please mention the warranty period (Minimum one year warranty is essential)**
- 11) Payment is normally made by cheque drawn on the S.V.N.I.T. Branch Office of State Bank of India, Surat-395007 within a period of thirty days from the date of successful installation of the stores.
- 12) The Director reserves the right to accept stores, which are not strictly in confirming with the specifications but otherwise, found suitable.

Yours faithfully,



Sardar

Head

Applied Mechanics Department
SVNIT, Surat-395 007

(2)

Sr. No.	Item/Stores with Specifications	Probable quantity required	Whether sample of paper/Register/Item is to be sent or not
1	<p>Mitsubishi Air conditioner (Model No. : MSY-GN 18VF) - 5 star rating with Inverter technology, 1.5 ton capacity, Copper based control wiring from ODU to IDU, length of pipe required from ODU to IDU is 8 ft, Stand for outdoor unit is not required.</p> <p>Rate should be inclusive of supply to SVNIT and installation.</p>	02	-----

Sard

