

**SARDAR VALLABHBHAI NATIONAL INSTITUTE
OF TECHNOLOGY, SURAT – 395 007**

TENDER DOCUMENT

FOR

**PROVIDING ANNUAL MAINTENANCE SERVICES
FOR NETWORK EQUIPMENTS, ACTIVE & PASSIVE
COMPONENTS, ETC.**

**AT
SVNIT, SURAT.**

System Administrator

Prof. I/c. CCC

Dy. Reg. (A/c)

Registrar

Director

**TENDER DOCUMENT FOR PROVIDING ANNUAL MAINTENANCE SERVICES FOR
NETWORK EQUIPMENTS, ACTIVE & PASSIVE COMPONENTS, ETC. AT SVNIT
SURAT**

Tender reference no: CCC/AMC-Network/264/2018-19

Date: 22-02-2019

Section I : PREAMBLE

- The Sardar Vallabhbhai National Institute of Technology, Ichchhantah, Surat (SVNIT, Surat) invites sealed bids from the Experienced and Competent Services providers – for Network equipment, Active & Passive Components, etc i.e. from eligible bidders for providing the Comprehensive Annual Maintenance Services as listed above involving fault diagnosis, fault isolation, repairs, rectification, installation etc of the NETWORK EQUIPMENT, ACTIVE & PASSIVE COMPONENTS, ETC. at SVNIT as per the requirements & technical compliance, defined in the section “**Schedule of Technical Requirements**” in this tender document; at the terms and conditions specified in the section “**General Terms & Conditions**”; provided the vendor satisfies the pre-qualification requirements as listed out in the section “**Prequalification Requirements of the Bidder**” to bid for the tender.
- The entire tender document comprises of various sections, as listed below:
 1. Preamble (this page)
 2. Schedule of Tender & Tender Form Covering letter
 3. Prequalification Requirements of the Bidder
 4. Schedule of Technical Requirements
 5. General Terms & Conditions
 6. Declaration to be honored and signed by the bidder
 7. Summary Sheet
 8. Form No. 1
 9. Form No. 2
- The tender form should downloaded from the institute web-site, the **tender fees have to be remitted with the bid**. Without the tender fees being remitted, the tender will not be considered. For tender fee, the Demand Draft in favour of **Director, Sardar Vallabhbhai National Institute of Technology, MHRD Fund payable at Surat** must be submitted along with tender document
- All bids must be accompanied by a **bid security** as specified in the bid document and must be delivered to the above office latest by the date and time indicated.
- Bids will be opened in the presence of Bidders' representatives who may choose to attend on the specified date and time.
- In the event of the date specified for the bid receipt and opening, being declared as a closed holiday for SVNIT, the due date for submission of bids and opening of bids will be the following working day at the appointed times.

Section II : SCHEDULE OF TENDER

1. Last date of submission of Tender at SVNIT: **14th March 2019 (before 5:00 pm)**

2. Date of Opening of Tender of Pre-qualification requirements: **12.30 pm on 15th March 2019**

3. Date of Opening of Techno-commercial offer: **12.30 pm 18th March 2019**

4. Place of opening of bids: Central Computer Centre, SVNIT, Surat

5. Address for communication: Director, S V National Institute of Technology,
Ichchhanath, Surat – 395007

6. Tender fee of Rs. 7,000/- (Rupees Seven Thousand Only) to be remitted with tender by DD drawn in favour of "Director, SVNIT, MHRD Fund Surat" D. D. No. _____ Date : _____
Name of Bank : _____
Branch : _____

7. EMD of Rs. 1,50,000/- (Rupees One Lacs Fifty Thousand Only) to be remitted with tender by DD drawn in favour of "Director, SVNIT, MHRD Fund Surat". D.D. No. _____ Date : _____
Name of Bank: _____
Branch: _____

(DD of EMD and Tender fee must be separate otherwise tender will be rejected.)

Important Notes:

- Tender offers must be sent by Registered Post A.D./Speed Post/Hand delivery only.
- Price in Indian Rupees at F.O.R SVNIT, Surat should be quoted.

TENDER FORM

FROM : _____

To,
The Director,
SVNIT, Surat

Sub.: **Tender for Providing Annual Maintenance Services for Network equipments, Active & Passive Components, etc. at SVNIT, Surat.**

Sir,

With reference to above, we submit the following particulars of our Firm/Agency.

1. Name of the firm & address with direct phone :
numbers

2. Name of the proprietor/chief of the firm :
3. Registration number & date :
4. Date of Establishment :
5. Present strength of the firm
 - Any Certification Standards : _____
 - No. of Major Clients with execution of work : _____
orders involving similar scope and magnitude : _____
of work : _____
 - No. of sites handled : _____
6. Annual turnover in Rs. lacs : _____
(only in providing similar services)

Section III: Prequalification Requirements of the Bidder

Following are the specific pre-qualification requirements which should be satisfied by the bidding Information Technology Setup Infrastructure Service Provider – Maintenance Services Contractor (henceforth referred to as the “bidder”) for being **primarily considered** for bidding for aforementioned services at SVNIT, at the terms & conditions, mentioned in the appropriate section in this document:

Sr No	Details	Documentary Evidence Required to be attached	Compliance YES/NO	Corresponding Document as Proof in our Prequalification Requirements Document Set on PAGE NO
1	The bidder must have minimum five years of experience in providing annual maintenance services in Network equipment, Active & Passive Components, etc.	Copy of Work Orders for last 5 years & detail as per Form No. 1 should be attached		
2.	The bidder must have successfully execute at least three (3) same kind of AMC work orders of value at least Rs. 15.00 lacs or above.	Copies of the three work orders (i.e. for AMC of Network equipment, Active & Passive Components only) of value at least Rs. 15.00 lacs or above		
3.	Satisfactory Performance Certification from existing client minimum five organization must be submitted, which should contain minimum two client mention at Sr. No. 2	Copy of satisfactory performance Certification		
4.	The annual turn over of the bidder for providing AMC services in Network equipment, Active & Passive Components etc. should be more than Rs. 1 crore above.	Copies of the Annual Audited Account Statement along with certificate from C. A. firm mentioning turnover of AMC services in Network Equipment.		
5.	Total Number of Networking Equipments maintained must be more than 1000 units per order for last three years	Self-certification with an approximate count of the total number and work order copies must be attached		
6.	Omni-presence across the country with offices/resident engineers deputed at about more than thirty places throughout the country. However, the bidder must ALSO have sufficient personnel in Surat/South Gujarat itself to provide 24*7*365 customer support	Self certification with complete list of branch offices (for service) throughout the country and copy of any two of the following : Property tax bill/Electricity Bill/Telephone Bill/VAT/CST Registration/Lease agreement Form No. 2		
7.	Currently Valid Solvency certificate should be of at least Rs. 30 lacs from any Nationalized/Public/Private Sector bank	Certification from the bank		

8.	Net worth of the service provider must be positive	Copies of the Annual Audited Account Statement		
9.	Should have an experience of maintaining the network equipments, active & passive components etc. of following companies (1) Extreme Networks, (2) Dlink Networks (3) HP Networks, (4) Cisco Network, etc.	Copy of trained manpower Certification from the concerned vendors. (at least 2 company)		
10.	The bidder should have well defined capabilities and procedures to track call resolution progress status and provide the updates to the customer	Statement for Call resolution and escalation matrix.		
11.	Relevant Certification (preferably applicable to maintenance services)	Copies of such certification		

If **complying all of the above conditions and appearing to be qualifying to bid**, the prospective bidder shall provide appropriate documents stating compliance of the above, **put them in a separate envelope along with a compliance statement** stating compliance to all the above requirements, super scribe it with **“Prequalification Requirements of the Bidder”** and enclose it in the main envelope along with the techno-commercial bid (**which should be supplied in other separate envelope**).

Place:
Date:

Signature of the Bidder:
Name & Address of the Bidder with office Stamp

Section IV : Schedule of Technical Requirements

This contractor will provide Annual Maintenance Services for Network equipments, Active & Passive Components, etc. at SVNIT, Surat. This contract shall cover the following :

1.1 Call Centre Services:

- (i) These services should provide single point of contact for all assistance for all services. End users would contact this service as a first point of contact for problem resolution.
- (ii) User may log calls using Service Desk Maintenance Request System - either telephonically, through e-mail, through SMS or through written complaint or personally. Site In-Charge shall enter all such calls into service desk (call centre management software & separate register also) and initiate the action.
- (iii) Site In-Charge would determine the severity level and would assign task to competent service engineer & take feedback and call slip of call resolution.
- (iv) Any change to IT system (DNS address, Name, New services) would be communicated to Site In-Charge who shall in turn be responsible for communicating to End Users.
- (v) Site In-Charge shall make daily & monthly reports and discuss with the System Administrator, Central Computer Centre.
- (vi) The contractor should adhere to the following Response and Resolution time as per the severity of the utility and as per their definitions here viz.
 - a. Response time: This is defined as the time taken by the Site In-Charge to respond to the user over telephone, person or deputing service engineer.
 - b. Resolution time: This is defined as the time taken to resolve a problem & call is closed.

Sr. No.	Type of problem/service	Response time	Resolution time
1.	Network equipment, Active & Passive Components, etc. which affects the major group of users.	Within 4 hours	Within 24 hours

In case call is not closed, next level escalation shall be done and user shall be informed with estimated hours for resolution. In any case all the calls shall be closed within 72 hours.

- 1. If problem is not resolved within 24 hours then a penalty at the rate of 50 % of the monthly cost of utility under consideration will be imposed on the contractor.**
- 2. If problem is not resolved within 72 hours then 100 % monthly cost of utility under consideration and penalty at the rate of 100% both will be imposed on the contractor every month, till the problem is resolved.**
- 3. If problem is not resolved within three months then SVNIT has right to get it resolved from other sources and expense incurred to do so will totally be deducted from the contractor.**

Above penalty will be directly deducted from the AMC Charges. The decision of SVNIT's nominated officer viz. System Administrator & Professor In-Charge, Central Computer Centre will be treated as final in such cases.

1.2 Network Management Services & Technical Support Services:

- (i) Ratification of the networking & LAN problems at the users end and checking the internet speed at user end.
- (ii) The contractor shall provide highly efficient network management services.
- (iii) Installation / updation / upgradation for the switches and network monitoring system (e.g. EPI Center for Extreme Networks, IMC for HP Network) must be carried out during contract period. Contractor must be able to configure the switches, EPI Center, IMC for wired & wireless network as per SVNIT requirement.
- (iv) The contractor must check UTP cable at user end in case of any failure and rectify the problem within the maximum resolution time.
- (v) The contractor must identify failure of optical fiber & rectify the same.
- (vi) In case of failure of optical fiber either due to fiber cut because of civil work or any such type of activities in the campus, contractor shall rectify the problem by making splicing using bamboo joint, necessary digging work or any type of civil work required for making joint should be done by the contractor.
- (vii) The contractor must have competence for laying the cable both fiber and copper, punching of cable at user/jack panel and cater for such need of end user as and when required.
- (viii) All the racks of Network Equipments such likes switches, access points etc. should be cleaned and maintained once in each quarter and report should be submitted to the System Administrator, Central Computer Centre, SVNIT, Surat along with quarterly bill.
- (ix) The contractor should maintain, take regular backup of the existing mail server/web server.
- (x) The contractor shall shift the rack and other component from one location to other, if required.

1.3 Comprehensive Maintenance of All Devices:

- (i) This comprehensive maintenance contract shall cover, proactive, preventive, breakdown maintenance of hardware & software support for the various make Network equipments etc located at SVNIT, Surat. For a detailed list of items covered under this contract refer Annexure A & B.
- (ii) For comprehensive maintenance the contractor will keep necessary spares up to a tune of **10%** as inventory to achieve agreed uptime at the client's end. Any increase in down time due to non-availability of spares shall be the sole responsibility of the contractor and the institute holds the rights to take appropriate penalty action thereof.
- (iii) The contractor shall submit on 1st working day of every month list of backup spares at SVNIT along with value to System Administrator, Central Computer Centre, SVNIT, Surat.
- (iv) The contractor shall track the spare inventory and seek replacement of used spares **within 48 hours**.
- (v) The complete records of inventory must be maintained by the contractor & the counter signature of SVNIT nominated officer viz. System Administrator, Central Computer Centre, SVNIT, Surat, must be taken for any transaction of hardware items. Institute property-hardware or software must not be taken out of the institute premises without prior permission of the concerned.

SARDAR VALLABHBHAI NATIONAL INSTITUTE OF TECHNOLOGY, SURAT – 395 007

Tel Nos: 0261-2259571, 82 to 84 TeleFax: 0261-2228394 director@svnit.ac.in; <http://www.svnit.ac.in>

- (vi) The entire inventory kept at the institute by the contractor must be of reputed make. No unbranded hardware or pirated software should be kept by contractor.
- (vii) The maintenance service shall include repairs and replacement of all parts/sub-assemblies.
- (viii) The contractor shall carryout comprehensive **preventive maintenance in each quarter** of the year for each system with the prior appointment with the user. The contractor's Service Engineer shall check the system by running diagnostics software to ensure that all the units are working satisfactorily. The contractor will also do the **internal and external cleaning** of the network equipments during this preventive maintenance. Preferably, the contractor will plan a preventive maintenance schedule for each section and **inform the System Administrator, Central Computer Centre well in advance.**
- (ix) A unique identification number i.e. an Asset tag has already been given to IT asset i.e. network equipments. The contractor has to verify the Asset tag already given and has to fix new Asset tag to the equipment which are not tagged and will be covered under Annual Maintenance Contract. Tag No. must be given as per instruction from System Administrator, Central Computer Centre, SVNIT, Surat. The process of verifying and fixing new tag must be completed before commencement of contract.
- (x) **The contractor has to submit list of pending calls with justification for not completing call in the format given by Central Computer Centre daily.**
- (xi) Report of breakdown as well as preventive maintenance of the equipment shall be submitted with each bill.
- (xii) The contractor shall take the signature of the concerned department head/section/In-charge, laboratory or end user on call report in triplicate after each call, as a proof of having provided the satisfactory service. The contractor shall give one copy of call report to the concern end user and submit one copy to Central Computer Centre, SVNIT, Surat on next working day.
- (xiii) Minimum manpower has to be deployed (with minimum required qualifications) by the contractor as per the details shown below in the table. The persons who don't possess the requisite qualifications & training will not be permitted to be deputed at the Institute. **The contract will commence only after deploying below mentioned manpower with minimum required qualification. Deviation in minimum qualification during the contract period will lead to termination of contract without any notice and superseding the other terms and conditions mentioned in the tender.**

Sr. No.	Designation	Qualifications & Experience
1.	Site In-charge (Network Engg)	B.E. (Electronics/Computer/IT) with min. 3 yrs. of experience or a diploma holder (Electronics/Computer/IT) with min. 6 yrs. of experience as Certified Engineer for the HP/Extreme/D-link/Cisco
2.	Field Engineer	B.E. (Electronics/Computer/IT) with min. 1 yrs. experience or a diploma holder (Electronics/Computer/IT) with min. of 3 yrs. of experience as Certified Engineer for the HP/Extreme/D-link/Cisco
3.	2 Nos. of Technician	Diploma holder (Electronics/Computer/IT) or ITI holder (Computer/Electronics / Electrical) with adequate knowledge of spicing, network passive cabling, punching, fiber testing, etc.

- (xiv) In any case Site In-charge or Field Engineer remain absent due to any reason, same should be substitute by same or higher qualification person, failing to which a penalty at the rate of Rs 1000.00

(Rupees One Thousand Only) per day per person will be levied. The penalty will be deducted from quarterly bill.

- (xv) Generally working hours for service engineers will be 9.30 a.m. to 6.00 p.m. for Monday to Saturday with recess 1.00 p.m. to 1.30 p.m. and on Sunday & Holidays as per requirement.
- (xvi) The contractor shall have to provide the services of a local Engineer as and when required to resolve the faults as per the timeframe mentioned in this document.
- (xvii) The contractor should furnish the complete bio-data, address-proof, Certificates of his staff to be deployed at SVNIT, Surat. This staff can be deployed at SVNIT after approval from System Administrator, Central Computer Centre and these persons have to wear uniform with company's badge stitched on their uniform. The identity card issued by contractor must be there with these persons while in duty.
- (xviii) All the staff of the contractor will be under the direct control of System Administrator Central Computer Center, SVNIT, Surat. They have to follow the instructions of System Administrator Central Computer Center, SVNIT, Surat. Further all the financial & legal matters will be settled only through SVNIT's representatives.

1.4 Asset Management Services:

- (i) The contractor shall take perpetual inventory of Networking assets by personally visiting each location in the campus and update database online as and when requested by SVNIT. The contractor will also make hardcopy of such records in section wise and take signature of System Administrator, Central Computer Centre. Any addition or removal or transfer of asset must be properly recorded online as well as in Network asset register.
- (ii) This exercise must be done in each quarter and submit the report to the System Administrator, Central Computer Centre of SVNIT, Surat.
- (iii) The contractor shall collect the user feed back in survey form once in each quarter & submit the same to the System Administrator, Central Computer Centre, SVNIT, Surat.
- (iv) In the condition of replacement / standby of all the equipments mentioned **it must be replaced by same or higher brand and higher configuration with suitable documentation.**

Section V : GENERAL TERMS AND CONDITIONS

1. The bidder must comply all the pre-qualification conditions mentioned in the head “**PRE QUALIFICATION REQUIREMENTS OF THE BIDDER**”
2. Tenders should be enclosed in a **sealed covers**, super scribed “**Tender For Providing Annual Maintenance Services For Network equipments, Active & Passive Components, etc. at SVNIT, Surat**” addressed to the “Director, Sardar Vallabhbhai National Institute of Technology, Ichhanath, Surat–395 007.”
3. The main sealed cover should contain within it, apart from the other required documents/items, the following at least three envelopes viz.
 - a. A sealed Envelope super scribed as “**Prequalification Requirements of the Bidder**”
 - b. **A sealed envelope to contain the Demand Draft for EMD and the Demand Draft for tender fees.**
 - c. A sealed Envelope super scribed as “**Techno-Commercial Statement**”It should very clearly be noted that **any bid without these three envelopes, enclosed in the main envelope, will be treated as an incomplete bid and is liable to be rejected.**
4. The tender documents without the earnest money deposit will be rejected. EMD shall not bear any interest and will be refunded on request only to the contractors who does not qualify or receive the work order.
5. The tender documents with earnest money deposit previously for any other tender will not be considered and in such case tender will be rejected.
6. The tenders received after due date will be rejected.
7. The Techno-commercial offer of only those tenders will be considered who satisfies pre-qualifying criteria.
8. The validity of offer must be at least **120 days** from the date of opening of the price bid.
9. The bidder should preferably visit the various sites where networking equipments are kept and shall satisfy himself about the local conditions, locations, accessibility of equipment installed in the department/sections, nature/extent/character of work and obtain clarification in writing from the System Administrator, Central Computer Centre of SVNIT, Surat if required.
10. No claim of any nature on any ground on inadequate site information or knowledge or misunderstanding or otherwise in such respects will be admissible, later on. Interested parties may contact System Administrator, Central Computer Centre of SVNIT, Surat for inspection of Network equipments during working hours of the institute.
11. The rates quoted once will be treated as final. No alteration either in rates or in tender documents will be entertained.
12. No negotiation meetings will be conducted.
13. The successful bidder to whom the work is awarded will be under direct control of the System Administrator, Central Computer Centre of SVNIT, Surat and has to follow the instructions from time to time as issued by this System Administrator, Central Computer Centre of SVNIT, Surat.
14. In case of any dispute, the decision of SVNIT authority/Director shall be final and abiding to the contractor.
15. The Director, SVNIT Surat reserves the right to split the maintenance contract into two or more contracts.

SARDAR VALLABHBHAI NATIONAL INSTITUTE OF TECHNOLOGY, SURAT – 395 007

Tel Nos: 0261-2259571, 82 to 84 TeleFax: 0261-2228394 director@svnit.ac.in; <http://www.svnit.ac.in>

16. The bidder will not be permitted to assign or give sub contract of the work awarded to him without prior permission from the Director, SVNIT, Surat. The decision of SVNIT authorities in this regard shall be final and binding to the contractor/bidder.
17. The contractor must meet necessary statutory and legal compliances. SVNIT will not be responsible for any legal action arising out of non-compliance to statutory & other similar legal compliances.
18. The contractor must take necessary insurance for their personnel deputed at the institute. The institute will not be responsible for any damage caused to these personnel by way of accident including the loss of life.
19. No attempt shall be made by the contractor or the staffs deputed by the contractor at SVNIT Surat to unlawfully reveal, misuse or encroach upon the intellectual or private data/information at the SVNIT, Surat to which they may have access, too, as part of the maintenance work carried out.
20. Any loss or damage caused to the institute property by the personnel deputed by the contractor will be recovered from the contractor and the decision of institute authority in this matter will be treated as final and abiding to the contractor.
21. The duration of the contract shall be initially for a period of one year. However, the maintenance contract may be extended for further one more year or part thereof at the same terms & conditions at the sole discretion of SVNIT, Surat.
22. **After accepting work order** contractor is required to inspect all the equipment which are to be covered under contract and submit the detail report to System Administrator, Central Computer Centre, SVNIT, Surat. Then list of equipment to be covered under contract should be finalized in consultation with System Administrator, Central Computer Centre, SVNIT, Surat.
23. The successful bidder must submit the list of spares to be maintain as inventory at SVNIT, Surat duly approved by System Administrator, Central Computer Centre, SVNIT, Surat and get it verified physically before the commencement of the contract.
24. The successful bidder must submit a Service Level Agreement along with accepting the work order within 15 days of receipt of work order otherwise the work order is liable to be canceled without intimation. Service Level Agreement should be executed on Non-judicial stamp paper of Rs. 100/- (Cost of paper is to borne by contractor) on receipt of work-order. **The contract will commence only after duly signed Service Level Agreement is submitted to Central Computer Centre, SVNIT, Surat.**
25. The bidder must deposit a Security Deposit at a rate of **5%** of work order at the time of accepting the work order within 15 days of receipt of work order otherwise penalty of 2% of the work order leveled. **The contract will commence only after Security Deposit and penalty if applicable is deposited.**
26. Security deposit shall be released only after the satisfactory completion of work, due if any and faithful performance of the work. No interest will be paid on security deposit, in case of any default on the part of the contractor, the security deposit will be forfeited and the decision of SVNIT authorities in this regard will be treated as final and abiding to the contractor.
27. **The rates quoted for the items under AMC should be on pro-rata basis i.e. considering only remaining effective period.**
28. Though the successful bid shall be decided based on **the total value of the bid** as one of the parameter after evaluating all the prequalification and technical criteria – for Networking Equipments – **the quarterly bill will be calculated for the number of equipment which are in service in a given quarter on pro-rata basis.**

29. SVNIT authorities reserves the right to add/delete item/items at any point of time during the entire duration of the contract. The addition / deletion of the items will be as per rates mentioned in the contract for that group of item (on pro-rate basis).
30. The bidders are STRONGLY advised **to fill in the cost of the solution in the SUMMARY SHEET** provided at the end of this document – which shall become the basis for the financial comparison of the bid. Any bids without the summary sheet will be rejected.
31. **The rates quoted should include all the taxes, duties, levies including sales tax, GST, service tax and turnover tax etc. as applicable on work contract in the state of Gujarat.**
32. Payment Terms:
- (i) No advance payment will be released for annual contract.
 - (ii) Payment of maintenance services shall be made at the end of each quarter on satisfactory completion of the work during the quarter within 30 days after receipt of bill duly certified by each concerned department/sections at SVNIT which would be finally certified by Professor In-Charge, Central Computer Centre at SVNIT, Surat.
 - (iii) The necessary deduction of income tax at source will be done as per government norms.
33. Termination:
- (i) The contract can be terminated by giving one month notice by either party. In such case, the payment shall be made of appropriate amount of rendered services after deducting at least **10%** of bill amount.
 - (ii) In case of failure on the part of the contractor to sustain the maintenance work to the satisfaction of the SVNIT, Surat, the Director/institute authority reserves the right to forfeit security deposit and any of the dues due to the contractor, terminate the maintenance contract with immediate effect and will be at liberty to get the work executed through a separate contractor at the risk and cost of the defaulting contractor.
34. **The bid from the vendor who is found in fraud activity with SVNIT or on the name of SVNIT shall not be allowed for bidding and the bid from such vendor will not be accepted and will be rejected. The bid submitted in consortium with such vendor will not be considered and if such information is found later then the work order issued will be terminated immediately without any notice.**
35. **The bid from the vendor who has been black listed at any Government organization / Semi-Government Organization will be rejected.**
36. **The bid from the vendor who has received the work order for providing such service to SVNIT and was unable to provide the service or services was terminated by the institute will be rejected.**
37. At any time prior to the deadline for submission of bids, SVNIT may, for any reason, whether at its own initiative or in response to a clarification requested by a prospective bidder, modify the bidding documents by amendment.
38. **All prospective bidders should keep looking at the institute website for information concerning the changes/amendments on the website.** No claim of any nature on any ground on inadequate information or knowledge or misunderstanding or otherwise in such respects will be admissible, later on.
39. **It is compulsory to attach all the mentioned and required documents at time of submission of tender. No additional attachment is permitted later on.**

40. All documents along with tender form must be numbered.(1...n) and corresponding page number must be entered in the pre-qualify sheet, no further clarification will be entertained.
41. The Bidder has to examine all instructions, forms, terms, conditions and specifications in the bidding documents. Failure to furnish all information required by the bidding documents or submission of a bid not substantially responsive to the bidding documents in every respect will be at the Bidder's risk and may result in rejection of its bid.
42. **SVNIT reserves the right to change any bid condition of any item even after inviting the bids, with/without prior notification**
43. Arithmetical errors will be rectified on the following basis: If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected. If there is a discrepancy between words and figures, the amount in words will prevail. If the prospective Supplier does not accept the correction of errors, its bid will be rejected and its bid security may be forfeited.
44. Dispute, if any will be subject to Surat jurisdiction only.

DIRECTOR, SVNIT.

Section VI : DECLARATION

Tender reference no: CCC/AMC-Network/264/2018-19

Date: 22-02-2019

I/We hereby declare I/We have read all the terms and conditions of the Tender stated in all the sections in this tender document and as may be modified/mutually agreed upon, are acceptable and binding to me/us.

I/We have also verified that the bidding document contains at least the following

- A sealed Envelope superscripted as “**Prequalification Requirements of the Bidder**” containing compliance statement for all the prequalification requirements.
- **A sealed envelope to contain the Demand Draft for EMD and the Demand Draft for tender fees.**
- A sealed Envelope superscribed as “**Techno-Commercial Statement**” to contain atleast the following:
 - The Tender document appropriately signed and stamped at all pages
 - General Conditions of Contract
 - Acceptance to all the Requirements;
 - **Price Schedules of each and every item quoted as per Annexure B**
 - **Summary Sheet in the format laid in this document**

I also understand that **my bid without these three envelopes, enclosed in the main envelope, superscribed as “Tender For Providing Annual Maintenance Services For Network equipment, Active & Passive Components, etc. at SVNIT, Surat will be treated as an incomplete bid and is liable to be rejected.**

Place:

Signature:

Date:

Name & Address of the Bidder with office Stamp with all contact details

Section VII SUMMARY SHEET

Tender reference no: CCC/AMC-Network/264/2018-19

Date: 22-02-2019

Sr No.	Network Equipment	No. of Units	Rate per Unit in Rupees	Total Amount in Rupees
	Extreme			
1	Extreme X450-24X	3		
2	Extreme X450e-24p	3		
3	Extreme Summit 300-24p	10		
4	Extreme Summit 400-24t	32		
5	Extreme Summit 400-48t	4		
6	Extreme Altitude 300-2i	14		
7	Extreme Fiber Module (GBIC)	98		
8	Extreme 10 G Module (GBIC)	7		
9	Extreme Power Supply EPS-T	3		
10	Extreme Power Supply EPS-160	6		
	D-Link			
11	D-link DES1008D	27		
12	D-link DES1016D	15		
13	D-link DES1024D	33		
14	D-link DES1024R+	4		
15	D-link DES 1026G	2		
16	D-link DES 1224	5		
17	D-link DES 3026	1		
18	D-link DES 6000	1		
19	D-link DES 1210 P	10		
20	D-link DES 3028	1		
21	D-link DES 3028P	92		
22	D-link DES 3200	45		
23	D-Link DGS 1500	5		
24	D-link DWS 3024	4		

SARDAR VALLABHBHAI NATIONAL INSTITUTE OF TECHNOLOGY, SURAT – 395 007Tel Nos: 0261-2223371,82 to 84, TeleFax: 0261-2228394 director@svnit.ac.in; <http://www.svnit.ac.in>

25	D-link DWL 3200	3		
26	D-link DWL 3500	152		
27	D-link DES 3526	2		
28	D-link DES 3550	1		
29	D-link DGS-1210P	3		
30	D-link DGS 1024D	6		
31	D-link Fiber Module (GBIC)	49		
32	D-link Jack Panel 24 Port	266		
33	DIGILINK Jack Panel 24 Port	15		
34	LIU 6 Port	4		
35	LIU 12 Port	50		
36	LIU 24 Port	58		
37	LIU 6 Port Wall Mount	3		
38	LIU 24 Port Wall Mount	5		
39	D-link Fibre Media Converter	41		
	Dax			
40	Jack Panel 24 Port	256		
41	LIU 6 Port	4		
42	LIU 12 Port	20		
43	LIU 24 Port	118		
	HP			
44	HP A 7510 10 Slot Chassis Core Switch	1		
45	HP A 7506 6 Slot Chassis Core Switch	4		
46	HP 10 G Module (GBIC)	25		
47	HP Fiber Module (GBIC)	280		
48	HP Wi-Fi Controller Module	2		
49	HP WA2620-AGN Access Point	574		
50	HP Power Adaptor for Access Point	131		
51	HP 5500-24G POE Switch	58		
52	HP A 5120-24 EI Switch	66		
53	HP A 5120-48 EIG Switch	55		
54	HP 5130-24 Switch	1		

SARDAR VALLABHBHAI NATIONAL INSTITUTE OF TECHNOLOGY, SURAT – 395 007Tel Nos: 0261-2223371,82 to 84, TeleFax: 0261-2228394 director@svnit.ac.in; <http://www.svnit.ac.in>

	Other			
55	Cisco 3560G-24 Switch	3		
56	Cisco 3560G-24P Switch	1		
57	3 Com 8 port Switch	1		
58	Cisco 2950	1		
59	Cisco Fiber Module (GBIC)	4		
60	Cisco Router 2800	2		
61	GOCK 10G Module (GBIC)	2		
62	Cisco Router	1		
63	SYROTECH Fiber Module (GBIC)	2		
64	Level One Fiber Module(GBIC)	1		
65	MROTEX Fiber Media Converter	1		
66	TP -Link Fiber Media Converter	1		
67	ELECTRALSYS Fiber Module(GBIC)	2		
68	Passive Components	All component installed at SVNIT campus *		
			Total in Rs.....	
			Rebate / Concession for Academic Institute in Rs.	
			Total Cost in Rs.....	
Rupees (In Words)				

*The bidder may visit the various sites for the same.

Note :

- (i) Detailed Specification of various switch are as per Annexure A & B
- (ii) All taxes should be inclusive.
- (iii) **This summary sheet must be enclosed in Techno-Commercial envelop only along with Annexure B, otherwise the bid will be rejected.**
- (iv) **Unit prices of each item should be quoted, without which bid will be rejected**

Date:
Place:

Signature & Stamp of Bidder

Form No. 1

The Bidder should be providing annual maintenance services for Network Equipments, Active & Passive Components, etc. since last 5 financial years.

Name of the Bidder:

Sr. No.	Name of the Customer	Address of the Installation	Start date of Project	Completion date of Project	Scope of the Work	Value of the Project in Rupees	Work Order attached (Yes/No)

Note: - Please attach purchase order/ contract agreement and completion certificate for each of project details mentioned

Date:
Place:

Signature & Stamp of Bidder

Form No. 2

Detail of Office Locations

Sr. No.	Address	Contact Person	Contact No.	Type of Supporting Document Attached
1.				
2.				
3.				

Date:
Place:

Signature & Stamp of Bidder

Specifications

Dlink 6000

1	DES- 6000 FAST ETHERNET SWITCH SYSTEM
1A	DES- 6002 SWITCH MODULE-CPU Nos 1
1B	DES-6004 - 12 PORT 100 BASC E-EX SWITCH MODULE
1C	DES-6003 – 16 PORT 10/100 BASC -T SWITCH MODULE -8

DISTRIBUTION SWITCHES

No.	Item	Description
1	SUMMIT X450-24X	Extreme Summit X450-24 Unpopulated 1000 Base-X Mini Gbic Ports,4 10/100/1000 Base-T Ports
2	SUMMIT X450-24X CORE LICENCE	Extreme Ware Xos Licence, Sx 450 -24x
3	XGM-2XN	Extreme Two Unpopulated 10 Gigabit Xenpak Slots
4	LX4 XENPAK	Exterme 10 Gb Ethrnet Wwdm Xenpak Trensceiver
5	10 FX/1000 LX MINI GBIC	Extreme Mini Gbic Sfp Dual Speed 100-Fx/1000lx,Lc Connector
6	EPS-T	Extreme External Power System Power Tray
7	EPS-160	Extreme External Power System Power Modul For Esp-T

EDGE SWITCHES

No.	Item	Description
1	SUMMIT 400-48 t	Extreme summit 400-48t with 48 10/100/1000 rj45 + 4 unppoulated mini- GBIC for total of 48 active Gigabit Ethernet
2	SUMMIT 400-48 t adv. Edge licence	Summit 400-48t adv. Edge extremeware unpopulated licence
3	100 fx/1000 lx mini GBIC	Mini – gbic sfp, dual speed 100fx/1000 lx, lc connector
4	Summit 300-24 poE/WLAN switch	Extreme I2/I3/wlan switch 24 10/100 base –TX Power over ethrnet
5	Summit 300-24 EW Adv. Edge upgrade	Extreme ware adv. Edges Software upgrade voucher for tha summite 300-24
6	Attitude 300-2i	802.11a/b/g ,dual radio, integraed 2.4 & GHz antennas, AES, 10/100 BASE-TX PoE Port, mounting accessories
7	DWL 3500	Wireless Switching Metal Housing Access point (108 Mbps)
8	DWL-3200P	Wireless Switching Metal Housing Access point (108 Mbps)
9	Summit 400-24t	Extreme summit 400-24 t with 24 10/100/1000 Base T, 4 unpopulated mini Gbic port
10	Summit 400-24t adv. Edge license	Extreme ware adv. Edge license for summit 400 24-t
11	DES-3028p	Manageable 28 port layer 2 power Over Ethenet switch with 2 ports of 1000baser T, 2 combo/SFP ports.
12	DWS 3024	Wireless Manageable Controller 24-port 10/100/1000 Mbps switches with provision for giga fiber/copper uplinks and future 10G uplinks
13	Cisco 2950	24 Ethernet 10/100/1000 ports, 4 Gigabit Ethernet SFP ports
14	Cisco 3560	24 Ethernet 10/100 ports and 2 SFP
15	DES 3200	Manageable 28 port layer 2 switch with 2 ports of 1000baser T, 2 combo/SFP ports.

SARDAR VALLABHBHAI NATIONAL INSTITUTE OF TECHNOLOGY, SURAT – 395 007

Tel Nos: 0261-2223371,82 to 84, TeleFax: 0261-2228394 director@svnit.ac.in; <http://www.svnit.ac.in>

16	DGS 1500	D-link DGS 1500 with 24 10/100/1000 Base T, 4 unpopulated mini Gbic port
17	DES 1210 28 P	Manageable 28 port layer 2 power Over Ethenet switch with 2 ports of 1000baser T, 2 combo/SFP ports.

HP Product

1.	10 Slot Chassis Core Switch HP (HP-A7510)	10 Slots or higher Chassis Core Switch with redundant Management Module / Switching Fabric / Sup Engine & PS 8 x 10 Gbps ports divided in two I/O Module loaded (shown separately in summary) with 8 x 10 G -LR (XFP) Optics 2 x 48 ports 10/100/1000 BaseT Module (CORE Switch) Make/Model : HP-A7510, JD238B, JD218A, JD220A JD210A, JD235A, JD108B
2.	WLAN Controller HP	WLAN controller with 4xGE Cu/SFP ports, 1xFE management port, and 1x serial console port. 2 USB slots in High Availability (HA) mode. Controller switch should centrally manage minimum 500 Access Points. Make/ Model : HP-A7500, JD242B, JD226A, JD196A JD223A, JD440A, JD464A
3.	WLAN Access Point HP	WLAN Access Points supporting 802.11 a/b/g/n Standard - working with a WLAN Controller for centralized Configuration & management Make/ Model : HP-A-WA2620, JD472A
4.	6 Slot Chassis Core Switch HP-A7506	6 Slot Chassis Core Switch with primary Management Module / Switching Fabric / Sup Engine & PS with 4 x 10 Gbps Module with 10 G -LR (XFP) & 1 x 48 ports 1000 X (SFP) Module loaded (shown separately in summary) with 28 LX (SFP) optics Switch should support redundant switch Fabric / Management Module Make/ Model : HP-A7506, JD239B, JD218A, JD194B JD211B, JD119B, JD235A, JD108B

Sr. No.	Building	Location in the Building	Product	MODEL	MAKE	TAG ID
1	Accounts	Computer Room	Jack Panel	24 Port	D-link	
2	Accounts	Computer Room	Jack Panel	24 Port	D-link	
3	Accounts	Mis Cabin(Pankaj)	Switch-Unmanage	DES-1016D	D-link	
4	Admin	Near Academic Section	Jack Panel	24 Port	D-link	
5	Admin	Lab	Jack Panel	24 Port	D-link	
6	Admin	Near Academic Section	Jack Panel	24 Port	D-link	
7	Admin	Near Academic Section	LIU	6 Port	D-link	
8	Admin	Near Academic Section	Switch	DES-3028P (POE)	D-link	DL/3028P/088
9	Admin	Near Academic Section	Switch	Summit 300-24P	Extreme	EX/300/004
10	Admin	Near Academic Section	Switch	Summit 400-24t	Extreme	EX/400-24t/015
11	Admin	Near Academic Section	Jack Panel	24 Port	Dax	
12	Admin	Near Academic Section	GBIC	SFP	Extreme	EX/006
13	Admin	Near Academic Section	GBIC	SFP	Extreme	EX/057
14	Admin	Dean Office	Access point	DWL-3500	D-link	DL/3500/024
15	admin_wls1		Access Point	WA2620-AGN	H3C	DEPT/AP/001
16	IN STOCK	IN STOCK	Access Point	WA2620-AGN	H3C	DEPT/AP/002
17	admin_wls3		Access Point	WA2620-AGN	H3C	DEPT/AP/003
18	admin_wls4		Access Point	WA2620-AGN	H3C	DEPT/AP/004
19	Advance Research	4TH FLOOR	LIU	12 Port	D-link	
20	Advance Research	4TH FLOOR	LIU	24 Port	D-link	
21	Allumni	Nr. SBI bank	GBIC	SFP	H3C	P2/1G/007
22	Allumni	Nr. SBI bank	Jack Panel	24 Port	D-link	
23	Allumni	Nr. SBI bank	LIU	24 Port	D-link	
24	Allumni	Nr. SBI bank	Switch	DES-3028P (POE)	D-link	DL/3028P/102
25	Allumni	Nr. SBI bank	Access point	DWL-3500	D-link	DL/3500/068
26	AMD	Computer lab First floor	Jack Panel	24 Port	D-link	
27	AMD	Computer lab First floor	Jack Panel	24 Port	D-link	
28	AMD	Computer lab First floor	Jack Panel	24 Port	D-link	
29	AMD	Computer lab First floor	Jack Panel	24 Port	D-link	
30	AMD	Computer lab First floor	Jack Panel	24 Port	D-link	
31	AMD	Computer lab First floor	Jack Panel	24 Port	D-link	
32	AMD	Computer lab First floor	LIU	24 Port	D-link	
33	AMD	Computer lab First floor	LIU	12 Port	D-link	
34	AMD	Computer lab First floor	Switch	DES-3028P (POE)	D-link	DL/3028P/069
35	AMD	Computer lab First floor	Switch	Summit 400-24t	Extreme	EX/400-24t/014
36	AMD	Material Testing Lab	Jack Panel	24 Port	D-link	
37	AMD	Material Testing Lab	LIU	12 Port	D-link	
38	AMD	Material Testing Lab	Switch	DES-3028P (POE)	D-link	DL/3028P/099
39	AMD	Material Testing Lab	GBIC	SFP	D-link	DL/008
40	AMD	Computer lab First floor	Switch	DES-1210P (POE)	D-link	DL/3028P/095
41	AMD	Computer lab First floor	GBIC	SFP	D-link	DL/011
42	AMD	Computer lab First floor	Jack Panel	24 Port	D-link	
43	AMD	Computer lab First floor	GBIC	SFP	Extreme	EX/039
44	app_mech_wls1		Access Point	WA2620-AGN	H3C	DEPT/AP/028
45	app_mech_wls2		Access Point	WA2620-AGN	H3C	DEPT/AP/029
46	app_mech_wls3		Access Point	WA2620-AGN	H3C	DEPT/AP/030
47	app_mech_wls4		Access Point	WA2620-AGN	H3C	DEPT/AP/031
48	app_mech_wls5		Access Point	WA2620-AGN	H3C	DEPT/AP/032
49	app_mech_wls6		Access Point	WA2620-AGN	H3C	DEPT/AP/033
50	applied_wls1		Access Point	WA2620-AGN	H3C	DEPT/AP/017
51	applied_wls2		Access Point	WA2620-AGN	H3C	DEPT/AP/018
52	applied_wls3		Access Point	WA2620-AGN	H3C	DEPT/AP/019
53	applied_wls4		Access Point	WA2620-AGN	H3C	DEPT/AP/020
54	applied_wls5		Access Point	WA2620-AGN	H3C	DEPT/AP/021
55	ARC	2nd Floor 201 Electric ro	Switch	DES-3028P (POE)	D-link	DL/3028P/070
56	ARC	2nd Floor 201 Electric ro	Switch	DES-3028P (POE)	D-link	DL/3028P/071
57	ARC	3rd Floor 301 Electric ro	Switch	DES-3028P (POE)	D-link	DL/3028P/072
58	ARC	3rd Floor 301 Electric ro	Switch-Unmanage	DES-1224	D-link	DL/1224/005
59	ARC	6th Floor 601	Switch	DGS-1024D	D-link	DL/DGS-1024D/002

60	ASHD	Computer Lab	Jack Panel	24 Port	D-link	
61	ASHD	Computer Lab	Jack Panel	24 Port	D-link	
62	ASHD	Computer Lab Ground F	Jack Panel	24 Port	D-link	
63	ASHD	Computer Lab Ground F	Jack Panel	24 Port	D-link	
64	ASHD	Laboratory Physics	Jack Panel	24 Port	D-link	
65	ASHD	Laboratory Physics	Jack Panel	24 Port	D-link	
66	ASHD	Laboratory Physics	Jack Panel	24 Port	D-link	
67	ASHD	Laboratory Physics	Switch	DES-3028P (POE)	D-link	DL/3028P/085
68	ASHD	Laboratory Physics	Switch	DES-3028P (POE)	D-link	DL/3028P/086
69	ASHD	Pradhan Cabin FF	Jack Panel	24 Port	D-link	
70	ASHD	Pradhan Cabin FF	Jack Panel	24 Port	D-link	
71	ASHD	Pradhan Cabin FF	LIU	24 Port	D-link	
72	Bhabha Bhavan	4F A-Wing	GBIC	SFP	Extreme	EX/013
73	Bhabha Bhavan	8th Floor B Wing	Switch	Summit 300-24P	Extreme	EX/300/010
74	Bhabha Bhavan	8th Floor A wing	Access point	DWL-3500	D-link	DL/3500/021
75	Bhabha Bhavan	8th Floor A wing	Access point	DWL-3500	D-link	DL/3500/026
76	Bhabha Bhavan	8th Floor B Wing	Access point	DWL-3500	D-link	DL/3500/030
77	Bhabha Bhavan	8th Floor B Wing	Access point	DWL-3500	D-link	DL/3500/038
78	Bhabha Bhavan	8th Floor B Wing	Access point	DWL-3500	D-link	DL/3500/039
79	Bhabha Bhavan	8th Floor A wing	Access point	DWL-3500	D-link	DL/3500/040
80	Bhabha Bhavan	8th Floor A wing	Access point	DWL-3500	D-link	DL/3500/044
81	Bhabha Bhavan	8th Floor B Wing	Access point	DWL-3500	D-link	DL/3500/047
82	Bhabha Bhavan	8th Floor B Wing	Access point	DWL-3500	D-link	DL/3500/051
83	Bhabha Bhavan	8th Floor A wing	Access point	DWL-3500	D-link	DL/3500/054
84	Bhabha Bhavan	8th Floor B Wing	Access point	DWL-3500	D-link	DL/3500/154
85	Bhabha Bhavan	8th Floor A wing	Switch	Summit 400-24t	Extreme	EX/400-24t/008
86	Bhabha Bhavan	4th CCF Room	10 GBIC	SFP	Extreme	EX/10G/002
87	Bhabha Bhavan	OFFICE	Jack Panel	24 Port	D-link	
88	Bhabha Bhavan	OFFICE	Switch	DES-1008A	D-link	DL/1008A/002
89	Boiler Ext FF	Below Channiwala Cabin	POWER ADAPTER	Power Adap.	H3C	
90	Boiler Ext FF	Below Channiwala Cabin	Switch	A5120-24 EI	H3C	P1/5120-24G/04
91	Boiler Ext FF	Below Channiwala Cabin	Jack Panel	24 Port	Dax	
92	Boiler Ext FF	Below Channiwala Cabin	LIU	6 Core	Dax	
93	Boiler Ext FF	2nd Floor	Access point	DWL-3500	D-link	DL/3500/048
94	Boiler Ext FF	Below Channiwala Cabin	Switch	DES-3028P (POE)	D-link	DL/3028P/017
95	Boiler Lab	Old Building	Converter	Media Converter	D-link	
96	Boiler Lab	Old Building	Jack Panel	24 Port	D-link	
97	Boiler Lab	Old Building	LIU	12 Port	D-link	
98	Boiler Lab	Old Building	Switch-Unmanage	DES-1008 D	D-link	DL/1008D/007
99	Boiler Lab	Old Building	Jack Panel	24 Port	D-link	
100	Boiler Lab	Old Building	Switch-Unmanage	DES-1224	D-link	DL/1224/007
101	B-Type	B-13 S.Kumar	Jack Panel	24 Port	D-link	
102	B-Type	B-13 S.Kumar	Wall mount LIU	Wall mount LIU	D-link	
103	B-Type	B-13 S.Kumar	LIU	12 Port	D-link	
104	B-Type	B-13 S.Kumar	Switch	3560G-24P	Cisco	EX/400-24t/002
105	B-Type	Opp. Staff Club	Jack Panel	24 Port	D-link	
106	B-Type	Opp. Staff Club	Switch-Unmanage	DES-1016 D	D-link	DL/1016D/005
107	Cadlab	CADLAB	1 Port 10G Fiber Module	JD359B	H3C	P1/5500/10G-M/01
108	Cadlab	cadlab_wls1	Access Point	WA2620-AGN	H3C	P1/AP/109
109	Cadlab	cadlab_wls2	Access Point	WA2620-AGN	H3C	P1/AP/110
110	Cadlab	cadlab_wls3	Access Point	WA2620-AGN	H3C	P1/AP/111
111	Cadlab	cadlab_wls4	Access Point	WA2620-AGN	H3C	P1/AP/112
112	Cadlab	cadlab_wls5	Access Point	WA2620-AGN	H3C	P1/AP/113
113	Cadlab	cadlab_wls6	Access Point	WA2620-AGN	H3C	P1/AP/114
114	Cadlab	cadlab_wls7	Access Point	WA2620-AGN	H3C	P1/AP/115
115	Cadlab	cadlab_wls8	Access Point	WA2620-AGN	H3C	P1/AP/116
116	Cadlab	cadlab_wls9	Access Point	WA2620-AGN	H3C	P1/AP/117
117	Cadlab	cadlab_wls10	Access Point	WA2620-AGN	H3C	P1/AP/118
118	Cadlab	cadlab_wls11	Access Point	WA2620-AGN	H3C	P1/AP/119
119	CADLAB	CADLAB GF	10G GIBIC	XFP	H3C	P1/10G/10
120	CADLAB	CADLAB GF	GBIC	SFP	H3C	P1/1G/40

121	CADLAB	CADLAB FF	GBIC	SFP	H3C	P1/1G/43
122	CADLAB	CADLAB FF	Switch	A5120-24 EI	H3C	P3/5120-24/06
123	CADLAB	CADLAB FF	Switch	A5120-24 EI	H3C	P3/5120-24/07
124	CADLAB	CADLAB GF	GBIC	SFP	H3C	P2/1G/030
125	CADLAB	CADLAB GF	Switch	A5120-48G EI	H3C	P1/5120-48G/16
126	CADLAB	CADLAB GF	Switch	5500-24G POE	H3C	P1/5500-24G/09
127	CADLAB	CADLAB GF	Jack Panel	24 Port	Dax	
128	CADLAB	CADLAB GF	LIU	24 Core	Dax	
129	CADLAB	CADLAB GF	LIU	24 Core	Dax	
130	CADLAB	CADLAB GF	LIU	24 Core	Dax	
131	CADLAB	CADLAB FF	Switch	A5120-48G EI	H3C	P1/5120-48G/17
132	CADLAB	CADLAB FF	Jack Panel	24 Port	Dax	
133	CADLAB	CADLAB FF	Jack Panel	24 Port	Dax	
134	CADLAB	CADLAB FF	Jack Panel	24 Port	Dax	
135	CADLAB	CADLAB FF	LIU	6 Core	Dax	
136	CADLAB	CADLAB FF	Switch	A5120-48G EI	H3C	P1/5120-48G/18
137	CADLAB	CADLAB FF	Jack Panel	24 Port	Dax	
138	CADLAB	CADLAB FF	Jack Panel	24 Port	Dax	
139	CADLAB	CADLAB FF	Jack Panel	24 Port	Dax	
140	CADLAB	CADLAB FF	Switch	A5120-48G EI	H3C	P1/5120-48G/19
141	CADLAB	CADLAB FF	Jack Panel	24 Port	Dax	
142	CADLAB	CADLAB FF	Jack Panel	24 Port	Dax	
143	CADLAB	CADLAB FF	Jack Panel	24 Port	Dax	
144	CADLAB	CADLAB FF	Switch	A5120-48G EI	H3C	P1/5120-48G/20
145	CADLAB	CADLAB FF	Jack Panel	24 Port	Dax	
146	CADLAB	CADLAB FF	Jack Panel	24 Port	Dax	
147	CADLAB	CADLAB FF	Jack Panel	24 Port	Dax	
148	CADLAB	CADLAB SF	Jack Panel	24 Port	Dax	
149	CADLAB	CADLAB SF	Jack Panel	24 Port	Dax	
150	CADLAB	CADLAB SF	Jack Panel	24 Port	Dax	
151	CADLAB	CADLAB SF	Jack Panel	24 Port	Dax	
152	CADLAB	CADLAB SF	LIU	12 Core	Dax	
153	CADLAB	CADLAB SF	Jack Panel	24 Port	Dax	
154	CADLAB	CADLAB SF	Jack Panel	24 Port	Dax	
155	CADLAB	CADLAB SF	Jack Panel	24 Port	Dax	
156	CADLAB	CADLAB SF	Jack Panel	24 Port	Dax	
157	CADLAB	CADLAB GF	LIU	24 Core	Dax	
158	Canteen	Canteen Staff Room	Jack Panel	24 Port	D-link	
159	Canteen	Canteen Staff Room	LIU	24 Port	D-link	
160	Canteen	Canteen Staff Room	Switch	Summit 300-24P	Extreme	EX/300/002
161	Canteen	Staff Room	GBIC	SFP	Extreme	EX/021
162	Canteen	Canteen Staff Room	Switch	Summit 300-24P	Extreme	EX/300/009
163	Canteen	Ground floor	Access point	Altitude 300	Extreme	EX/300/012
164	Canteen	Ground floor	Access point	Altitude 300	Extreme	EX/300/013
165	Canteen	First floor	Access point	Altitude 300	Extreme	EX/300/014
166	CCC	CCC NOC	10G GIBIC	XFP	H3C	P1/10G/02
167	CCC	CCC NOC	10G GIBIC	XFP	H3C	P1/10G/03
168	CCC	CCC NOC	10G GIBIC	XFP	H3C	P1/10G/04
169	CCC	CCC NOC	10G GIBIC	XFP	H3C	P1/10G/05
170	CCC	CCC NOC	10G GIBIC	XFP	H3C	P1/10G/06
171	CCC	CCC NOC	10G GIBIC	XFP	H3C	P1/10G/07
172	CCC	CCC NOC	10G GIBIC	XFP	H3C	P1/10G/08
173	CCC	Server Room (Advance R	GBIC	SFP	H3C	P1/1G/47
174	CCC	CCC NOC	4 Port 10G Fiber Module	JD235A	H3C	P1/7510/10G-M/01
175	CCC	CCC NOC	4 Port 10G Fiber Module	JD235A	H3C	P1/7510/10G-M/02
176	CCC	CCC NOC	24 Port SFP + 8T Port ComboM	JD223A	H3C	P1/WIFI/SFP-M/01
177	CCC	CCC NOC	24 Port SFP + 8T Port ComboM	JD223A	H3C	P1/WIFI/SFP-M/02
178	CCC	Server Room	LIU	24 Port	Dax	
179	CCC	CCC NOC	HP A 7510 10 SLOT CHASSIS CD	JD238B	H3C	P1/7510/01
180	CCC	CCC NOC	48 Port Ethernet Module	JD210A	H3C	P1/7510/1G-M/01
181	CCC	CCC NOC	48 Port Ethernet Module	JD210A	H3C	P1/7510/1G-M/02

182	CCC	CCC NOC	Fabric Module	JD220A	H3C	P1/7510/FM/01
183	CCC	CCC NOC	Fabric Module	JD220A	H3C	P1/7510/FM/02
184	CCC	CCC NOC	Power Supply	JD218A	H3C	P1/7510/PS/03
185	CCC	CCC NOC	Power Supply	JD218A	H3C	P1/7510/PS/04
186	CCC	CCC NOC	LIU	24 Core	Dax	
187	CCC	CCC NOC	Contoller	JD242B	H3C	P1/WIFI/CONT/01
188	CCC	CCC NOC	Contoller	JD242B	H3C	P1/WIFI/CONT/02
189	CCC	CCC NOC	Controller Module	JD440A		P1/WIFI/CONT-MOD/01
190	CCC	CCC NOC	Controller Module	JD440A		P1/WIFI/CONT-MOD/02
191	CCC	CCC NOC	Fabric Module	JD196A	H3C	P1/WIFI/FM/01
192	CCC	CCC NOC	Fabric Module	JD196A	H3C	P1/WIFI/FM/02
193	CCC	CCC NOC	Power Supply	JD226A	H3C	P1/WIFI/PS/01
194	CCC	CCC NOC	Power Supply	JD226A	H3C	P1/WIFI/PS/02
195	CCC	CCC NOC	Power Supply	JD226A	H3C	P1/WIFI/PS/03
196	CCC	CCC NOC	Power Supply	JD226A	H3C	P1/WIFI/PS/04
197	CCC	Office	Access point	WA-2620-AGN	H3C	EX/300/001
198	CCC	M-tech lab	Access point	Altitude 300	Extreme	EX/300/002
199	CCC	Internet Lab 2	Access point	Altitude 300	Extreme	EX/300/003
200	CCC	FCP Lab	Jack Panel	24 Port	D-link	
201	CCC	FCP Lab	Jack Panel	24 Port	D-link	
202	CCC	FCP Lab	Switch-Unmanage	DES-1024 R+	D-link	DL/1024R+/003
203	CCC	First Floor UPS	Jack Panel	24 Port	D-link	
204	CCC	First Floor UPS	Jack Panel	24 Port	D-link	
205	CCC	First Floor UPS	Jack Panel	24 Port	D-link	
206	CCC	First Floor UPS	Switch-Unmanage	DGS-1024D	D-link	
207	CCC	First Floor UPS	Switch-Unmanage	DGS-1024D	D-link	
208	CCC	First Floor UPS	Switch	Summit 400-48t	Extreme	EX/400-48/004
209	CCC	Ground Floor UPS	Jack Panel	24 Port	D-link	
210	CCC	Ground Floor UPS	Jack Panel	24 Port	D-link	
211	CCC	Ground Floor UPS	Jack Panel	24 Port	D-link	
212	CCC	Ground Floor UPS	Switch	DES-3028P (POE)	D-link	DL/3028P/092
213	CCC	Ground Floor UPS	Switch	DES-3028P (POE)	D-link	DL/3028P/093
214	CCC	Ground Floor UPS	Switch	DES-3028P (POE)	D-link	DL/3028P/094
215	CCC	Internet Lab 1	Jack Panel	24 Port	D-link	
216	CCC	Internet Lab 1	Jack Panel	24 Port	D-link	
217	CCC	Internet Lab 1	Jack Panel	24 Port	D-link	
218	CCC	Internet Lab 1	Switch	DES-3028P (POE)	D-link	DL/3028P/096
219	CCC	Internet Lab 1	Switch	DES-3028P (POE)	D-link	DL/3028P/097
220	CCC	Internet Lab 1	Switch	DES-3028P (POE)	D-link	DL/3028P/098
221	CCC	Internet Lab 2	Access point	Altitude 300	Extreme	EX/300/004
222	CCC	Virtual lab	Access point	Altitude 300	Extreme	EX/300/005
223	CCC	Internet Lab 1	Access point	DWL-3500	D-link	DL/3500/022
224	CCC	M-tech lab	Jack Panel	24 Port	D-link	
225	CCC	M-tech lab	Jack Panel	24 Port	D-link	
226	CCC	M-tech lab	Switch	Summit 400-24t	Extreme	EX/400-24t/034
227	CCC	M-tech lab	Switch-Unmanage	DES-1016 D	D-link	DL/1016D/004
228	CCC	Server Room New Cyber	Switch	Summit 400-24t	Extreme	EX/400-24t/031
229	CCC	Server Room	GBIC	SFP	D-link	DL/015
230	CCC	Server Room (Extreme 4	GBIC	SFP	Extreme	EX/004
231	CCC	Server Room (Extreme 4	GBIC	SFP	Extreme	EX/007
232	CCC	Server Room Chasis	Converter	Media Converter	D-link	
233	CCC	Server Room Chasis	Converter	Media Converter	D-link	
234	CCC	Server Room Chasis	GBIC	SFP	Extreme	EX/014
235	CCC	Server Room Chasis	Jack Panel	24 Port	D-link	
236	CCC	Server Room Chasis	Jack Panel	24 Port	D-link	
237	CCC	Server Room Chasis	LIU	24 Port	D-link	
238	CCC	Server Room Chasis	LIU	24 Port	D-link	
239	CCC	Server Room Chasis	Power Supply	48 V	Extreme	
240	CCC	Server Room Chasis	Switch	Summit 300-24P	Extreme	EX/300/001
241	CCC	Server Room Chasis	Switch	Summit X450-24 x	Extreme	EX/X450/001
242	CCC	Server Room Chasis	GBIC	SFP	Extreme	EX/023

243	CCC	Server Room Chasis	GBIC	SFP	Extreme	EX/024
244	CCC	Server Room Cyberoam	Jack Panel	Jack panel	D-link	
245	CCC	Server Room Cyberoam	Power Supply	48 V	Extreme	
246	CCC	Server Room Cyberoam	Power Supply	48 V	Extreme	
247	CCC	Server Room Cyberoam	Power Supply	48 V	Extreme	
248	CCC	Server Room Cyberoam	Power Supply PLATE	EPS-1	Extreme	
249	CCC	Server Room Cyberoam	Power Supply PLATE	EPS-1	Extreme	
250	CCC	Server Room Old Cyber	Switch	Summit 400-24t	Extreme	EX/400-24t/013
251	CCC	Server Room Wireless M	Switch	DWS-3024	D-link	DL/DWL-3024/001
252	CCC	Server Room Wireless M	Switch	DWS-3024	D-link	DL/DWL-3024/002
253	CCC	Server Room Wireless M	Switch	DWS-3024	D-link	DL/DWL-3024/003
254	CCC	Server Room Wireless M	Switch	DWS-3024	D-link	DL/DWL-3024/004
255	CCC	Server Room Chasis	GBIC	SFP	Extreme	EX/026
256	CCC	First Floor UPS	Switch	DES-3028P (POE)	D-link	DL/3028P/026
257	CCC	Server Room Chasis	GBIC	SFP	Extreme	EX/028
258	CCC	Server Room Chasis	GBIC	SFP	Extreme	EX/029
259	CCC	Server Room Chasis	GBIC	SFP	Extreme	EX/030
260	CCC	Server Room Chasis	GBIC	SFP	Extreme	EX/032
261	CCC	Server Room Chasis	GBIC	SFP	Extreme	EX/034
262	CCC	Server Room Chasis	GBIC	SFP	Extreme	EX/036
263	CCC	Server Room Chasis	GBIC	SFP	Extreme	EX/038
264	CCC	Server Room (CR2500iN	GBIC	SFP	Extreme	EX/046
265	CCC	Server Room	GBIC	SFP	Extreme	EX/050
266	CCC	Server Room	GBIC	SFP	Extreme	EX/051
267	CCC	Server Room (CR2500iN	GBIC	SFP	Extreme	EX/054
268	CCC	Server Room Chasis	GBIC	SFP	Extreme	EX/056
269	CCC	Server Room (CR2500iN	GBIC	SFP	Extreme	EX/058
270	CCC	FCP Lab	Switch	DGS-1210P (POE)	D-link	DL/3028P/013
271	CCC	Server Room	Switch	Summit x450e-24p	Extreme	EX/X450e/038
272	CCC	Server Room (Extreme 4	GBIC	SFP	Extreme	EX/068
273	CCC	Server Room New Cyber	Switch	Summit 400-24t	Extreme	EX/400-24t/023
274	CCC	Server Room New Cyber	Switch	Summit 400-24t	Extreme	EX/400-24t/007
275	CCC	Server Room (Extreme 4	GBIC	SFP	Extreme	EX/071
276	CCC	Server Room	GBIC	SFP	Extreme	EX/073
277	CCC	Server Room Chasis	GBIC	SFP	Extreme	EX/076
278	CCC	Server Room (CR2500iN	GBIC	SFP	Extreme	EX/078
279	CCC	Server Room (Extreme 4	GBIC	SFP	Extreme	EX/080
280	CCC	Server Room (Extreme 4	GBIC	SFP	Extreme	EX/081
281	CCC	LOST	GBIC	SFP	Extreme	EX/083
282	CCC	LOST	GBIC	SFP	Extreme	EX/084
283	CCC	LOST	GBIC	SFP	Extreme	EX/088
284	CCC	LOST	GBIC	SFP	Extreme	EX/100
285	CCC	Server Room Chasis	10 GBIC	SFP	GOCK	EX/10G/001
286	CCC	Server Room	LIU	24 Port	D-link	
287	Chemical	Cad-lab	GBIC	SFP	Extreme	EX/044
288	Chemical	Cad-lab	LIU	12 Port	D-link	
289	Chemical	Cad-lab	LIU	12 Port	D-link	
290	Chemical	Cad-lab	Jack Panel	24 port	D-link	
291	Chemical	Cad-lab	LIU	24 Port	D-link	
292	Chemical	Cad-lab	Switch	DES-3028P (POE)	D-link	DL/3028P/074
293	Chemical	Cad-lab	Jack Panel	24 port	D-link	
294	Chemical	Cad-lab	Jack Panel	24 port	D-link	
295	Chemical	Cad-lab	Jack Panel	24 port	D-link	
296	Chemical	Cad-lab	LIU	24 port	D-link	
297	Chemical	Cad-lab	Switch-Unmanage	DES-1024 D	D-link	DL/1024D/006
298	Chemical	Cad-lab	Switch	DES-3526	D-link	
299	Chemical	Cad-lab	Switch-Unmanage	DES-1024 D	D-link	DL/1024D/007
300	chemical_wls1		Access Point	WA2620-AGN	H3C	DEPT/AP/034
301	chemical_wls2		Access Point	WA2620-AGN	H3C	DEPT/AP/035
302	chemical_wls3		Access Point	WA2620-AGN	H3C	DEPT/AP/036
303	chemical_wls4		Access Point	WA2620-AGN	H3C	DEPT/AP/037

304	chemical_wls5		Access Point	WA2620-AGN	H3C	DEPT/AP/038
305	Chemiiical	Cad-lab	GBIC	SFP	H3C	P1/1G/67
306	Civil	Class Room Ground Floor	Switch	A5120-24 EI	H3C	P2/5120-24G/29
307	Civil	Water Resource Lab	GBIC	SFP	D-link	DL/002
308	Civil	Transportation Lab, Com	GBIC	SFP	Extreme	EX/005
309	Civil	FF M.Tech Lab Opp. Tan	Switch-Unmanage	DES-1008 D	D-link	DL/1008D/001
310	Civil	Class Room Ground Floor	Jack Panel	24 Port	D-link	
311	Civil	Hydraulic Lab New	Access point	DWL-3500	D-link	DL/3500/052
312	Civil	Hydraulic Lab New	Access point	DWL-3500	D-link	DL/3500/041
313	Civil	Anjali Madem Cabin	Jack Panel		D-link	
314	Civil	Anjali Madem Cabin	Switch	DES-1210P (POE)	D-link	DL/3028P/020
315	Civil	Comptuer Lab First Floor	Jack Panel	24 port	D-link	
316	Civil	Comptuer Lab First Floor	Jack Panel	24 port	D-link	
317	Civil	Comptuer Lab First Floor	Jack Panel	24 port	D-link	
318	Civil	Comptuer Lab First Floor	Switch	DES-3028P (POE)	D-link	DL/3028P/076
319	Civil	Comptuer Lab First Floor	Switch	DES-3028P (POE)	D-link	DL/3028P/077
320	Civil	Geo-sys lab - Water Lab	Jack Panel	24 Port	D-link	
321	Civil	Geo-sys lab - Water Lab	Switch-Unmanage	DES-1008 D	D-link	DL/1008D/011
322	Civil	M.Tech Computer Lab	Jack Panel	24 port	D-link	
323	Civil	M.Tech Computer Lab	Switch	DES-3028P (POE)	D-link	DL/3028P/078
324	Civil	Transp. Lab opp to Water	Jack Panel	24 Port	D-link	
325	Civil	Transp. Lab opp to Water	LIU	12 Port	D-link	
326	Civil	Transp. Lab opp to Water	LIU Wall Mount	24 port wall mount	D-link	
327	Civil	Transp. Lab opp to Water	Switch	DES-3028P (POE)	D-link	DL/3028P/010
328	Civil	Transportation Lab	Jack Panel	24 Port	D-link	
329	Civil	Transportation Lab	Jack Panel	24 Port	D-link	
330	Civil	Transportation Lab	Switch	DES-3028P (POE)	D-link	DL/3028P/075
331	Civil	Transportation Lab, Com	Jack Panel	24 Port	D-link	
332	Civil	Transportation Lab, Com	Jack Panel	24 Port	D-link	
333	Civil	Transportation Lab, Com	Jack Panel	24 Port	D-link	
334	Civil	Transportation Lab, Com	LIU	12 Port	D-link	
335	Civil	Transportation Lab, Com	LIU	12 Port	D-link	
336	Civil	Transportation Lab, Com	Switch	DES-3028P (POE)	D-link	DL/3028P/079
337	Civil	Transportation Lab, Com	Switch	Summit 400-24t	Extreme	EX/400-24t/016
338	Civil	Transportation Lab, Com	Switch-Unmanage	DES-1026 G	D-link	DL/1026G/002
339	Civil	Water Resource Lab	Jack Panel	24 Port	D-link	
340	Civil	Water Resource Lab	LIU	12 Port	D-link	
341	Civil	Water Resource Lab	Switch	DES-3028P (POE)	D-link	DL/3028P/103
342	Civil	Transportation Lab, Com	GBIC	SFP	Extreme	EX/082
343	Civil	First Floor Server Room	LIU	24 port	Dax	
344	civil_wls1		Access Point	WA2620-AGN	H3C	DEPT/AP/006
345	civil_wls2		Access Point	WA2620-AGN	H3C	DEPT/AP/007
346	civil_wls3		Access Point	WA2620-AGN	H3C	DEPT/AP/008
347	civil_wls4		Access Point	WA2620-AGN	H3C	DEPT/AP/009
348	civil_wls5		Access Point	WA2620-AGN	H3C	DEPT/AP/010
349	civil_wls6		Access Point	WA2620-AGN	H3C	DEPT/AP/011
350	class_room_wls1		Access Point	WA2620-AGN	H3C	DEPT/AP/043
351	class_room_wls2		Access Point	WA2620-AGN	H3C	DEPT/AP/044
352	class_room_wls3		Access Point	WA2620-AGN	H3C	DEPT/AP/045
353	COED	Prog. Lab (Software Lab)	Switch	A5120-24 EI	H3C	P3/5120-24/02
354	COED	Amit Server Room	Switch	A5120-24 EI	H3C	P3/5120-24/03
355	COED	Amit Server Room	Switch	A5120-24 EI	H3C	P3/5120-24/05
356	COED	NPTEL Room	Access Point	WA2620-AGN	H3C	DEPT/AP/068
357	Computer	Ground Floor	Access point	Altitude 300	Extreme	EX/300/006
358	Computer	Ground Floor	Access point	Altitude 300	Extreme	EX/300/007
359	Computer	First Floor	Access point	Altitude 300	Extreme	EX/300/008
360	Computer	Server Room	GBIC	SFP	Extreme	EX/072
361	Computer	Amit Patel (Server Room)	GBIC	SFP	Syrotech	EX/075
362	Computer	Amit Patel (Server Room)	Jack Panel	24 port	D-link	
363	Computer	Amit Patel (Server Room)	Jack Panel	24 port	D-link	
364	Computer	Amit Patel (Server Room)	Jack Panel	24 port	D-link	

365	Computer	Amit Patel (Server Room	Jack Panel	24 port	D-link	
366	Computer	Amit Patel (Server Room	Jack Panel	24 port	D-link	
367	Computer	Amit Patel (Server Room	Jack Panel	24 port	D-link	
368	Computer	Amit Patel (Server Room	Jack Panel	24 port	D-link	
369	Computer	Amit Patel (Server Room	LIU	24 port	D-link	
370	Computer	Amit Patel (Server Room	Switch	DES-3550	D-link	
371	Computer	Amit Patel (Server Room	Switch	DES-3526	D-link	
372	Computer	Amit Patel (Server Room	Switch	DES-1210P (POE)	D-link	
373	Computer	Amit Patel (Server Room	Switch	Summit 300-24P	Extreme	EX/300/005
374	Computer	Amit Patel (Server Room	Switch	Summit 400-48t	Extreme	EX/400-48/001
375	Computer	Amit Patel (Server Room	Switch	Summit 400-48t	Extreme	EX/400-48/002
376	Computer	First floor	Access point	Altitude 300	Extreme	EX/300/009
377	Computer	MIS Cabin (Software Lab	Jack Panel	24 port	D-link	
378	Computer	MIS Cabin (Software Lab	Router	2800	Cisco	
379	Computer	MIT Lab	Jack Panel	24 port	D-link	
380	Computer	MIT Lab	Jack Panel	24 port	D-link	
381	Computer	MIT Lab	Switch-Unmanage	DES-1026 G	D-link	DL/1026G/001
382	Computer	Room No. 108	Jack Panel	24 port	D-link	
383	Computer	Room No. 108	Jack Panel	24 port	D-link	
384	Computer	Room No. 108	Switch-Unmanage	DES-1024 D	D-link	DL/1024R+/004
385	Computer	Room No. 108	Switch-Unmanage	DES-1024 D	D-link	DL/1224/001
386	Computer	Room No. 113	Jack Panel	24 port	D-link	
387	Computer	Room No. 113	Jack Panel	24 port	D-link	
388	Computer	Room No. 113	Switch-Unmanage	DES-1008 D	D-link	DL/1008D/002
389	Computer	Room No. 108	Switch-Unmanage	DES-1024 C	D-link	DL/916/001
390	Computer	Room No. 113	Switch	3560G-24P	Cisco	EX/400-24t/012
391	CRC	First Floor Allumni	Jack Panel	24 port	D-link	
392	CRC	First Floor Allumni	LIU	12 Port	D-link	
393	CRC	First Floor Allumni	Switch	DES-3028P (POE)	D-link	DL/3028P/034
394	Cryogenic	Ground Floor	GBIC	SFP	H3C	P2/1G/023
395	Cryogenic	cryoginc_wls	Access Point	WA2620-AGN	H3C	P1/AP/120
396	Cryogenic	Ground Floor	GBIC	SFP	H3C	P3/1G/73
397	Cryogenic	Ground Floor	GBIC	SFP	H3C	P3/1G/76
398	Cryogenic	Ground Floor	GBIC	SFP	H3C	P3/1G/77
399	Cryogenic	Ground Floor	GBIC	SFP	D-link	DL/013
400	Cryogenic	1st Floor	Switch	Summit x450e-24p	Extreme	EX/X450e/036
401	Cryogenic	1st Floor	Switch	DES-3028P (POE)	D-link	DL/3028P/028
402	Cryogenic	Ground Floor	Jack Panel	24 port	D-link	
403	Cryogenic	Ground Floor	LIU	24 Port	Dax	
404	Cryogenic	Ground Floor	LIU	24 Port	Dax	
405	Cryogenic	Ground Floor	LIU	12 Port	Dax	
406	C-Type	C-19	Jack Panel	24 Port	D-link	
407	C-Type	C-19	LIU	12 Port	D-link	
408	C-Type	C-25	Jack Panel	24 Port	D-link	
409	C-Type	C-25	LIU	12 Port	D-link	
410	C-Type	C-25	LIU	12 Port	D-link	
411	C-Type	Mahesh Estate	Converter	Media Converter	D-link	
412	C-Type	Mahesh Estate	Jack Panel	16 port	D-link	
413	C-Type	Mahesh Estate	LIU	12 Port	D-link	
414	C-Type	Mahesh Estate	Switch-Unmanage	DES-1008 D	D-link	DL/1008D/012
415	C-Type	Shoemaker Building	Converter	Media Converter	D-link	
416	C-Type	Shoemaker Building	Jack Panel	16 port	D-link	
417	C-Type	Shoemaker Building	LIU	12 Port	D-link	
418	C-Type	Shoemaker Building	Switch-Unmanage	DES-1008 D	D-link	DL/1008D/006
419	Day Care	Opp. Director Bunglow	GBIC	SFP	Extreme	EX/009
420	Day Care	Opp. Director Bunglow	GBIC	SFP	Extreme	EX/010
421	Day Care	Opp. Director Bunglow	GBIC	SFP	Extreme	EX/015
422	Day Care	Opp. Director Bunglow	GBIC	SFP	Extreme	EX/041
423	Day Care	Opp. Director Bunglow	Jack Panel	24 Port	D-link	
424	Day Care	Opp. Director Bunglow	LIU	12 Port	D-link	
425	Day Care	Opp. Director Bunglow	LIU	12 Port	D-link	

426	Day Care	Opp. Director Bunglow	LIU	24 port	D-link	
427	Day Care	Opp. Director Bunglow	Switch	Summit 400-24t	Extreme	EX/400-24t/001
428	Dean (Alu)	Clerk Table	Switch	DES-1008A	D-link	DL/1008A/003
429	Dean (R & C)	DEAN OFFICE (R & C)	Switch	DES-1008A	D-link	DL/1008A/001
430	Director	Director Bunglow	Jack Panel	24 Port	D-link	
431	Director	Director Bunglow	LIU	12 Port	D-link	
432	Director	Director Bunglow	GBIC	SFP	H3C	P1/1G/24
433	Director	Director Bunglow	GBIC	SFP	H3C	P1/1G/37
434	Director	Director Bunglow	Switch	A5120-24 EI	H3C	P2/5120-24G/32
435	Dispensary	Ground Floor	GBIC	SFP	D-link	DL/009
436	Dispensary	Dispensary Waiting Room	Access point	DWL-3500	D-link	DL/3500/037
437	Dispensary	Ground Floor	LIU	12 Port	D-link	
438	Dispensary	Ground Floor	Switch	DES-3028P (POE)	D-link	DL/3028P/091
439	D-Type	D-39 G.S. Shah	GBIC	SFP	D-link	DL/007
440	D-Type	D-15 Wadia Building	GBIC	SFP	D-link	DL/012
441	D-Type	D-39 G.S. Shah	GBIC	SFP	Extreme	EX/016
442	D-Type	D-15 Wadia Building	Switch	DES-3028P (POE)	D-link	DL/3028P/023
443	D-Type	D-15 Wadia Building	Converter	Media Converter	D-link	
444	D-Type	D-15 Wadia Building	Converter	Media Converter	D-link	
445	D-Type	D-15 Wadia Building	Jack Panel	24 Port	D-link	
446	D-Type	D-15 Wadia Building	LIU	12 Port	D-link	
447	D-Type	D-2 Kamlesh Building	Converter	Media Converter	D-link	
448	D-Type	D-2 Kamlesh Building	Jack Panel	16 Port	D-link	
449	D-Type	D-2 Kamlesh Building	LIU	12 Port	D-link	
450	D-Type	D-2 Kamlesh Building	Switch-Unmanage	DES-1024 D	D-link	DL/1024D/011
451	D-Type	D-26	Converter	Media Converter	D-link	
452	D-Type	D-26	Converter	Media Converter	D-link	
453	D-Type	D-26	Jack Panel	16 port	D-link	
454	D-Type	D-26	LIU	12 Port	D-link	
455	D-Type	D-26	Switch-Unmanage	DES-1024 D	D-link	DL/1024D/009
456	D-Type	D-39 G.S. Shah	Converter	Media Converter	D-link	
457	D-Type	D-39 G.S. Shah	Jack Panel	16 port	D-link	
458	D-Type	D-39 G.S. Shah	LIU	12 Port	D-link	
459	D-Type	D-39 G.S. Shah	Switch	DES-3028P (POE)	D-link	DL/3028P/087
460	E. & S.	Store Ground Floor	GBIC	SFP	Extreme	EX/003
461	E. & S.	UPS First Floor	Jack Panel	24 Port	D-link	
462	E. & S.	UPS First Floor	LIU	Rack mount LIU	D-link	
463	E. & S.	Store Ground Floor	Jack Panel	24 Port	D-link	
464	E. & S.	Store Ground Floor	LIU Wall Mount	6 Port Wall Mount	D-link	
465	E. & S.	Store Ground Floor	Switch	Summit 400-24t	Extreme	EX/400-24t/010
466	E. & S.	Store Ground Floor	Switch-Unmanage	DES-1008 D	D-link	DL/1008D/005
467	E. & S.	UPS First Floor	Jack Panel	24 Port	D-link	
468	E. & S.	UPS First Floor	Jack Panel	24 Port	D-link	
469	E. & S.	UPS First Floor	Jack Panel	24 Port	D-link	
470	E. & S.	UPS First Floor	Switch	DES-3028P (POE)	D-link	DL/3028P/082
471	Electronics-new	VLSI Lab	Switch	DES-3028P (POE)	D-link	DL/3028P/006
472	Electrical	Computer Room Ground	GBIC	SFP	H3C	P1/1G/64
473	Electrical	Computer Room Ground	Switch	5500-24G POE	H3C	P3/5500-24G/15
474	Electrical	Computer Room First Fl	Jack Panel	24 port	Dax	
475	Electrical	Computer Room First Fl	Jack Panel	24 port	D-link	
476	Electrical	Computer Room First Fl	Jack Panel	24 port	D-link	
477	Electrical	Computer Room First Fl	Jack Panel	24 port	D-link	
478	Electrical	Computer Room First Fl	Jack Panel	24 port	D-link	
479	Electrical	Computer Room First Fl	Switch	DES-3028P (POE)	D-link	DL/3028P/067
480	Electrical	Computer Room First Fl	Switch	DES-3028P (POE)	D-link	DL/3028P/068
481	Electrical	Computer Room First Fl	Switch-Unmanage	DES-1024 D	D-link	DL/1024D/004
482	Electrical	Computer Room First Fl	Switch-Unmanage	DES-1024 D	D-link	DL/1024D/018
483	Electrical	Computer Room First Fl	Switch-Unmanage	DES-1024 D	D-link	DL/1224/003
484	Electrical	Computer Room Ground	Jack Panel	24 port	Dax	
485	Electrical	Computer Room Ground	Jack Panel	24 port	Dax	
486	Electrical	Computer Room Ground	Jack Panel	24 port	Dax	

487	Electrical	Computer Room Ground	Jack Panel	24 port	Dax	
488	Electrical	Computer Room Ground	Jack Panel	24 port	D-link	
489	Electrical	Computer Room Ground	Jack Panel	24 port	D-link	
490	Electrical	Computer Room Ground	Jack Panel	24 port	D-link	
491	Electrical	Computer Room Ground	LIU Wall Mount	24 port wall mount	D-link	
492	Electrical	Computer Room Ground	Switch-Unmanage	DES-1024 D	D-link	DL/1024D/003
493	Electrical	Computer Room Ground	Switch-Unmanage	DES-6000	D-link	DL/6000/001
494	electrical_wls1		Access Point	WA2620-AGN	H3C	DEPT/AP/046
495	electrical_wls2		Access Point	WA2620-AGN	H3C	DEPT/AP/047
496	electrical_wls3		Access Point	WA2620-AGN	H3C	DEPT/AP/048
497	electrical_wls4		Access Point	WA2620-AGN	H3C	DEPT/AP/049
498	electrical_wls5		Access Point	WA2620-AGN	H3C	DEPT/AP/050
499	electrical_wls6		Access Point	WA2620-AGN	H3C	DEPT/AP/051
500	electronic_wls1		Access Point	WA2620-AGN	H3C	DEPT/AP/052
501	electronic_wls2		Access Point	WA2620-AGN	H3C	DEPT/AP/053
502	electronic_wls3		Access Point	WA2620-AGN	H3C	DEPT/AP/054
503	electronic_wls4		Access Point	WA2620-AGN	H3C	DEPT/AP/055
504	electronic_wls5		Access Point	WA2620-AGN	H3C	DEPT/AP/056
505	electronic_wls6		Access Point	WA2620-AGN	H3C	DEPT/AP/057
506	Electronics	Server Room	GBIC	SFP	Extreme	EX/018
507	Electronics	Server Room	GBIC	SFP	Extreme	EX/045
508	Electronics	Communication Lab	Jack Panel	24 port	D-link	
509	Electronics	Communication Lab	Switch-Unmanage	DES-1024 D	D-link	DL/1024D/005
510	Electronics	Communication Lab	Switch-Unmanage	DES-1224	D-link	DL/1224/004
511	Electronics	Digital Lab	Jack Panel	24 port	D-link	
512	Electronics	Digital Lab	Jack Panel	24 port	D-link	
513	Electronics	Digital Lab	Jack Panel	24 port	D-link	
514	Electronics	Digital Lab	Switch	DES-3028P (POE)	D-link	DL/3028P/073
515	Electronics	Digital Lab	Switch-Unmanage	DES-1024 D	D-link	DL/1016D/002
516	Electronics	Digital Lab	Switch-Unmanage	DES-1224	D-link	DL/1224/002
517	Electronics	Server Room	Jack Panel	24 port	D-link	
518	Electronics	Server Room	Jack Panel	24 port	D-link	
519	Electronics	Server Room	Jack Panel	24 port	D-link	
520	Electronics	Server Room	Jack Panel	24 port	D-link	
521	Electronics	Server Room	Jack Panel	24 port	D-link	
522	Electronics	Server Room	LIU	24 port	D-link	
523	Electronics	Server Room	LIU	24 port	D-link	
524	Electronics	Server Room	Switch	DES-3028	D-link	DL/3028/104
525	Electronics	Server Room	Switch	Summit 300-24P	Extreme	EX/300/006
526	Electronics	Server Room	Switch-Unmanage	DES-1024 D	D-link	DL/1024D/014
527	Electronics	Server Room	Switch-Unmanage	DES-1024 D	D-link	DL/1024D/017
528	Electronics	Simmulation Lab	Jack Panel	24 port	D-link	
529	Electronics	Simmulation Lab	Jack Panel	24 port	D-link	
530	Electronics	Simmulation Lab	Switch-Unmanage	DES-1024 D	D-link	DL/1024D/015
531	Electronics	Simmulation Lab	Switch-Unmanage	DES-1024 D	D-link	DL/1024D/016
532	Electronics	VLSI Lab	Jack Panel	24 port	D-link	
533	Electronics	VLSI Lab	Switch-Unmanage	DES-1016 D	D-link	DL/1016D/003
534	Electronics	VLSI Lab	Jack Panel	24 port	D-link	
535	Electronics	VLSI Lab	Router	Router	Cisco(Dlink)	
536	Electronics	VLSI Lab	Switch	2950	Cisco	
537	Electronics-New	SF Electric Room	GBIC	SFP	H3C	P2/1G/028
538	Electronics-New	GF Electric Room	Switch	A5120-24 EI	H3C	P2/5120-24G/31
539	EPIL	Chassi	GBIC	SFP	H3C	P1/1G/61
540	EPIL	Chassi	GBIC	SFP	H3C	P2/1G/001
541	EPIL	Chassi	GBIC	SFP	H3C	P2/1G/002
542	EPIL	Chassi	GBIC	SFP	H3C	P2/1G/003
543	EPIL	Chassi	GBIC	SFP	H3C	P2/1G/004
544	EPIL	1F A-Wing	GBIC	SFP	H3C	P2/1G/006
545	EPIL	5F A-Wing	GBIC	SFP	H3C	P2/1G/008
546	EPIL	5F B-Wing	GBIC	SFP	H3C	P2/1G/009
547	EPIL	6F A-Wing	GBIC	SFP	H3C	P2/1G/010

548	EPIL	6F B-Wing	GBIC	SFP	H3C	P2/1G/011
549	EPIL	7F B-Wing	GBIC	SFP	H3C	P2/1G/012
550	EPIL	7F A-Wing	GBIC	SFP	H3C	P2/1G/013
551	EPIL	Chassi	GBIC	SFP	H3C	P2/1G/014
552	EPIL	Chassi	GBIC	SFP	H3C	P2/1G/016
553	EPIL	Chassi	GBIC	SFP	H3C	P2/1G/018
554	EPIL	1F B-Wing	Switch	A5120-24 EI	H3C	P2/5120-24G/42
555	EPIL	2F B-Wing	GBIC	SFP	H3C	P2/1G/032
556	EPIL	1F A-Wing	Access Point	WA2620-AGN	H3C	P2/AP/001
557	EPIL	1F A-Wing	Access Point	WA2620-AGN	H3C	P2/AP/002
558	EPIL	1F A-Wing	Access Point	WA2620-AGN	H3C	P2/AP/003
559	EPIL	1F A-Wing	Access Point	WA2620-AGN	H3C	P2/AP/004
560	EPIL	1F A-Wing	Access Point	WA2620-AGN	H3C	P2/AP/005
561	EPIL	1F A-Wing	Access Point	WA2620-AGN	H3C	P2/AP/006
562	EPIL	1F B-Wing	Access Point	WA2620-AGN	H3C	P2/AP/007
563	EPIL	1F B-Wing	Access Point	WA2620-AGN	H3C	P2/AP/008
564	EPIL	1F B-Wing	Access Point	WA2620-AGN	H3C	P2/AP/009
565	EPIL	1F B-Wing	Access Point	WA2620-AGN	H3C	P2/AP/010
566	EPIL	1F B-Wing	Access Point	WA2620-AGN	H3C	P2/AP/011
567	EPIL	1F B-Wing	Access Point	WA2620-AGN	H3C	P2/AP/012
568	EPIL	2F A-Wing	Access Point	WA2620-AGN	H3C	P2/AP/013
569	EPIL	2F A-Wing	Access Point	WA2620-AGN	H3C	P2/AP/014
570	EPIL	2F A-Wing	Access Point	WA2620-AGN	H3C	P2/AP/015
571	EPIL	2F A-Wing	Access Point	WA2620-AGN	H3C	P2/AP/016
572	EPIL	2F A-Wing	Access Point	WA2620-AGN	H3C	P2/AP/017
573	EPIL	2F A-Wing	Access Point	WA2620-AGN	H3C	P2/AP/018
574	EPIL	2F B-Wing	Access Point	WA2620-AGN	H3C	P2/AP/019
575	EPIL	2F B-Wing	Access Point	WA2620-AGN	H3C	P2/AP/020
576	EPIL	2F B-Wing	Access Point	WA2620-AGN	H3C	P2/AP/021
577	EPIL	2F B-Wing	Access Point	WA2620-AGN	H3C	P2/AP/022
578	EPIL	2F B-Wing	Access Point	WA2620-AGN	H3C	P2/AP/023
579	EPIL	2F B-Wing	Access Point	WA2620-AGN	H3C	P2/AP/024
580	EPIL	3F A-Wing	Access Point	WA2620-AGN	H3C	P2/AP/025
581	EPIL	3F A-Wing	Access Point	WA2620-AGN	H3C	P2/AP/026
582	EPIL	3F A-Wing	Access Point	WA2620-AGN	H3C	P2/AP/028
583	EPIL	1F A-Wing	Switch	A5120-24 EI	H3C	P2/5120-24G/01
584	EPIL	1F A-Wing	Switch	A5120-24 EI	H3C	P2/5120-24G/02
585	EPIL	1F B-Wing	Switch	A5120-24 EI	H3C	P2/5120-24G/03
586	EPIL	1F B-Wing	Switch	A5120-24 EI	H3C	P2/5120-24G/04
587	EPIL	2F A-Wing	Switch	A5120-24 EI	H3C	P2/5120-24G/05
588	EPIL	2F A-Wing	Switch	A5120-24 EI	H3C	P2/5120-24G/06
589	EPIL	2F B-Wing	Switch	A5120-24 EI	H3C	P2/5120-24G/07
590	EPIL	2F B-Wing	Switch	A5120-24 EI	H3C	P2/5120-24G/08
591	EPIL	3F A-Wing	Switch	A5120-24 EI	H3C	P2/5120-24G/09
592	EPIL	3F A-Wing	Switch	A5120-24 EI	H3C	P2/5120-24G/10
593	EPIL	3F B-Wing	Switch	A5120-24 EI	H3C	P2/5120-24G/11
594	EPIL	3F B-Wing	Switch	A5120-24 EI	H3C	P2/5120-24G/12
595	EPIL	4F A-Wing	Switch	A5120-24 EI	H3C	P2/5120-24G/13
596	EPIL	4F A-Wing	Switch	A5120-24 EI	H3C	P2/5120-24G/14
597	EPIL	4F B-Wing	Switch	A5120-24 EI	H3C	P2/5120-24G/15
598	EPIL	4F B-Wing	Switch	A5120-24 EI	H3C	P2/5120-24G/16
599	EPIL	5F A-Wing	Switch	A5120-24 EI	H3C	P2/5120-24G/17
600	EPIL	5F A-Wing	Switch	A5120-24 EI	H3C	P2/5120-24G/18
601	EPIL	5F B-Wing	Switch	A5130-24 EI	H3C	P2/5120-24G/19
602	EPIL	5F B-Wing	Switch	A5120-24 EI	H3C	P2/5120-24G/20
603	EPIL	6F A-Wing	Switch	A5120-24 EI	H3C	P2/5120-24G/21
604	EPIL	6F A-Wing	Switch	A5120-24 EI	H3C	P2/5120-24G/22
605	EPIL	6F B-Wing	Switch	A5120-24 EI	H3C	P2/5120-24G/23
606	EPIL	6F B-Wing	Switch	A5120-24 EI	H3C	P2/5120-24G/24
607	EPIL	7F A-Wing	Switch	A5120-24 EI	H3C	P2/5120-24G/25
608	EPIL	7F A-Wing	Switch	A5120-24 EI	H3C	P2/5120-24G/26

609	EPIL	7F B-Wing	Switch	A5120-24 EI	H3C	P2/5120-24G/27
610	EPIL	7F B-Wing	Switch	A5120-24 EI	H3C	P2/5120-24G/28
611	EPIL	1F A-Wing	Switch	5500-24G POE	H3C	P2/5500-24G/01
612	EPIL	1F B-Wing	Switch	5500-24G POE	H3C	P2/5500-24G/02
613	EPIL	3F A-Wing	Switch	5500-24G POE	H3C	P2/5500-24G/03
614	EPIL	2F B-Wing	Switch	5500-24G POE	H3C	P2/5500-24G/04
615	EPIL	2F A-Wing	Switch	5500-24G POE	H3C	P2/5500-24G/05
616	EPIL	3F B-Wing	Switch	5500-24G POE	H3C	P2/5500-24G/06
617	EPIL	4F A-Wing	Switch	5500-24G POE	H3C	P2/5500-24G/07
618	EPIL	4F B-Wing	Switch	5500-24G POE	H3C	P2/5500-24G/08
619	EPIL	5F A-Wing	Switch	5500-24G POE	H3C	P2/5500-24G/09
620	EPIL	5F B-Wing	Switch	5500-24G POE	H3C	P2/5500-24G/10
621	EPIL	6F A-Wing	Switch	5500-24G POE	H3C	P2/5500-24G/11
622	EPIL	6F B-Wing	Switch	5500-24G POE	H3C	P2/5500-24G/12
623	EPIL	7F A-Wing	Switch	5500-24G POE	H3C	P2/5500-24G/13
624	EPIL	7F B-Wing	Switch	5500-24G POE	H3C	P2/5500-24G/14
625	EPIL	4th Floor	HP A 7506 6 SLOT CHASSIS CO	JD239B	H3C	P2/7506/01
626	EPIL	4th Floor	Fabric Module	JD194B	H3C	P2/7506/FM/01
627	EPIL	3F A-Wing	Access Point	WA2620-AGN	H3C	P2/AP/029
628	EPIL	3F A-Wing	Access Point	WA2620-AGN	H3C	P2/AP/030
629	EPIL	3F B-Wing	Access Point	WA2620-AGN	H3C	P2/AP/031
630	EPIL	3F B-Wing	Access Point	WA2620-AGN	H3C	P2/AP/032
631	EPIL	3F B-Wing	Access Point	WA2620-AGN	H3C	P2/AP/033
632	EPIL	3F B-Wing	Access Point	WA2620-AGN	H3C	P2/AP/034
633	EPIL	3F B-Wing	Access Point	WA2620-AGN	H3C	P2/AP/035
634	EPIL	3F B-Wing	Access Point	WA2620-AGN	H3C	P2/AP/036
635	EPIL	4F A-Wing	Access Point	WA2620-AGN	H3C	P2/AP/037
636	EPIL	4F A-Wing	Access Point	WA2620-AGN	H3C	P2/AP/038
637	EPIL	4F A-Wing	Access Point	WA2620-AGN	H3C	P2/AP/039
638	EPIL	4F A-Wing	Access Point	WA2620-AGN	H3C	P2/AP/040
639	EPIL	4F A-Wing	Access Point	WA2620-AGN	H3C	P2/AP/041
640	EPIL	4F A-Wing	Access Point	WA2620-AGN	H3C	P2/AP/042
641	EPIL	4F B-Wing	Access Point	WA2620-AGN	H3C	P2/AP/043
642	EPIL	4F B-Wing	Access Point	WA2620-AGN	H3C	P2/AP/044
643	EPIL	4F B-Wing	Access Point	WA2620-AGN	H3C	P2/AP/045
644	EPIL	4F B-Wing	Access Point	WA2620-AGN	H3C	P2/AP/046
645	EPIL	4F B-Wing	Access Point	WA2620-AGN	H3C	P2/AP/047
646	EPIL	4F B-Wing	Access Point	WA2620-AGN	H3C	P2/AP/048
647	EPIL	5F A-Wing	Access Point	WA2620-AGN	H3C	P2/AP/049
648	EPIL	5F A-Wing	Access Point	WA2620-AGN	H3C	P2/AP/050
649	EPIL	5F A-Wing	Access Point	WA2620-AGN	H3C	P2/AP/051
650	EPIL	5F A-Wing	Access Point	WA2620-AGN	H3C	P2/AP/052
651	EPIL	5F A-Wing	Access Point	WA2620-AGN	H3C	P2/AP/053
652	EPIL	5F A-Wing	Access Point	WA2620-AGN	H3C	P2/AP/054
653	EPIL	5F B-Wing	Access Point	WA2620-AGN	H3C	P2/AP/055
654	EPIL	5F B-Wing	Access Point	WA2620-AGN	H3C	P2/AP/056
655	EPIL	5F B-Wing	Access Point	WA2620-AGN	H3C	P2/AP/057
656	EPIL	5F B-Wing	Access Point	WA2620-AGN	H3C	P2/AP/058
657	EPIL	5F B-Wing	Access Point	WA2620-AGN	H3C	P2/AP/059
658	EPIL	5F B-Wing	Access Point	WA2620-AGN	H3C	P2/AP/060
659	EPIL	6F A-Wing	Access Point	WA2620-AGN	H3C	P2/AP/061
660	EPIL	6F A-Wing	Access Point	WA2620-AGN	H3C	P2/AP/062
661	EPIL	6F A-Wing	Access Point	WA2620-AGN	H3C	P2/AP/063
662	EPIL	6F A-Wing	Access Point	WA2620-AGN	H3C	P2/AP/064
663	EPIL	6F A-Wing	Access Point	WA2620-AGN	H3C	P2/AP/065
664	EPIL	6F A-Wing	Access Point	WA2620-AGN	H3C	P2/AP/066
665	EPIL	6F B-Wing	Access Point	WA2620-AGN	H3C	P2/AP/067
666	EPIL	6F B-Wing	Access Point	WA2620-AGN	H3C	P2/AP/068
667	EPIL	6F B-Wing	Access Point	WA2620-AGN	H3C	P2/AP/069
668	EPIL	6F B-Wing	Access Point	WA2620-AGN	H3C	P2/AP/070
669	EPIL	6F B-Wing	Access Point	WA2620-AGN	H3C	P2/AP/071

670	EPIL	6F B-Wing	Access Point	WA2620-AGN	H3C	P2/AP/072
671	EPIL	7F A-Wing	Access Point	WA2620-AGN	H3C	P2/AP/079
672	EPIL	7F A-Wing	Access Point	WA2620-AGN	H3C	P2/AP/080
673	EPIL	7F A-Wing	Access Point	WA2620-AGN	H3C	P2/AP/081
674	EPIL	7F A-Wing	Access Point	WA2620-AGN	H3C	P2/AP/082
675	EPIL	7F A-Wing	Access Point	WA2620-AGN	H3C	P2/AP/083
676	EPIL	7F A-Wing	Access Point	WA2620-AGN	H3C	P2/AP/085
677	EPIL	7F B-Wing	Access Point	WA2620-AGN	H3C	P2/AP/086
678	EPIL	7F B-Wing	Access Point	WA2620-AGN	H3C	P2/AP/087
679	EPIL	7F B-Wing	Access Point	WA2620-AGN	H3C	P2/AP/088
680	EPIL	7F B-Wing	Access Point	WA2620-AGN	H3C	P2/AP/089
681	EPIL	7F B-Wing	Access Point	WA2620-AGN	H3C	P2/AP/090
682	EPIL	7F B-Wing	Access Point	WA2620-AGN	H3C	P2/AP/091
683	EPIL	1F A-Wing	LIU	24 Port	Dax	
684	EPIL	1F B-Wing	LIU	24 Port	Dax	
685	EPIL	2F A-Wing	LIU	24 Port	Dax	
686	EPIL	2F A-Wing	LIU	24 Port	Dax	
687	EPIL	2F B-Wing	LIU	24 Port	Dax	
688	EPIL	3F A-Wing	LIU	24 Port	Dax	
689	EPIL	3F B-Wing	LIU	24 Port	Dax	
690	EPIL	4F A-Wing	LIU	24 Port	Dax	
691	EPIL	4F B-Wing	LIU	24 Port	Dax	
692	EPIL	5F A-Wing	LIU	24 Port	Dax	
693	EPIL	5F B-Wing	LIU	24 Port	Dax	
694	EPIL	6F A-Wing	LIU	24 Port	Dax	
695	EPIL	6F B-Wing	LIU	24 Port	Dax	
696	EPIL	7F A-Wing	LIU	24 Port	Dax	
697	EPIL	7F B-Wing	LIU	24 Port	Dax	
698	EPIL	8F A-Wing	LIU	24 Port	Dax	
699	EPIL	8F B-Wing	LIU	24 Port	Dax	
700	EPIL	4F CHASSI	LIU	24 Port	Dax	
701	EPIL	4F CHASSI	LIU	24 Port	Dax	
702	EPIL	4F CHASSI	LIU	24 Port	Dax	
703	EPIL	4F CHASSI	LIU	24 Port	Dax	
704	EPIL	4F CHASSI	LIU	24 Port	Dax	
705	EPIL	8F	LIU	24 Port	Dax	
706	EPIL	8F	LIU	24 Port	Dax	
707	EPIL	8F	LIU	24 Port	Dax	
708	EPIL	Chassi	GBIC	SFP	H3C	P2/1G/097
709	EPIL	Chassi	GBIC	SFP	H3C	P2/1G/098
710	EPIL	2F B-Wing	GBIC	SFP	H3C	P2/1G/099
711	EPIL	Chassi	GBIC	SFP	H3C	P2/1G/100
712	EPIL	Chassi	GBIC	SFP	H3C	P2/1G/101
713	EPIL	Chassi	GBIC	SFP	H3C	P2/1G/102
714	EPIL	3F A-Wing	GBIC	SFP	H3C	P2/1G/103
715	EPIL	3F B-Wing	GBIC	SFP	H3C	P2/1G/105
716	EPIL	4F B-Wing	GBIC	SFP	H3C	P2/1G/107
717	EPIL	1F B-Wing	GBIC	SFP	H3C	P2/1G/108
718	EPIL	4th Floor	4 Port 10G Fiber Module	JD235A	H3C	P2/7506/10G-M/01
719	EPIL	4th Floor	48 Port SFP Module	JD211B	H3C	P2/7506/1G-M/01
720	EPIL	Chassi	GBIC	SFP	LEVEL ONE	P3/1G/53
721	EPIL	8F A-Wing	GBIC	SFP	H3C	P3/1G/61
722	EPIL	Chassi	GBIC	SFP	H3C	P3/1G/65
723	EPIL	Chassi	GBIC	SFP	H3C	P3/1G/66
724	EPIL	8F B-Wing	GBIC	SFP	H3C	P3/1G/69
725	EPIL	2F A-Wing	POWER ADAPTER	Power Adap.	H3C	
726	EPIL	2F A-Wing	POWER ADAPTER	Power Adap.	H3C	
727	EPIL	2F B-Wing	POWER ADAPTER	Power Adap.	H3C	
728	EPIL	2F B-Wing	POWER ADAPTER	Power Adap.	H3C	
729	EPIL	2F B-Wing	POWER ADAPTER	Power Adap.	H3C	
730	EPIL	2F B-Wing	POWER ADAPTER	Power Adap.	H3C	

731	EPIL	3F A-Wing	POWER ADAPTER	Power Adap.	H3C	
732	EPIL	3F A-Wing	POWER ADAPTER	Power Adap.	H3C	
733	EPIL	3F A-Wing	POWER ADAPTER	Power Adap.	H3C	
734	EPIL	3F A-Wing	POWER ADAPTER	Power Adap.	H3C	
735	EPIL	3F B-Wing	POWER ADAPTER	Power Adap.	H3C	
736	EPIL	3F B-Wing	POWER ADAPTER	Power Adap.	H3C	
737	EPIL	3F B-Wing	POWER ADAPTER	Power Adap.	H3C	
738	EPIL	3F B-Wing	POWER ADAPTER	Power Adap.	H3C	
739	EPIL	4F A-Wing	POWER ADAPTER	Power Adap.	H3C	
740	EPIL	4F A-Wing	POWER ADAPTER	Power Adap.	H3C	
741	EPIL	4F A-Wing	POWER ADAPTER	Power Adap.	H3C	
742	EPIL	4F A-Wing	POWER ADAPTER	Power Adap.	H3C	
743	EPIL	4F B-Wing	POWER ADAPTER	Power Adap.	H3C	
744	EPIL	4F B-Wing	POWER ADAPTER	Power Adap.	H3C	
745	EPIL	4F B-Wing	POWER ADAPTER	Power Adap.	H3C	
746	EPIL	4F B-Wing	POWER ADAPTER	Power Adap.	H3C	
747	EPIL	8F A-Wing	POWER ADAPTER	Power Adap.	H3C	
748	EPIL	8F A-Wing	POWER ADAPTER	Power Adap.	H3C	
749	EPIL	8F A-Wing	POWER ADAPTER	Power Adap.	H3C	
750	EPIL	8F A-Wing	POWER ADAPTER	Power Adap.	H3C	
751	EPIL	8F A-Wing	POWER ADAPTER	Power Adap.	H3C	
752	EPIL	8F A-Wing	POWER ADAPTER	Power Adap.	H3C	
753	EPIL	1F A-Wing	Jack Panel	24 Port	Dax	
754	EPIL	1F A-Wing	Jack Panel	24 Port	Dax	
755	EPIL	1F A-Wing	Jack Panel	24 Port	Dax	
756	EPIL	1F A-Wing	Jack Panel	24 Port	Dax	
757	EPIL	1F B-Wing	Jack Panel	24 Port	Dax	
758	EPIL	1F B-Wing	Jack Panel	24 Port	Dax	
759	EPIL	1F B-Wing	Jack Panel	24 Port	Dax	
760	EPIL	1F B-Wing	Jack Panel	24 Port	Dax	
761	EPIL	2F A-Wing	Jack Panel	24 Port	Dax	
762	EPIL	2F A-Wing	Jack Panel	24 Port	Dax	
763	EPIL	2F A-Wing	Jack Panel	24 Port	Dax	
764	EPIL	2F A-Wing	Jack Panel	24 Port	Dax	
765	EPIL	2F B-Wing	Jack Panel	24 Port	Dax	
766	EPIL	2F B-Wing	Jack Panel	24 Port	Dax	
767	EPIL	2F B-Wing	Jack Panel	24 Port	Dax	
768	EPIL	3F A-Wing	Jack Panel	24 Port	Dax	
769	EPIL	3F A-Wing	Jack Panel	24 Port	Dax	
770	EPIL	3F A-Wing	Jack Panel	24 Port	Dax	
771	EPIL	3F B-Wing	Jack Panel	24 Port	Dax	
772	EPIL	3F B-Wing	Jack Panel	24 Port	Dax	
773	EPIL	3F B-Wing	Jack Panel	24 Port	Dax	
774	EPIL	4F A-Wing	Jack Panel	24 Port	Dax	
775	EPIL	4F A-Wing	Jack Panel	24 Port	Dax	
776	EPIL	4F A-Wing	Jack Panel	24 Port	Dax	
777	EPIL	4F B-Wing	Jack Panel	24 Port	Dax	
778	EPIL	4F B-Wing	Jack Panel	24 Port	Dax	
779	EPIL	4F B-Wing	Jack Panel	24 Port	Dax	
780	EPIL	5F A-Wing	Jack Panel	24 Port	Dax	
781	EPIL	5F A-Wing	Jack Panel	24 Port	Dax	
782	EPIL	5F A-Wing	Jack Panel	24 Port	Dax	
783	EPIL	5F A-Wing	Jack Panel	24 Port	Dax	
784	EPIL	5F B-Wing	Jack Panel	24 Port	Dax	
785	EPIL	5F B-Wing	Jack Panel	24 Port	Dax	
786	EPIL	5F B-Wing	Jack Panel	24 Port	Dax	
787	EPIL	5F B-Wing	Jack Panel	24 Port	Dax	
788	EPIL	6F A-Wing	Jack Panel	24 Port	Dax	
789	EPIL	6F A-Wing	Jack Panel	24 Port	Dax	
790	EPIL	6F A-Wing	Jack Panel	24 Port	Dax	
791	EPIL	6F A-Wing	Jack Panel	24 Port	Dax	

792	EPIL	6F B-Wing	Jack Panel	24 Port	Dax	
793	EPIL	6F B-Wing	Jack Panel	24 Port	Dax	
794	EPIL	6F B-Wing	Jack Panel	24 Port	Dax	
795	EPIL	6F B-Wing	Jack Panel	24 Port	Dax	
796	EPIL	7F A-Wing	Jack Panel	24 Port	Dax	
797	EPIL	7F A-Wing	Jack Panel	24 Port	Dax	
798	EPIL	7F A-Wing	Jack Panel	24 Port	Dax	
799	EPIL	7F A-Wing	Jack Panel	24 Port	Dax	
800	EPIL	7F B-Wing	Jack Panel	24 Port	Dax	
801	EPIL	7F B-Wing	Jack Panel	24 Port	Dax	
802	EPIL	7F B-Wing	Jack Panel	24 Port	Dax	
803	EPIL	7F B-Wing	Jack Panel	24 Port	Dax	
804	EPIL	8F A-Wing	Jack Panel	24 Port	Dax	
805	EPIL	8F A-Wing	Jack Panel	24 Port	Dax	
806	EPIL	8F A-Wing	Jack Panel	24 Port	Dax	
807	EPIL	8F A-Wing	Jack Panel	24 Port	Dax	
808	EPIL	8F B-Wing	Jack Panel	24 Port	Dax	
809	EPIL	8F B-Wing	Jack Panel	24 Port	Dax	
810	EPIL	8F B-Wing	Jack Panel	24 Port	Dax	
811	EPIL	8F B-Wing	Jack Panel	24 Port	Dax	
812	EPIL	4th Floor CCF Room	Switch	Summit X450-24 x	Extreme	EX/X450/003
813	Establishment	First Floor	GBIC	SFP	H3C	P1/1G/48
814	Establishment	First Floor Section	LIU	24 port	Dax	
815	Establishment	New Office	LIU	12 Core	Dax	
816	Establishment	New Office	Jack Panel	24 Port	Dax	
817	Establishment	First Floor	Switch	DES-1210P (POE)	D-link	DL/1224/006
818	Establishment (N)	First Floor	Access point	DWL-3500	D-link	DL/3500/019
819	Estate	Anchor GF	GBIC	SFP	H3C	P2/1G/021
820	Estate	Anchor FF	GBIC	SFP	H3C	P2/1G/022
821	estate_wls1		Access Point	WA2620-AGN	H3C	DEPT/AP/012
822	estate_wls2		Access Point	WA2620-AGN	H3C	DEPT/AP/013
823	estate_wls3		Access Point	WA2620-AGN	H3C	DEPT/AP/014
824	estate_wls4		Access Point	WA2620-AGN	H3C	DEPT/AP/015
825	estate_wls5		Access Point	WA2620-AGN	H3C	DEPT/AP/016
826	E-TYPE	Third floor	POWER ADAPTER	Power Adap.	H3C	
827	E-TYPE	Third floor	Hub	8 Port	3 Com	3com/hub/1
828	E-TYPE	Third floor	Switch-Unmanage	DES-1008 D	D-link	DL/1008D/003
829	E-TYPE	Third floor	Converter	Media Converter	D-link	
830	E-TYPE	Third floor	Jack Panel	24 Port	D-link	
831	E-TYPE	Third floor	LIU	6 Port	D-link	
832	Fluid Mech Lab	Near Manish Rathod Cat	Access Point	WA2620-AGN	H3C	DEPT/AP/005
833	fluid_mach_wls1	Banerje Lab FF	Access Point	WA2620-AGN	H3C	DEPT/AP/058
834	Generator	Ground Floor	Converter	Media Converter	D-link	
835	Generator	Ground Floor	Jack Panel	24 port	D-link	
836	Generator	Ground Floor	LIU	12 Port	D-link	
837	Generator	First Floor	Switch-Unmanage	DES-1008 D	D-link	DL/1008D/010
838	Guest House	Conference Room	GBIC	SFP	Extreme	EX/074
839	Guest House	New Room	Access point	Altitude 300	Extreme	EX/300/010
840	Guest House	Conference Room	Switch	Summit 300-24P	Extreme	EX/300/011
841	Guest House	Conference Room	Jack Panel	24 Port	D-link	
842	Guest House	Dinning Room	Access point	Altitude 300	Extreme	EX/300/015
843	Guest House (N)	First Floor	GBIC	SFP	H3C	P1/1G/66
844	Guest House (N)	First Floor	Switch	A5120-24 EI	H3C	P3/5120-24/04
845	Heat Transfer Lab	Ground Floor	GBIC	SFP	H3C	P3/1G/75
846	Heat Transfer lab	GF	Switch	DES-3200-28	D-link	DL/3200/033
847	Heat Transfer lab	GF	GBIC	DEM-310GT	D-link	DL/038
848	Heat Transfer lab	GF	GBIC	DEM-310GT	D-link	DL/039
849	Heat Transfer lab	GF	Switch	DES-3200-28	D-link	DL/3200/034
850	Heat Transfer lab	GF	Jack Panel	24 port	D-link	
851	Heat Transfer lab	GF	Jack Panel	24 port	D-link	
852	Heat Transfer lab	GF	LIU	24 port	D-link	

853	Heat Transfer lab	GF	LIU	24 port	D-link	
854	Heat Transfer lab	GF	LIU	24 port	D-link	
855	Heat Transfer lab	FF	Switch	DES-3200-28	D-link	DL/3200/035
856	Heat Transfer lab	FF	GBIC	DEM-310GT	D-link	DL/040
857	Heat Transfer lab	FF	Switch	DES-3200-28	D-link	DL/3200/036
858	Heat Transfer lab	FF	Jack Panel	24 port	D-link	
859	Heat Transfer lab	FF	Jack Panel	24 port	D-link	
860	Heat Transfer lab	FF	LIU	24 port	D-link	
861	Hostel 4	Hostel 4 server	10G GIBIC	XFP	H3C	P1/10G/09
862	Hostel 4	A-Wing (Unit-1)	GBIC	SFP	H3C	P1/1G/03
863	Hostel 4	F-Wing (Unit-4)	GBIC	SFP	H3C	P1/1G/04
864	Hostel 4	F-Wing (Unit-4)	GBIC	SFP	H3C	P1/1G/05
865	Hostel 4	F-Wing (Unit-3)	GBIC	SFP	H3C	P1/1G/06
866	Hostel 4	B-Wing (Unit-6)	GBIC	SFP	H3C	P1/1G/07
867	Hostel 4	B-Wing (Unit-7)	GBIC	SFP	H3C	P1/1G/08
868	Hostel 4	B-Wing (Unit-7)	GBIC	SFP	H3C	P1/1G/09
869	Hostel 4	G-Wing (Unit-8)	GBIC	SFP	H3C	P1/1G/10
870	Hostel 4	G-Wing (Unit-8)	GBIC	SFP	H3C	P1/1G/11
871	Hostel 4	G-Wing (Unit-9)	GBIC	SFP	H3C	P1/1G/12
872	Hostel 4	C-Wing (Unit-10)	GBIC	SFP	H3C	P1/1G/13
873	Hostel 4	C-Wing (Unit-11)	GBIC	SFP	H3C	P1/1G/14
874	Hostel 4	D-Wing (Unit-13)	GBIC	SFP	H3C	P1/1G/15
875	Hostel 4	D-Wing (Unit-14)	GBIC	SFP	H3C	P1/1G/16
876	Hostel 4	E-Wing (Unit-15)	GBIC	SFP	H3C	P1/1G/17
877	Hostel 4	E-Wing (Unit-15)	GBIC	SFP	H3C	P1/1G/18
878	Hostel 4	E-Wing (Unit-16)	GBIC	SFP	H3C	P1/1G/19
879	Hostel 4	Hostel 4 server	GBIC	SFP	H3C	P1/1G/20
880	Hostel 4	Hostel 4 server	GBIC	SFP	H3C	P1/1G/21
881	Hostel 4	Hostel 4 server	GBIC	SFP	H3C	P1/1G/23
882	Hostel 4	Hostel 4 server	GBIC	SFP	H3C	P1/1G/25
883	Hostel 4	Hostel 4 server	GBIC	SFP	H3C	P1/1G/26
884	Hostel 4	Hostel 4 server	GBIC	SFP	H3C	P1/1G/27
885	Hostel 4	Hostel 4 server	GBIC	SFP	H3C	P1/1G/29
886	Hostel 4	Hostel 4 server	GBIC	SFP	H3C	P1/1G/30
887	Hostel 4	Hostel 4 server	GBIC	SFP	H3C	P1/1G/31
888	Hostel 4	Hostel 4 server	GBIC	SFP	H3C	P1/1G/33
889	Hostel 4	Hostel 4 server	GBIC	SFP	H3C	P1/1G/34
890	Hostel 4	Hostel 4 server	GBIC	SFP	H3C	P1/1G/35
891	Hostel 4	Hostel 4 server	GBIC	SFP	H3C	P1/1G/36
892	Hostel 4	CCF Room SF	Switch	A5120-48G EI	H3C	P3/5120-48/14
893	Hostel 4	unit1_wls4	Access Point	WA2620-AGN	H3C	DEPT/AP/072
894	Hostel 4	unit1_wls1	Access Point	WA2620-AGN	H3C	P1/AP/001
895	Hostel 4	unit1_wls2	Access Point	WA2620-AGN	H3C	P1/AP/002
896	Hostel 4	unit1_wls3	Access Point	WA2620-AGN	H3C	P1/AP/003
897	Hostel 4	unit1_wls5	Access Point	WA2620-AGN	H3C	P1/AP/005
898	Hostel 4	unit1_wls6	Access Point	WA2620-AGN	H3C	P1/AP/006
899	Hostel 4	unit1_wls7	Access Point	WA2620-AGN	H3C	P1/AP/007
900	Hostel 4	unit1_wls8	Access Point	WA2620-AGN	H3C	P1/AP/008
901	Hostel 4	unit2_wls1	Access Point	WA2620-AGN	H3C	P1/AP/009
902	Hostel 4	unit2_wls2	Access Point	WA2620-AGN	H3C	P1/AP/010
903	Hostel 4	unit2_wls3	Access Point	WA2620-AGN	H3C	P1/AP/011
904	Hostel 4	unit2_wls4	Access Point	WA2620-AGN	H3C	P1/AP/012
905	Hostel 4	unit2_wls6	Access Point	WA2620-AGN	H3C	P1/AP/014
906	Hostel 4	unit2_wls7	Access Point	WA2620-AGN	H3C	P1/AP/015
907	Hostel 4	unit2_wls8	Access Point	WA2620-AGN	H3C	P1/AP/016
908	Hostel 4	unit3_wls1	Access Point	WA2620-AGN	H3C	P1/AP/017
909	Hostel 4	unit3_wls2	Access Point	WA2620-AGN	H3C	P1/AP/018
910	Hostel 4	unit3_wls3	Access Point	WA2620-AGN	H3C	P1/AP/019
911	Hostel 4	unit3_wls4	Access Point	WA2620-AGN	H3C	P1/AP/020
912	Hostel 4	unit4_wls1	Access Point	WA2620-AGN	H3C	P1/AP/021
913	Hostel 4	unit4_wls2	Access Point	WA2620-AGN	H3C	P1/AP/022

914	Hostel 4	unit4_wls3	Access Point	WA2620-AGN	H3C	P1/AP/023
915	Hostel 4	unit4_wls4	Access Point	WA2620-AGN	H3C	P1/AP/024
916	Hostel 4	unit4_wls5	Access Point	WA2620-AGN	H3C	P1/AP/025
917	Hostel 4	unit4_wls6	Access Point	WA2620-AGN	H3C	P1/AP/026
918	Hostel 4	unit4_wls7	Access Point	WA2620-AGN	H3C	P1/AP/027
919	Hostel 4	unit4_wls8	Access Point	WA2620-AGN	H3C	P1/AP/028
920	Hostel 4	unit6_wls1	Access Point	WA2620-AGN	H3C	P1/AP/029
921	Hostel 4	unit6_wls2	Access Point	WA2620-AGN	H3C	P1/AP/030
922	Hostel 4	unit6_wls3	Access Point	WA2620-AGN	H3C	P1/AP/031
923	Hostel 4	unit6_wls4	Access Point	WA2620-AGN	H3C	P1/AP/032
924	Hostel 4	unit6_wls5	Access Point	WA2620-AGN	H3C	P1/AP/033
925	Hostel 4	unit6_wls6	Access Point	WA2620-AGN	H3C	P1/AP/034
926	Hostel 4	unit6_wls7	Access Point	WA2620-AGN	H3C	P1/AP/035
927	Hostel 4	unit7_wls1	Access Point	WA2620-AGN	H3C	P1/AP/037
928	Hostel 4	unit7_wls2	Access Point	WA2620-AGN	H3C	P1/AP/038
929	Hostel 4	unit7_wls3	Access Point	WA2620-AGN	H3C	P1/AP/039
930	Hostel 4	unit7_wls4	Access Point	WA2620-AGN	H3C	P1/AP/040
931	Hostel 4	unit7_wls5	Access Point	WA2620-AGN	H3C	P1/AP/041
932	Hostel 4	unit7_wls7	Access Point	WA2620-AGN	H3C	P1/AP/043
933	Hostel 4	unit7_wls8	Access Point	WA2620-AGN	H3C	P1/AP/044
934	Hostel 4	unit8_wls1	Access Point	WA2620-AGN	H3C	P1/AP/045
935	Hostel 4	unit8_wls2	Access Point	WA2620-AGN	H3C	P1/AP/046
936	Hostel 4	unit8_wls3	Access Point	WA2620-AGN	H3C	P1/AP/047
937	Hostel 4	unit8_wls4	Access Point	WA2620-AGN	H3C	P1/AP/048
938	Hostel 4	unit8_wls5	Access Point	WA2620-AGN	H3C	P1/AP/049
939	Hostel 4	unit8_wls6	Access Point	WA2620-AGN	H3C	P1/AP/050
940	Hostel 4	unit8_wls7	Access Point	WA2620-AGN	H3C	P1/AP/051
941	Hostel 4	unit8_wls8	Access Point	WA2620-AGN	H3C	P1/AP/052
942	Hostel 4	unit9_wls1	Access Point	WA2620-AGN	H3C	P1/AP/053
943	Hostel 4	unit9_wls2	Access Point	WA2620-AGN	H3C	P1/AP/054
944	Hostel 4	unit9_wls3	Access Point	WA2620-AGN	H3C	P1/AP/055
945	Hostel 4	unit9_wls4	Access Point	WA2620-AGN	H3C	P1/AP/056
946	Hostel 4	unit10_wls1	Access Point	WA2620-AGN	H3C	P1/AP/057
947	Hostel 4	unit10_wls2	Access Point	WA2620-AGN	H3C	P1/AP/058
948	Hostel 4	unit10_wls3	Access Point	WA2620-AGN	H3C	P1/AP/059
949	Hostel 4	unit10_wls4	Access Point	WA2620-AGN	H3C	P1/AP/060
950	Hostel 4	unit10_wls5	Access Point	WA2620-AGN	H3C	P1/AP/061
951	Hostel 4	unit10_wls6	Access Point	WA2620-AGN	H3C	P1/AP/062
952	Hostel 4	unit10_wls7	Access Point	WA2620-AGN	H3C	P1/AP/063
953	Hostel 4	unit10_wls8	Access Point	WA2620-AGN	H3C	P1/AP/064
954	Hostel 4	unit11_wls1	Access Point	WA2620-AGN	H3C	P1/AP/065
955	Hostel 4	unit11_wls2	Access Point	WA2620-AGN	H3C	P1/AP/066
956	Hostel 4	unit11_wls3	Access Point	WA2620-AGN	H3C	P1/AP/067
957	Hostel 4	unit11_wls4	Access Point	WA2620-AGN	H3C	P1/AP/068
958	Hostel 4	unit11_wls5	Access Point	WA2620-AGN	H3C	P1/AP/069
959	Hostel 4	unit11_wls6	Access Point	WA2620-AGN	H3C	P1/AP/070
960	Hostel 4	unit11_wls7	Access Point	WA2620-AGN	H3C	P1/AP/071
961	Hostel 4	unit11_wls8	Access Point	WA2620-AGN	H3C	P1/AP/072
962	Hostel 4	unit13_wls1	Access Point	WA2620-AGN	H3C	P1/AP/073
963	Hostel 4	unit13_wls3	Access Point	WA2620-AGN	H3C	P1/AP/075
964	Hostel 4	unit13_wls4	Access Point	WA2620-AGN	H3C	P1/AP/076
965	Hostel 4	unit13_wls5	Access Point	WA2620-AGN	H3C	P1/AP/077
966	Hostel 4	unit13_wls6	Access Point	WA2620-AGN	H3C	P1/AP/078
967	Hostel 4	unit13_wls7	Access Point	WA2620-AGN	H3C	P1/AP/079
968	Hostel 4	unit13_wls8	Access Point	WA2620-AGN	H3C	P1/AP/080
969	Hostel 4	unit14_wls1	Access Point	WA2620-AGN	H3C	P1/AP/081
970	Hostel 4	unit14_wls2	Access Point	WA2620-AGN	H3C	P1/AP/082
971	Hostel 4	unit14_wls3	Access Point	WA2620-AGN	H3C	P1/AP/083
972	Hostel 4	unit14_wls4	Access Point	WA2620-AGN	H3C	P1/AP/084
973	Hostel 4	unit14_wls6	Access Point	WA2620-AGN	H3C	P1/AP/086
974	Hostel 4	unit15_wls1	Access Point	WA2620-AGN	H3C	P1/AP/089

975	Hostel 4	unit15_wls2	Access Point	WA2620-AGN	H3C	P1/AP/090
976	Hostel 4	unit15_wls3	Access Point	WA2620-AGN	H3C	P1/AP/091
977	Hostel 4	unit15_wls4	Access Point	WA2620-AGN	H3C	P1/AP/092
978	Hostel 4	unit15_wls5	Access Point	WA2620-AGN	H3C	P1/AP/093
979	Hostel 4	unit15_wls6	Access Point	WA2620-AGN	H3C	P1/AP/094
980	Hostel 4	unit15_wls7	Access Point	WA2620-AGN	H3C	P1/AP/095
981	Hostel 4	unit15_wls8	Access Point	WA2620-AGN	H3C	P1/AP/096
982	Hostel 4	unit16_wls1	Access Point	WA2620-AGN	H3C	P1/AP/097
983	Hostel 4	unit16_wls2	Access Point	WA2620-AGN	H3C	P1/AP/098
984	Hostel 4	unit16_wls3	Access Point	WA2620-AGN	H3C	P1/AP/099
985	Hostel 4	unit16_wls4	Access Point	WA2620-AGN	H3C	P1/AP/100
986	Hostel 4	Hostel 4 server	4 Port 10G Fiber Module	JD235A	H3C	P1/7506/10G-M/01
987	Hostel 4	Hostel 4 server	48 Port SFP Module	JD211B	H3C	P1/7506/1G-M/01
988	Hostel 4	3F A-Wing Unit 2	Access Point	WA2620-AGN	H3C	P2/AP/073
989	Hostel 4	3F B-Wing Unit 7	Access Point	WA2620-AGN	H3C	P2/AP/074
990	Hostel 4	4F B-Wing Unit 6	Access Point	WA2620-AGN	H3C	P2/AP/075
991	Hostel 4	4F D-Wing Unit 7	Access Point	WA2620-AGN	H3C	P2/AP/076
992	Hostel 4	4F D-Wing Unit 14	Access Point	WA2620-AGN	H3C	P2/AP/077
993	Hostel 4	3F D-Wing Unit 14	Access Point	WA2620-AGN	H3C	P2/AP/078
994	Hostel 4	1F D-Wing Unit 13	Access Point	WA2620-AGN	H3C	P2/AP/084
995	Hostel 4	CCF Room	Jack Panel	24 Port	Dax	
996	Hostel 4	CCF Room	Jack Panel	24 Port	Dax	
997	Hostel 4	A-Wing (Unit-2)	Switch	A5120-48G EI	H3C	P1/5120-48G/01
998	Hostel 4	A-Wing (Unit-2)	Switch	5500-24G POE	H3C	P1/5500-24G/01
999	Hostel 4	A-Wing (Unit-2)	Jack Panel	24 Port	Dax	
1000	Hostel 4	A-Wing (Unit-2)	Jack Panel	24 Port	Dax	
1001	Hostel 4	A-Wing (Unit-2)	Jack Panel	24 Port	Dax	
1002	Hostel 4	A-Wing (Unit-2)	LIU	12 Core	Dax	
1003	Hostel 4	A-Wing (Unit-1)	Switch	A5120-48G EI	H3C	P1/5120-48G/02
1004	Hostel 4	A-Wing (Unit-1)	Jack Panel	24 Port	Dax	
1005	Hostel 4	A-Wing (Unit-1)	Jack Panel	24 Port	Dax	
1006	Hostel 4	A-Wing (Unit-1)	LIU	12 Core	Dax	
1007	Hostel 4	F-Wing (Unit-3)	Switch	A5120-24 EI	H3C	P1/5120-24G/01
1008	Hostel 4	F-Wing (Unit-3)	Jack Panel	24 Port	Dax	
1009	Hostel 4	F-Wing (Unit-3)	LIU	12 Core	Dax	
1010	Hostel 4	F-Wing (Unit-4)	Switch	A5120-48G EI	H3C	P1/5120-48G/03
1011	Hostel 4	F-Wing (Unit-4)	Switch	5500-24G POE	H3C	P1/5500-24G/02
1012	Hostel 4	F-Wing (Unit-4)	Jack Panel	24 Port	Dax	
1013	Hostel 4	F-Wing (Unit-4)	Jack Panel	24 Port	Dax	
1014	Hostel 4	F-Wing (Unit-4)	Jack Panel	24 Port	Dax	
1015	Hostel 4	F-Wing (Unit-4)	LIU	12 Core	Dax	
1016	Hostel 4	B-Wing (Unit-6)	Switch	A5120-48G EI	H3C	P1/5120-48G/04
1017	Hostel 4	B-Wing (Unit-6)	Switch	5500-24G POE	H3C	P1/5500-24G/03
1018	Hostel 4	B-Wing (Unit-6)	Jack Panel	24 Port	Dax	
1019	Hostel 4	B-Wing (Unit-6)	Jack Panel	24 Port	Dax	
1020	Hostel 4	B-Wing (Unit-6)	Jack Panel	24 Port	Dax	
1021	Hostel 4	B-Wing (Unit-6)	LIU	12 Core	Dax	
1022	Hostel 4	B-Wing (Unit-7)	Switch	A5120-48G EI	H3C	P1/5120-48G/05
1023	Hostel 4	B-Wing (Unit-7)	Jack Panel	24 Port	Dax	
1024	Hostel 4	B-Wing (Unit-7)	Jack Panel	24 Port	Dax	
1025	Hostel 4	B-Wing (Unit-7)	LIU	12 Core	Dax	
1026	Hostel 4	G-Wing (Unit-8)	Switch	A5120-48G EI	H3C	P1/5120-48G/06
1027	Hostel 4	G-Wing (Unit-8)	Switch	5500-24G POE	H3C	P1/5500-24G/04
1028	Hostel 4	G-Wing (Unit-8)	Jack Panel	24 Port	Dax	
1029	Hostel 4	G-Wing (Unit-8)	Jack Panel	24 Port	Dax	
1030	Hostel 4	G-Wing (Unit-8)	Jack Panel	24 Port	Dax	
1031	Hostel 4	G-Wing (Unit-8)	LIU	24 Core	Dax	
1032	Hostel 4	G-Wing (Unit-8)	LIU	12 Core	Dax	
1033	Hostel 4	G-Wing (Unit-9)	Switch	A5120-24 EI	H3C	P1/5120-24G/02
1034	Hostel 4	G-Wing (Unit-9)	Jack Panel	24 Port	Dax	
1035	Hostel 4	G-Wing (Unit-9)	LIU	12 Core	Dax	

1036	Hostel 4	C-Wing (Unit-10)	Switch	A5120-48G EI	H3C	P1/5120-48G/07
1037	Hostel 4	C-Wing (Unit-10)	Switch	5500-24G POE	H3C	P1/5500-24G/05
1038	Hostel 4	C-Wing (Unit-10)	Jack Panel	24 Port	Dax	
1039	Hostel 4	C-Wing (Unit-10)	Jack Panel	24 Port	Dax	
1040	Hostel 4	C-Wing (Unit-10)	Jack Panel	24 Port	Dax	
1041	Hostel 4	C-Wing (Unit-10)	LIU	12 Core	Dax	
1042	Hostel 4	C-Wing (Unit-11)	Switch	A5120-48G EI	H3C	P1/5120-48G/08
1043	Hostel 4	C-Wing (Unit-11)	Jack Panel	24 Port	Dax	
1044	Hostel 4	C-Wing (Unit-11)	Jack Panel	24 Port	Dax	
1045	Hostel 4	C-Wing (Unit-11)	LIU	24 Core	Dax	
1046	Hostel 4	C-Wing (Unit-11)	LIU	24 Core	Dax	
1047	Hostel 4	C-Wing (Unit-11)	LIU	24 Core	Dax	
1048	Hostel 4	C-Wing (Unit-11)	LIU	12 Core	Dax	
1049	Hostel 4	D-Wing (Unit-13)	Switch	A5120-48G EI	H3C	P1/5120-48G/11
1050	Hostel 4	D-Wing (Unit-13)	Switch	5500-24G POE	H3C	P1/5500-24G/06
1051	Hostel 4	D-Wing (Unit-13)	Jack Panel	24 Port	Dax	
1052	Hostel 4	D-Wing (Unit-13)	Jack Panel	24 Port	Dax	
1053	Hostel 4	D-Wing (Unit-13)	Jack Panel	24 Port	Dax	
1054	Hostel 4	D-Wing (Unit-13)	LIU	12 core	Dax	
1055	Hostel 4	D-Wing (Unit-14)	Switch	A5120-48G EI	H3C	P1/5120-48G/12
1056	Hostel 4	D-Wing (Unit-14)	Jack Panel	24 Port	Dax	
1057	Hostel 4	D-Wing (Unit-14)	Jack Panel	24 Port	Dax	
1058	Hostel 4	D-Wing (Unit-14)	LIU	12 Core	Dax	
1059	Hostel 4	E-Wing (Unit-15)	Switch	A5120-48G EI	H3C	P1/5120-48G/13
1060	Hostel 4	E-Wing (Unit-15)	Switch	5500-24G POE	H3C	P1/5500-24G/07
1061	Hostel 4	E-Wing (Unit-15)	Jack Panel	24 Port	Dax	
1062	Hostel 4	E-Wing (Unit-15)	Jack Panel	24 Port	Dax	
1063	Hostel 4	E-Wing (Unit-15)	Jack Panel	24 Port	Dax	
1064	Hostel 4	E-Wing (Unit-15)	LIU	12 core	Dax	
1065	Hostel 4	E-Wing (Unit-16)	Switch	A5120-24 EI	H3C	P1/5120-24G/03
1066	Hostel 4	E-Wing (Unit-16)	Jack Panel	24 Port	Dax	
1067	Hostel 4	E-Wing (Unit-16)	LIU	12 Core	Dax	
1068	Hostel 4	A-Wing (Unit-2)	GBIC	SFP	H3C	P3/1G/08
1069	Hostel 4	CCF Room	Switch	A5120-48G EI	H3C	P1/5120-48G/27
1070	Hostel 4	Hostel 4 server	HP A 7506 6 SLOT CHASSIS CO	JD239B	H3C	P1/7506/01
1071	Hostel 4	Hostel 4 server	Fabric Module	JD194B	H3C	P1/7506/FM/01
1072	Hostel 4	Hostel 4 server	Power Supply	JD218A	H3C	P1/7506/PS/01
1073	Hostel 4	Hostel 4 server	Power Supply	JD218A	H3C	P1/7506/PS/02
1074	Hostel 4	Hostel 4 server	LIU	24 Core	Dax	
1075	Hostel 4	Hostel 4 server	LIU	24 Core	Dax	
1076	Hostel 4	Hostel 4 server	LIU	12 Core	Dax	
1077	Hostel 4	Hostel 4 server	GBIC	SFP	H3C	P3/1G/54
1078	Hostel 4	CCF Room SF	GBIC	SFP	H3C	P3/1G/55
1079	HOSTEL OFFICE	GF	Access point	DWL-3500	D-link	DL/3500/155
1080	Hostel-05	Ground Floor	LIU	12 Port	D-link	
1081	Hostel-06	First Floor left side	Jack Panel	24 Port	D-link	
1082	Hostel-06	First Floor left side	Jack Panel	24 Port	D-link	
1083	Hostel-06	First Floor left side	Jack Panel	24 Port	D-link	
1084	Hostel-06	First Floor right side	Jack Panel	24 Port	D-link	
1085	Hostel-06	First Floor right side	Jack Panel	24 Port	D-link	
1086	Hostel-06	First Floor right side	Jack Panel	24 Port	D-link	
1087	Hostel-06	Ground Floor	Jack Panel	24 Port	D-link	
1088	Hostel-06	Ground Floor	Jack Panel	24 Port	D-link	
1089	Hostel-06	Ground Floor	LIU	12 Port	D-link	
1090	Hostel-06	Ground Floor right Side	Jack Panel	24 Port	D-link	
1091	Hostel-06	Ground Floor right Side	Jack Panel	24 Port	D-link	
1092	Hostel-10	Ground Floor	GBIC	SFP	H3C	P2/1G/017
1093	Hostel-10	Ground Floor	Switch	5500-24G POE	H3C	P1/5500-24G/11
1094	Hostel-10	FF-1	Access point	DWL-3500	D-link	DL/3500/119
1095	Hostel-10	FF-2	Access point	DWL-3500	D-link	DL/3500/120
1096	Hostel-10	FF-3	Access point	DWL-3500	D-link	DL/3500/121

1097	Hostel-10	FF-4	Access point	DWL-3500	D-link	DL/3500/122
1098	Hostel-10	First Floor	Jack Panel	24 Port	D-link	
1099	Hostel-10	First Floor	Jack Panel	24 Port	D-link	
1100	Hostel-10	First Floor	Switch	DES-3028P (POE)	D-link	DL/3028P/054
1101	Hostel-10	First Floor	Switch	DES-1210P (POE)	D-link	DL/3028P/059
1102	Hostel-10	GF-1	Access point	DWL-3500	D-link	DL/3500/116
1103	Hostel-10	GF-2	Access point	DWL-3500	D-link	DL/3500/117
1104	Hostel-10	GF-3	Access point	DWL-3500	D-link	DL/3500/118
1105	Hostel-10	Ground Floor	Jack Panel	24 Port	D-link	
1106	Hostel-10	Ground Floor	Jack Panel	24 Port	D-link	
1107	Hostel-10	Ground Floor	LIU	6 port	D-link	
1108	Hostel-10	Second Floor	Jack Panel	24 Port	D-link	
1109	Hostel-10	Second Floor	Jack Panel	24 Port	D-link	
1110	Hostel-10	Second Floor	Switch	DES-3028P (POE)	D-link	DL/3028P/055
1111	Hostel-10	Second Floor	Switch	DES-3028P (POE)	D-link	DL/3028P/056
1112	Hostel-10	SF-1	Access point	DWL-3500	D-link	DL/3500/123
1113	Hostel-10	SF-2	Access point	DWL-3500	D-link	DL/3500/124
1114	Hostel-10	SF-3	Access point	DWL-3500	D-link	DL/3500/125
1115	Hostel-10	SF-4	Access point	DWL-3500	D-link	DL/3500/126
1116	Hostel-10	TF-1	Access point	DWL-3500	D-link	DL/3500/127
1117	Hostel-10	TF-2	Access point	DWL-3500	D-link	DL/3500/128
1118	Hostel-10	TF-3	Access point	DWL-3500	D-link	DL/3500/129
1119	Hostel-10	TF-4	Access point	DWL-3500	D-link	DL/3500/130
1120	Hostel-10	Third Floor	Jack Panel	24 Port	D-link	
1121	Hostel-10	Third Floor	Jack Panel	24 Port	D-link	
1122	Hostel-10	Third Floor	Switch	DES-3028P (POE)	D-link	DL/3028P/057
1123	Hostel-10	Third Floor	Switch	DES-1210P (POE)	D-link	DL/3028P/058
1124	Hostel-11	Second Floor A- wing	GBIC	SFP	D-link	DL/005
1125	Hostel-11	Second Floor B- wing	GBIC	SFP	D-link	DL/006
1126	Hostel-11	Second Floor B- wing	GBIC	SFP	Extreme	EX/011
1127	Hostel-11	FF-1 A-Wing	Access point	DWL-3500	D-link	DL/3500/136
1128	Hostel-11	FF-1 B-WING	Access point	DWL-3500	D-link	DL/3500/138
1129	Hostel-11	FF-2 A-WING	Access point	DWL-3500	D-link	DL/3500/137
1130	Hostel-11	FF-2 B-WING	Access point	DWL-3500	D-link	DL/3500/139
1131	Hostel-11	FF-5 A-Wing	Access point	DWL-3500	D-link	DL/3500/140
1132	Hostel-11	FF-6	Access point	DWL-3500	D-link	DL/3500/141
1133	Hostel-11	GF-1	Access point	DWL-3500	D-link	DL/3500/131
1134	Hostel-11	GF-2	Access point	DWL-3500	D-link	DL/3500/132
1135	Hostel-11	GF-3	Access point	DWL-3500	D-link	DL/3500/133
1136	Hostel-11	GF-4	Access point	DWL-3500	D-link	DL/3500/134
1137	Hostel-11	GF-5	Access point	DWL-3500	D-link	DL/3500/135
1138	Hostel-11	Second Floor A- wing	Jack Panel	24 Port	D-link	
1139	Hostel-11	Second Floor A- wing	Jack Panel	24 Port	D-link	
1140	Hostel-11	Second Floor A- wing	Jack Panel	24 Port	D-link	
1141	Hostel-11	Second Floor A- wing	Jack Panel	24 Port	D-link	
1142	Hostel-11	Second Floor A- wing	LIU	12 Port	D-link	
1143	Hostel-11	Second Floor A- wing	Switch	DES-3028P (POE)	D-link	DL/3028P/063
1144	Hostel-11	Second Floor A- wing	Switch	DES-3028P (POE)	D-link	DL/3028P/064
1145	Hostel-11	Second Floor A- wing	Switch	DES-3028P (POE)	D-link	DL/3028P/101
1146	Hostel-11	Second Floor B- wing	Jack Panel	24 Port	D-link	
1147	Hostel-11	Second Floor B- wing	Jack Panel	24 Port	D-link	
1148	Hostel-11	Second Floor B- wing	LIU	12 Port	D-link	
1149	Hostel-11	Second Floor B- wing	Switch	DES-3028P (POE)	D-link	DL/3028P/060
1150	Hostel-11	Second Floor B- wing	Switch	Summit 400-24t	Extreme	EX/400-24t/024
1151	Hostel-11	SF-1(A WING)	Access point	DWL-3500	D-link	DL/3500/146
1152	Hostel-11	SF-1(B WING)	Access point	DWL-3500	D-link	DL/3500/142
1153	Hostel-11	SF-2(A WING)	Access point	DWL-3500	D-link	DL/3500/147
1154	Hostel-11	SF-2(B WING)	Access point	DWL-3500	D-link	DL/3500/143
1155	Hostel-11	SF-3(A WING)	Access point	DWL-3500	D-link	DL/3500/148
1156	Hostel-11	SF-3(B WING)	Access point	DWL-3500	D-link	DL/3500/144
1157	Hostel-11	SF-4(A WING)	Access point	DWL-3500	D-link	DL/3500/149

1158	Hostel-11	SF-4(B WING)	Access point	DWL-3500	D-link	DL/3500/145
1159	Hostel-11	TF-1(A WING)	Access point	DWL-3500	D-link	DL/3500/150
1160	Hostel-11	TF-1(B WING)	Access point	DWL-3500	D-link	DL/3500/152
1161	Hostel-11	TF-2(A WING)	Access point	DWL-3500	D-link	DL/3500/151
1162	Hostel-11	TF-2(B WING)	Access point	DWL-3500	D-link	DL/3500/153
1163	Hostel-11	Third Floor A- wing	Jack Panel	24 Port	D-link	
1164	Hostel-11	Third Floor A- wing	Switch	DES-3028P (POE)	D-link	DL/3028P/065
1165	Hostel-11	Third Floor B- wing	Jack Panel	24 Port	D-link	
1166	Hostel-11	Third Floor B- wing	Jack Panel	24 Port	D-link	
1167	Hostel-11	Third Floor B- wing	Switch	DES-3028P (POE)	D-link	DL/3028P/061
1168	Hostel-4	B - Wing Ground Floor N	GBIC	SFP	D-link	DL/001
1169	Hostel-4	Network Room at GF	GBIC	SFP	D-link	DL/010
1170	Hostel-4	CCF Room	LIU	12 Port	D-link	
1171	Hostel-4	A - Wing Above Network	Jack Panel	24 Port	D-link	
1172	Hostel-4	A - Wing Above Network	Jack Panel	24 Port	D-link	
1173	Hostel-4	A - Wing Above Network	Jack Panel	24 Port	D-link	
1174	Hostel-4	A - Wing Above Network	Switch	DES-3028P (POE)	D-link	DL/3028P/007
1175	Hostel-4	A - Wing Above Network	Switch	DES-3028P (POE)	D-link	DL/3028P/008
1176	Hostel-4	A - Wing Above Network	Switch	DES-3028P (POE)	D-link	DL/3028P/009
1177	Hostel-4	B - Wing First Floor Near	Jack Panel	24 Port	D-link	
1178	Hostel-4	B - Wing First Floor Near	Jack Panel	24 Port	D-link	
1179	Hostel-4	B - Wing First Floor Near	Jack Panel	24 Port	D-link	
1180	Hostel-4	B - Wing First Floor Near	Switch	DES-3028P (POE)	D-link	DL/3028P/004
1181	Hostel-4	B - Wing First Floor Near	Switch	DES-3028P (POE)	D-link	DL/3028P/005
1182	Hostel-4	B - Wing Ground Floor N	Jack Panel	24 Port	D-link	
1183	Hostel-4	B - Wing Ground Floor N	Jack Panel	24 Port	D-link	
1184	Hostel-4	B - Wing Ground Floor N	LIU	12 Port	D-link	
1185	Hostel-4	B - Wing Ground Floor N	Switch	DES-3028P (POE)	D-link	DL/3028P/002
1186	Hostel-4	B - Wing Ground Floor N	Switch	DES-3028P (POE)	D-link	DL/3028P/003
1187	Hostel-4	FF-1 A-Wing	Access point	DWL-3500	D-link	DL/3500/007
1188	Hostel-4	FF-2 A-Wing	Access point	DWL-3500	D-link	DL/3500/008
1189	Hostel-4	FF-3 A-Wing	Access point	DWL-3500	D-link	DL/3500/009
1190	Hostel-4	FF-4 B-Wing	Access point	DWL-3500	D-link	DL/3500/011
1191	Hostel-4	FF-5 B-Wing	Access point	DWL-3500	D-link	DL/3500/010
1192	Hostel-4	FF-6 B-Wing	Access point	DWL-3500	D-link	DL/3500/012
1193	Hostel-4	GF-1 A-Wing	Access point	DWL-3500	D-link	DL/3500/001
1194	Hostel-4	GF-2 A-Wing	Access point	DWL-3500	D-link	DL/3500/002
1195	Hostel-4	GF-3 A-Wing	Access point	DWL-3500	D-link	DL/3500/003
1196	Hostel-4	GF-4 B-Wing	Access point	DWL-3500	D-link	DL/3500/006
1197	Hostel-4	GF-5 B-Wing	Access point	DWL-3500	D-link	DL/3500/005
1198	Hostel-4	GF-6 B-Wing	Access point	DWL-3500	D-link	DL/3500/004
1199	Hostel-4	Network Room at GF	Jack Panel	24 Port	D-link	
1200	Hostel-4	Network Room at GF	Jack Panel	24 Port	D-link	
1201	Hostel-4	Network Room at GF	LIU	24 Port	D-link	
1202	Hostel-4	Network Room at GF	LIU	24 Port	D-link	
1203	Hostel-4	Network Room at GF	LIU Wall Mount	6 Port Wall Mount	D-link	
1204	Hostel-4	Network Room at GF	Switch	DES-3028P (POE)	D-link	DL/3028P/001
1205	Hostel-4	Network Room at GF	Switch	Summit 400-24t	Extreme	EX/400-24t/017
1206	Hostel-4	SF-1 A-Wing	Access point	DWL-3500	D-link	DL/3500/013
1207	Hostel-4	SF-2 A-Wing	Access point	DWL-3500	D-link	DL/3500/014
1208	Hostel-4	SF-3 A-Wing	Access point	DWL-3500	D-link	DL/3500/015
1209	Hostel-4	SF-4 B-Wing	Access point	DWL-3500	D-link	DL/3500/016
1210	Hostel-4	SF-5 B-Wing	Access point	DWL-3500	D-link	DL/3500/018
1211	Hostel-4	SF-6 B-Wing	Access point	DWL-3500	D-link	DL/3500/017
1212	Hostel-4	A-wing (Unit-2)	GBIC	SFP	D-link	
1213	Hostel-7	SF B-Wing	GBIC	SFP	H3C	P1/1G/39
1214	Hostel-7	h7bldg1_wls1	Access Point	WA2620-AGN	H3C	P1/AP/101
1215	Hostel-7	h7bldg1_wls2	Access Point	WA2620-AGN	H3C	P1/AP/102
1216	Hostel-7	h7bldg1_wls3	Access Point	WA2620-AGN	H3C	P1/AP/103
1217	Hostel-7	h7bldg1_wls4	Access Point	WA2620-AGN	H3C	P1/AP/104
1218	Hostel-7	h7bldg1_wls5	Access Point	WA2620-AGN	H3C	P1/AP/105

1219	Hostel-7	h7bldg1_wls6	Access Point	WA2620-AGN	H3C	P1/AP/106
1220	Hostel-7	h7bldg1_wls7	Access Point	WA2620-AGN	H3C	P1/AP/107
1221	Hostel-7	h7bldg1_wls8	Access Point	WA2620-AGN	H3C	P1/AP/108
1222	Hostel-7	2F C-Wing	POWER ADAPTER	Power Adap.	H3C	
1223	Hostel-7	2F C-Wing	POWER ADAPTER	Power Adap.	H3C	
1224	Hostel-7	2F C-Wing	POWER ADAPTER	Power Adap.	H3C	
1225	Hostel-7	2F C-Wing	POWER ADAPTER	Power Adap.	H3C	
1226	Hostel-7	4F C-Wing	POWER ADAPTER	Power Adap.	H3C	
1227	Hostel-7	4F C-Wing	POWER ADAPTER	Power Adap.	H3C	
1228	Hostel-7	4F C-Wing	POWER ADAPTER	Power Adap.	H3C	
1229	Hostel-7	4F C-Wing	POWER ADAPTER	Power Adap.	H3C	
1230	Hostel-7	SF B-Wing	Switch	A5120-48G EI	H3C	P1/5120-48G/14
1231	Hostel-7	SF B-Wing	Switch	A5120-48G EI	H3C	P1/5120-48G/15
1232	Hostel-7	SF B-Wing	Switch	5500-24G POE	H3C	P1/5500-24G/08
1233	Hostel-7	SF B-Wing	Jack Panel	24 Port	Dax	
1234	Hostel-7	SF B-Wing	Jack Panel	24 Port	Dax	
1235	Hostel-7	SF B-Wing	Jack Panel	24 Port	Dax	
1236	Hostel-7	SF B-Wing	Jack Panel	24 Port	Dax	
1237	Hostel-7	SF B-Wing	Jack Panel	24 Port	Dax	
1238	Hostel-7	SF B-Wing	LIU	12 Core	Dax	
1239	Hostel-7	4th Floor C-Wing	Switch	A5120-48G EI	H3C	P1/5120-48G/26
1240	Hostel-7	SF C-Wing	GBIC	SFP	H3C	P3/1G/56
1241	Hostel-7	SF B-Wing	GBIC	SFP	H3C	P3/1G/57
1242	Hostel-7	Hostel-7 (SF)	Jack Panel	24 Port	Dax	
1243	Hostel-7	Hostel-7 (SF)	Jack Panel	24 Port	Dax	
1244	Hostel-7	Hostel-7 (SF)	Jack Panel	24 Port	Dax	
1245	Hostel-7	Hostel-7 (SF)	Jack Panel	24 Port	Dax	
1246	Hostel-7	SF C-Wing	Switch-Unmanage	DES-1008 D	D-link	DL/1008D/009
1247	Hostel-7	Ground Floor Doctor rod	GBIC	SFP	Extreme	EX/020
1248	Hostel-7	1F C-Wing	Access point	DWL-3500	D-link	DL/3500/032
1249	Hostel-7	1F C-Wing	Access point	DWL-3500	D-link	DL/3500/034
1250	Hostel-7	2F C-Wing	Access point	DWL-3500	D-link	DL/3500/028
1251	Hostel-7	2F C-Wing	Access point	DWL-3500	D-link	DL/3500/029
1252	Hostel-7	3F C-Wing	Access point	DWL-3500	D-link	DL/3500/025
1253	Hostel-7	3F C-Wing	Access point	DWL-3500	D-link	DL/3500/027
1254	Hostel-7	4F C-Wing	Access point	DWL-3500	D-link	DL/3500/031
1255	Hostel-7	4F C-Wing	Access point	DWL-3500	D-link	DL/3500/033
1256	Hostel-7	SF B-Wing	Switch-Unmanage	DES-1024 R+	D-link	DL/1024R+/001
1257	Hostel-7	FF Old Wing	Switch-Unmanage	DES-1024 D	D-link	DL/1024D/013
1258	Hostel-7	FF-1 A-Wing	Access point	DWL-3500	D-link	DL/3500/057
1259	Hostel-7	FF-2 B-WING	Access point	DWL-3500	D-link	DL/3500/058
1260	Hostel-7	FF Old Wing	Jack Panel	24 Port	D-link	
1261	Hostel-7	SF old wing	Switch	DES-3028P (POE)	D-link	DL/3028P/029
1262	Hostel-7	GF-1 A WING	Access point	DWL-3500	D-link	DL/3500/055
1263	Hostel-7	GF-2 A WING	Access point	DWL-3500	D-link	DL/3500/056
1264	Hostel-7	Ground Floor Doctor rod	Converter	Media Converter	D-link	
1265	Hostel-7	Ground Floor Doctor rod	Converter	Media Converter	D-link	
1266	Hostel-7	Ground Floor Doctor rod	Jack Panel	24 Port	D-link	
1267	Hostel-7	Ground Floor Doctor rod	LIU	12 Port	Dax	
1268	Hostel-7	Ground Floor Doctor rod	LIU	12 Port	D-link	
1269	Hostel-7	Ground Floor Doctor rod	LIU	12 Port	D-link	
1270	Hostel-7	Ground Floor Doctor rod	Switch	Summit 400-24t	Extreme	EX/400-24t/020
1271	Hostel-7	SF old wing	Jack Panel	24 Port	D-link	
1272	Hostel-7	FF Old Wing	Switch	DES-3028P (POE)	D-link	DL/3028P/030
1273	Hostel-7	SF old wing	Switch-Unmanage	DES-1024 R+	D-link	DL/1024R+/005
1274	Hostel-7	SF-1 A WING	Access point	DWL-3500	D-link	DL/3500/059
1275	Hostel-7	SF-1 B WING	Access point	DWL-3500	D-link	DL/3500/062
1276	Hostel-7	SF-2 A WING	Access point	DWL-3500	D-link	DL/3500/060
1277	Hostel-7	SF-2 B WING	Access point	DWL-3500	D-link	DL/3500/063
1278	Hostel-7	SF-3 A WING	Access point	DWL-3500	D-link	DL/3500/061
1279	Hostel-7	SF-3 B WING	Access point	DWL-3500	D-link	DL/3500/064

1280	Hostel-7	Ground Floor Doctor ro	GBIC	SFP	H3C	
1281	Hostel-7	4th Floor C-Wing	Switch-Unmanage	DES-1008 D	D-link	DL/1008D/004
1282	Hostel-8	First Floor CCF Room	Switch	DES-3028P (POE)	D-link	DL/3028P/024
1283	Hostel-8	First Floor CCF Room	Jack Panel	24 Port	D-link	
1284	Hostel-8	First Floor CCF Room	Jack Panel	24 Port	D-link	
1285	Hostel-8	First Floor CCF Room	Jack Panel	24 Port	D-link	
1286	Hostel-8	First Floor CCF Room	Jack Panel	24 Port	D-link	
1287	Hostel-8	First Floor CCF Room	Switch	DES-3028P (POE)	D-link	DL/3028P/035
1288	Hostel-8	First Floor CCF Room	Switch	DGS 1210P (POE)	D-link	DL/3028P/036
1289	Hostel-8	First Floor CCF Room	Switch	DES-3028P (POE)	D-link	DL/3028P/037
1290	Hostel-8	Ground Floor Warden O	Jack Panel	24 Port	D-link	
1291	Hostel-8	Ground Floor Warden O	Jack Panel	24 Port	D-link	
1292	Hostel-8	Ground Floor Warden O	Jack Panel	24 Port	D-link	
1293	Hostel-8	Ground Floor Warden O	LIU	24 Port	D-link	
1294	Hostel-8	Ground Floor Warden O	LIU	12 Port	D-link	
1295	Hostel-8	Ground Floor Warden O	Switch	DES-3028P (POE)	D-link	DL/3028P/031
1296	Hostel-8	Ground Floor Warden O	Switch	Summit 400-24t	Extreme	EX/400-24t/021
1297	Hostel-8	Ground Floor Warden O	Jack Panel	24 Port	D-link	
1298	Hostel-8	Ground Floor Warden O	Jack Panel	24 Port	D-link	
1299	Hostel-8	Ground Floor Warden O	Switch	DES-3028P (POE)	D-link	DL/3028P/032
1300	Hostel-8	Ground Floor Warden O	Switch	DES-3028P (POE)	D-link	DL/3028P/033
1301	Hostel-8	H-8(FF-1)	Access point	DWL-3500	D-link	DL/3500/073
1302	Hostel-8	H-8(FF-2)	Access point	DWL-3500	D-link	DL/3500/074
1303	Hostel-8	H-8(FF-3)	Access point	DWL-3500	D-link	DL/3500/075
1304	Hostel-8	H-8(FF-4)	Access point	DWL-3500	D-link	DL/3500/076
1305	Hostel-8	H-8(FF-5)	Access point	DWL-3500	D-link	DL/3500/077
1306	Hostel-8	H-8(FF-6)	Access point	DWL-3500	D-link	DL/3500/078
1307	Hostel-8	H-8(FF-7)	Access point	DWL-3500	D-link	DL/3500/079
1308	Hostel-8	H-8(FF-8)	Access point	DWL-3500	D-link	DL/3500/080
1309	Hostel-8	H-8(GF-1)	Access point	DWL-3500	D-link	DL/3500/065
1310	Hostel-8	H-8(GF-2)	Access point	DWL-3500	D-link	DL/3500/066
1311	Hostel-8	H-8(GF-3)	Access point	DWL-3500	D-link	DL/3500/067
1312	Hostel-8	H-8(GF-5)	Access point	DWL-3500	D-link	DL/3500/069
1313	Hostel-8	H-8(GF-6)	Access point	DWL-3500	D-link	DL/3500/070
1314	Hostel-8	H-8(GF-7)	Access point	DWL-3500	D-link	DL/3500/071
1315	Hostel-8	H-8(GF-8)	Access point	DWL-3500	D-link	DL/3500/072
1316	Hostel-8	H-8(SF-1)	Access point	DWL-3500	D-link	DL/3500/081
1317	Hostel-8	H-8(SF-2)	Access point	DWL-3500	D-link	DL/3500/082
1318	Hostel-8	H-8(SF-3)	Access point	DWL-3500	D-link	DL/3500/083
1319	Hostel-8	H-8(SF-4)	Access point	DWL-3500	D-link	DL/3500/084
1320	Hostel-8	H-8(SF-5)	Access point	DWL-3500	D-link	DL/3500/085
1321	Hostel-8	H-8(SF-6)	Access point	DWL-3500	D-link	DL/3500/086
1322	Hostel-8	H-8(SF-7)	Access point	DWL-3500	D-link	DL/3500/087
1323	Hostel-8	H-8(SF-8)	Access point	DWL-3500	D-link	DL/3500/088
1324	Hostel-8	Second Floor	Jack Panel	24 Port	D-link	
1325	Hostel-8	Second Floor	Jack Panel	24 Port	D-link	
1326	Hostel-8	Second Floor	Jack Panel	24 Port	D-link	
1327	Hostel-8	Second Floor	Jack Panel	24 Port	D-link	
1328	Hostel-8	Second Floor	Jack Panel	24 Port	D-link	
1329	Hostel-8	Second Floor	Jack Panel	24 Port	D-link	
1330	Hostel-8	Second Floor	Switch	DES-3028P (POE)	D-link	DL/3028P/038
1331	Hostel-8	Second Floor	Switch	DES-3028P (POE)	D-link	DL/3028P/039
1332	Hostel-8	Second Floor	Switch	DES-3028P (POE)	D-link	DL/3028P/040
1333	Hostel-8	Second Floor	Switch	DES-1210P (POE)	D-link	DL/3028P/041
1334	Hostel-8	Second Floor	Switch	DES-3028P (POE)	D-link	DL/3028P/042
1335	Hostel-8	Second Floor	Switch	DES-3028P (POE)	D-link	DL/3028P/043
1336	Hostel-9	Ground Floor Meeting R	GBIC	SFP	D-link	DL/003
1337	Hostel-9	Game Room First Floor	GBIC	SFP	D-link	DL/004
1338	Hostel-9	Ground Floor Meeting R	GBIC	SFP	Extreme	EX/008
1339	Hostel-9	Ground Floor Meeting R	GBIC	SFP	Extreme	EX/035
1340	Hostel-9	FF-1 A-Wing	Access point	DWL-3500	D-link	DL/3500/098

1341	Hostel-9	FF-2 A-WING	Access point	DWL-3500	D-link	DL/3500/099
1342	Hostel-9	FF-3 A-WING	Access point	DWL-3500	D-link	DL/3500/100
1343	Hostel-9	FF-4 A-WING	Access point	DWL-3500	D-link	DL/3500/101
1344	Hostel-9	FF-5 B-WING	Access point	WA 2620-AGN	H3C	DL/3500/102
1345	Hostel-9	FF-6 B-WING	Access point	WA 2620-AGN	H3C	DL/3500/103
1346	Hostel-9	FF-7 B-WING	Access point	DWL-3500	D-link	DL/3500/104
1347	Hostel-9	FF-8 B-WING	Access point	DWL-3500	D-link	DL/3500/105
1348	Hostel-9	FF-9 B-WING	Access point	DWL-3500	D-link	DL/3500/106
1349	Hostel-9	Game Room First Floor	Jack Panel	24 Port	D-link	
1350	Hostel-9	Game Room First Floor	Jack Panel	24 Port	D-link	
1351	Hostel-9	Game Room First Floor	LIU	12 Port	D-link	
1352	Hostel-9	Game Room First Floor	Switch	DES-3028P (POE)	D-link	DL/3028P/049
1353	Hostel-9	Game Room First Floor	Switch	DES-3028P (POE)	D-link	DL/3028P/050
1354	Hostel-9	Game Room First Floor	Jack Panel	24 Port	D-link	
1355	Hostel-9	Game Room First Floor	Jack Panel	24 Port	D-link	
1356	Hostel-9	Game Room First Floor	Jack Panel	24 Port	D-link	
1357	Hostel-9	Game Room First Floor	Switch	DES-3028P (POE)	D-link	DL/3028P/051
1358	Hostel-9	Game Room First Floor	Switch	DES-3028P (POE)	D-link	DL/3028P/052
1359	Hostel-9	Game Room First Floor	Switch	DES-3028P (POE)	D-link	DL/3028P/053
1360	Hostel-9	GF-1 A-WING	Access point	DWL-3500	D-link	DL/3500/089
1361	Hostel-9	GF-2 A-WING	Access point	DWL-3500	D-link	DL/3500/090
1362	Hostel-9	GF-3 A-WING	Access point	DWL-3500	D-link	DL/3500/091
1363	Hostel-9	GF-4 A-WING	Access point	DWL-3500	D-link	DL/3500/092
1364	Hostel-9	GF-5 B-WING	Access point	DWL-3500	D-link	DL/3500/093
1365	Hostel-9	GF-6 B-WING	Access point	DWL-3500	D-link	DL/3500/094
1366	Hostel-9	GF-7 B-WING	Access point	DWL-3500	D-link	DL/3500/095
1367	Hostel-9	GF-8 B-WING	Access point	DWL-3500	D-link	DL/3500/096
1368	Hostel-9	GF-9 B-WING	Access point	DWL-3500	D-link	DL/3500/097
1369	Hostel-9	Ground Floor Meeting R	Jack Panel	24 Port	D-link	
1370	Hostel-9	Ground Floor Meeting R	Jack Panel	24 Port	D-link	
1371	Hostel-9	Ground Floor Meeting R	Jack Panel	24 Port	D-link	
1372	Hostel-9	Ground Floor Meeting R	LIU	12 Port	D-link	
1373	Hostel-9	Ground Floor Meeting R	LIU	12 Port	D-link	
1374	Hostel-9	Ground Floor Meeting R	Switch	DES-3028P (POE)	D-link	DL/3028P/044
1375	Hostel-9	Ground Floor Meeting R	Switch	DES-3028P (POE)	D-link	DL/3028P/045
1376	Hostel-9	Ground Floor Meeting R	Switch	Summit 400-24t	Extreme	EX/400-24t/022
1377	Hostel-9	TV Room First Floor	Jack Panel	24 Port	D-link	
1378	Hostel-9	TV Room First Floor	Jack Panel	24 Port	D-link	
1379	Hostel-9	TV Room First Floor	Jack Panel	24 Port	D-link	
1380	Hostel-9	TV Room First Floor	Switch	DES-3028P (POE)	D-link	DL/3028P/046
1381	Hostel-9	TV Room First Floor	Switch	DES-3028P (POE)	D-link	DL/3028P/047
1382	Hostel-9	TV Room First Floor	Switch	DES-3028P (POE)	D-link	DL/3028P/048
1383	Hostel-9	SF-1(A WING)	Access point	DWL-3500	D-link	DL/3500/107
1384	Hostel-9	SF-2(A WING)	Access point	DWL-3500	D-link	DL/3500/108
1385	Hostel-9	SF-3(A WING)	Access point	DWL-3500	D-link	DL/3500/109
1386	Hostel-9	SF-4(A WING)	Access point	DWL-3500	D-link	DL/3500/110
1387	Hostel-9	SF-5(B WING)	Access point	DWL-3500	D-link	DL/3500/111
1388	Hostel-9	SF-6(B WING)	Access point	DWL-3500	D-link	DL/3500/112
1389	Hostel-9	SF-7(B WING)	Access point	DWL-3500	D-link	DL/3500/113
1390	Hostel-9	SF-8(B WING)	Access point	DWL-3500	D-link	DL/3500/114
1391	Hostel-9	SF-9(B WING)	Access point	DWL-3500	D-link	DL/3500/115
1392	Hydraulic Lab	Water Resource New	LIU	24 port	Dax	
1393	Hydraulic Lab	First Floor	LIU	24 port	Dax	
1394	Hydraulic Lab	Water Resource New	GBIC	SFP	H3C	P2/1G/019
1395	Hydraulic Lab	Water Resource New	GBIC	SFP	H3C	P2/1G/020
1396	Hydraulic Lab	Water Resource New	Jack Panel	24 Port	Dax	
1397	Hydraulic Lab	Water Resource New	Jack Panel	24 Port	Dax	
1398	Hydraulic Lab	Water Resource New	Jack Panel	24 Port	Dax	
1399	Hydraulic Lab	Water Resource New	Jack Panel	24 Port	Dax	
1400	Hydraulic Lab	Water Resource New	Jack Panel	24 Port	Dax	
1401	Hydraulic Lab	Water Resource New	Jack Panel	24 Port	Dax	

1402	Hydraulic	Ground Floor	Jack Panel	24 Port	D-link	
1403	Hydraulic	Ground Floor	LIU	12 Port	D-link	
1404	Hydraulic	Ground Floor	Switch-Unmanage	DES-1008 D	D-link	DL/1008D/014
1405	HYDROULIC LAB	NEW Water Resource La	Switch	DES-3028P (POE)	D-link	DL/3028P/025
1406	HYDROULIC LAB	NEW Water Resource La	Switch	DES-3028P (POE)	D-link	DL/3028P/011
1407	HYDROULIC LAB	NEW Water Resource La	Switch	DES-3028P (POE)	D-link	DL/3028P/012
1408	HYDROULIC LAB	NEW Water Resource La	Switch	DES-3028P (POE)	D-link	DL/3028P/014
1409	HYDROULIC LAB	NEW Water Resource La	Switch	DES-3028P (POE)	D-link	DL/3028P/015
1410	HYDROULIC LAB	NEW Water Resource La	Switch	DES-3028P (POE)	D-link	DL/3028P/018
1411	I.C. Engine Ext FF	Vimal Patel Cabin	GBIC	SFP	H3C	P1/1G/45
1412	I.C. Engine Ext FF	Vimal Patel Cabin	POWER ADAPTER	Power Adap.	H3C	
1413	I.C. Engine Ext FF	Vimal Patel Cabin	Switch	A5120-24 EI	H3C	P1/5120-24G/05
1414	I.C. Engine Ext FF	Vimal Patel Cabin	Jack Panel	24 Port	Dax	
1415	I.C. Engine Ext FF	Vimal Patel Cabin	LIU	6 Core	Dax	
1416	I.C. Engine Ext FF	Vimal Patel Cabin	LIU	6 Core	Dax	
1417	IC Engine	IC Engine Ext	Access Point	WA2620-AGN	H3C	P1/AP/122
1418	IN STOCK	4th FF CCF Room	10G GBIC	XFP	H3C	P1/10G/01
1419	IN STOCK	IN STOCK	10G GBIC	XFP	H3C	P1/10G/11
1420	IN STOCK	IN STOCK	10G GBIC	XFP	H3C	P1/10G/12
1421	IN STOCK	IN STOCK	10G GBIC	XFP	H3C	P1/10G/13
1422	IN STOCK	IN STOCK	GBIC	SFP	H3C	P1/1G/22
1423	IN STOCK	IN STOCK	GBIC	SFP	H3C	P1/1G/28
1424	IN STOCK	IN STOCK	GBIC	SFP	H3C	P1/1G/32
1425	IN STOCK	IN STOCK	GBIC	SFP	H3C	P1/1G/41
1426	IN STOCK	IN STOCK	GBIC	SFP	H3C	P1/1G/42
1427	IN STOCK	IN STOCK	GBIC	SFP	H3C	P1/1G/44
1428	IN STOCK	IN STOCK	GBIC	SFP	H3C	P1/1G/46
1429	IN STOCK	IN STOCK	GBIC	SFP	H3C	P1/1G/49
1430	IN STOCK	IN STOCK	GBIC	SFP	H3C	P1/1G/50
1431	IN STOCK	IN STOCK	GBIC	SFP	H3C	P1/1G/51
1432	IN STOCK	IN STOCK	GBIC	SFP	H3C	P1/1G/52
1433	IN STOCK	IN STOCK	GBIC	SFP	H3C	P1/1G/53
1434	IN STOCK	IN STOCK	GBIC	SFP	H3C	P1/1G/57
1435	IN STOCK	IN STOCK	GBIC	SFP	H3C	P1/1G/59
1436	IN STOCK	IN STOCK	GBIC	SFP	H3C	P1/1G/60
1437	IN STOCK	IN STOCK	GBIC	SFP	H3C	P1/1G/62
1438	IN STOCK	IN STOCK	GBIC	SFP	H3C	P1/1G/63
1439	IN STOCK	IN STOCK	GBIC	SFP	H3C	P1/1G/65
1440	IN STOCK	IN STOCK	GBIC	SFP	H3C	P1/1G/69
1441	IN STOCK	IN STOCK	GBIC	SFP	H3C	P1/1G/70
1442	IN STOCK	IN STOCK	GBIC	SFP	H3C	P1/1G/71
1443	IN STOCK	IN STOCK	GBIC	SFP	H3C	P1/1G/72
1444	IN STOCK	IN STOCK	GBIC	SFP	H3C	P1/1G/73
1445	IN STOCK	IN STOCK	GBIC	SFP	H3C	P1/1G/74
1446	IN STOCK	IN STOCK	GBIC	SFP	H3C	P1/1G/75
1447	IN STOCK	IN STOCK	GBIC	SFP	H3C	P1/1G/76
1448	IN STOCK	IN STOCK	GBIC	SFP	H3C	P1/1G/77
1449	IN STOCK	IN STOCK	GBIC	SFP	H3C	P1/1G/78
1450	IN STOCK	IN STOCK	GBIC	SFP	H3C	P1/1G/79
1451	IN STOCK	IN STOCK	Access Point	WA2620-AGN	H3C	DEPT/AP/022
1452	IN STOCK	IN STOCK	Access Point	WA2620-AGN	H3C	DEPT/AP/023
1453	IN STOCK	IN STOCK	Access Point	WA2620-AGN	H3C	DEPT/AP/024
1454	IN STOCK	IN STOCK	Access Point	WA2620-AGN	H3C	DEPT/AP/025
1455	IN STOCK	IN STOCK	Access Point	WA2620-AGN	H3C	DEPT/AP/026
1456	IN STOCK	IN STOCK	Access Point	WA2620-AGN	H3C	DEPT/AP/027
1457	New Computer	1st Floor	Access Point	WA2620-AGN	H3C	DEPT/AP/073
1458	IN STOCK	IN STOCK	Access Point	WA2620-AGN	H3C	P1/AP/004
1459	IN STOCK	IN STOCK	GBIC	SFP	H3C	P1/1G/80
1460	IN STOCK	IN STOCK	GBIC	SFP	H3C	P1/1G/82
1461	IN STOCK	IN STOCK	GBIC	SFP	H3C	P1/1G/83
1462	IN STOCK	IN STOCK	GBIC	SFP	H3C	P1/1G/84

1463	IN STOCK	IN STOCK	GBIC	SFP	H3C	P1/1G/87
1464	IN STOCK	IN STOCK	GBIC	SFP	H3C	P1/1G/88
1465	IN STOCK	IN STOCK	10G GIBIC	XFP	H3C	P2/10G/01
1466	IN STOCK	IN STOCK	10G GIBIC	XFP	H3C	P2/10G/03
1467	IN STOCK	Chassi	10G GIBIC	XFP	H3C	P2/10G/04
1468	IN STOCK	IN STOCK	10G GIBIC	XFP	H3C	P2/10G/05
1469	IN STOCK	IN STOCK	10G GIBIC	XFP	H3C	P2/10G/06
1470	IN STOCK	IN STOCK	10G GIBIC	XFP	H3C	P2/10G/07
1471	IN STOCK	IN STOCK	10G GIBIC	XFP	H3C	P2/10G/08
1472	IN STOCK	IN STOCK	GBIC	SFP	H3C	P2/1G/015
1473	IN STOCK	IN STOCK	GBIC	SFP	H3C	P2/1G/029
1474	IN STOCK	IN STOCK	Access Point	WA2620-AGN	H3C	P1/AP/121
1475	IN STOCK	IN STOCK	Power Supply	JD218A	H3C	P2/7506/PS/01
1476	IN STOCK	IN STOCK	Power Supply	JD218A	H3C	P2/7506/PS/02
1477	New Computer	1st Floor	Access Point	WA2620-AGN	H3C	P2/AP/092
1478	New Computer	2nd Floor	Access Point	WA2620-AGN	H3C	P2/AP/093
1479	New Computer	2nd Floor	Access Point	WA2620-AGN	H3C	P2/AP/094
1480	New Computer	3rd Floor	Access Point	WA2620-AGN	H3C	P2/AP/095
1481	IN STOCK	IN STOCK	Access Point	WA2620-AGN	H3C	P2/AP/096
1482	IN STOCK	IN STOCK	POWER ADAPTER	Power Adap.	H3C	
1483	IN STOCK	IN STOCK	POWER ADAPTER	Power Adap.	H3C	
1484	IN STOCK	IN STOCK	POWER ADAPTER	Power Adap.	H3C	
1485	IN STOCK	IN STOCK	POWER ADAPTER	Power Adap.	H3C	
1486	IN STOCK	IN STOCK	POWER ADAPTER	Power Adap.	H3C	
1487	IN STOCK	In Stock	POWER ADAPTER	Power Adap.	H3C	
1488	IN STOCK	IN STOCK	POWER ADAPTER	Power Adap.	H3C	
1489	IN STOCK	IN STOCK	POWER ADAPTER	Power Adap.	H3C	
1490	IN STOCK	IN STOCK	POWER ADAPTER	Power Adap.	H3C	
1491	IN STOCK	IN STOCK	POWER ADAPTER	Power Adap.	H3C	
1492	IN STOCK	IN STOCK	POWER ADAPTER	Power Adap.	H3C	
1493	IN STOCK	IN STOCK	POWER ADAPTER	Power Adap.	H3C	
1494	IN STOCK	IN STOCK	POWER ADAPTER	Power Adap.	H3C	
1495	IN STOCK	IN STOCK	POWER ADAPTER	Power Adap.	H3C	
1496	IN STOCK	IN STOCK	POWER ADAPTER	Power Adap.	H3C	
1497	IN STOCK	IN STOCK	POWER ADAPTER	Power Adap.	H3C	
1498	IN STOCK	IN STOCK	POWER ADAPTER	Power Adap.	H3C	
1499	IN STOCK	IN STOCK	POWER ADAPTER	Power Adap.	H3C	
1500	IN STOCK	IN STOCK	POWER ADAPTER	Power Adap.	H3C	
1501	IN STOCK	IN STOCK	POWER ADAPTER	Power Adap.	H3C	
1502	IN STOCK	IN STOCK	POWER ADAPTER	Power Adap.	H3C	
1503	IN STOCK	IN STOCK	POWER ADAPTER	Power Adap.	H3C	
1504	IN STOCK	IN STOCK	POWER ADAPTER	Power Adap.	H3C	
1505	IN STOCK	IN STOCK	POWER ADAPTER	Power Adap.	H3C	
1506	IN STOCK	IN STOCK	POWER ADAPTER	Power Adap.	H3C	
1507	IN STOCK	IN STOCK	POWER ADAPTER	Power Adap.	H3C	
1508	IN STOCK	IN STOCK	POWER ADAPTER	Power Adap.	H3C	
1509	IN STOCK	IN STOCK	POWER ADAPTER	Power Adap.	H3C	
1510	IN STOCK	IN STOCK	POWER ADAPTER	Power Adap.	H3C	
1511	IN STOCK	IN STOCK	POWER ADAPTER	Power Adap.	H3C	
1512	IN STOCK	IN STOCK	POWER ADAPTER	Power Adap.	H3C	
1513	IN STOCK	IN STOCK	POWER ADAPTER	Power Adap.	H3C	
1514	IN STOCK	IN STOCK	POWER ADAPTER	Power Adap.	H3C	
1515	IN STOCK	IN STOCK	POWER ADAPTER	Power Adap.	H3C	
1516	IN STOCK	IN STOCK	POWER ADAPTER	Power Adap.	H3C	
1517	IN STOCK	IN STOCK	POWER ADAPTER	Power Adap.	H3C	
1518	IN STOCK	IN STOCK	POWER ADAPTER	Power Adap.	H3C	
1519	IN STOCK	IN STOCK	POWER ADAPTER	Power Adap.	H3C	
1520	IN STOCK	IN STOCK	POWER ADAPTER	Power Adap.	H3C	
1521	IN STOCK	IN STOCK	POWER ADAPTER	Power Adap.	H3C	
1522	IN STOCK	IN STOCK	POWER ADAPTER	Power Adap.	H3C	
1523	IN STOCK	IN STOCK	POWER ADAPTER	Power Adap.	H3C	

1524	IN STOCK	IN STOCK	POWER ADAPTER	Power Adap.	H3C	
1525	IN STOCK	IN STOCK	POWER ADAPTER	Power Adap.	H3C	
1526	IN STOCK	IN STOCK	POWER ADAPTER	Power Adap.	H3C	
1527	IN STOCK	IN STOCK	POWER ADAPTER	Power Adap.	H3C	
1528	IN STOCK	IN STOCK	POWER ADAPTER	Power Adap.	H3C	
1529	IN STOCK	IN STOCK	GBIC	SFP	H3C	P2/1G/104
1530	IN STOCK	IN STOCK	10G GIBIC	XFP	H3C	P3/10G/02
1531	IN STOCK	IN STOCK	10G GIBIC	XFP	H3C	P3/10G/03
1532	IN STOCK	IN STOCK	10G GIBIC	XFP	H3C	P3/10G/04
1533	IN STOCK	IN STOCK	GBIC	SFP	H3C	P3/1G/26
1534	IN STOCK	IN STOCK	GBIC	SFP	H3C	P3/1G/59
1535	IN STOCK	IN STOCK	GBIC	SFP	H3C	P3/1G/60
1536	IN STOCK	IN STOCK	GBIC	SFP	H3C	P3/1G/62
1537	IN STOCK	IN STOCK	GBIC	SFP	H3C	P3/1G/67
1538	IN STOCK	IN STOCK	GBIC	SFP	H3C	P3/1G/68
1539	IN STOCK	IN STOCK	GBIC	SFP	H3C	P3/1G/70
1540	IN STOCK	IN STOCK	GBIC	SFP	H3C	P3/1G/78
1541	IN STOCK	IN STOCK	GBIC	SFP	H3C	P3/1G/79
1542	IN STOCK	IN STOCK	GBIC	SFP	H3C	P3/1G/80
1543	IN STOCK	IN STOCK	GBIC	SFP	H3C	P3/1G/81
1544	IN STOCK	IN STOCK	GBIC	SFP	H3C	P3/1G/82
1545	IN STOCK	IN STOCK	GBIC	SFP	H3C	P3/1G/83
1546	IN STOCK	IN STOCK	GBIC	SFP	H3C	P3/1G/84
1547	IN STOCK	IN STOCK	GBIC	SFP	H3C	P3/1G/85
1548	IN STOCK	IN STOCK	GBIC	SFP	H3C	P3/1G/86
1549	IN STOCK	IN STOCK	Switch	DES-3028P (POE)	D-link	DL/3028P/089
1550	IN STOCK	IN STOCK	Switch	DES-3028P (POE)	D-link	DL/3028P/090
1551	IN STOCK	IN STOCK	Switch-Unmanage	DES-1224	D-link	DL/1224/008
1552	IN STOCK	IN STOCK	GBIC	SFP	Extreme	EX/001
1553	IN STOCK	IN STOCK	GBIC	SFP	Extreme	EX/002
1554	IN STOCK	IN STOCK	Converter	Media Converter	D-link	
1555	IN STOCK	IN STOCK	GBIC	SFP	Extreme	EX/012
1556	IN STOCK	IN STOCK	GBIC	SFP	Extreme	EX/019
1557	IN STOCK	IN STOCK	GBIC	SFP	Extreme	EX/022
1558	IN STOCK	IN STOCK	Switch	Summit X450-24 x	Extreme	EX/X450/002
1559	IN STOCK	IN STOCK	GBIC	SFP	Extreme	EX/025
1560	IN STOCK	IN STOCK	GBIC	SFP	Extreme	EX/027
1561	IN STOCK	IN STOCK	Switch	DGS-1210P (POE)	D-link	DL/3028P/027
1562	IN STOCK	IN STOCK	GBIC	SFP	Extreme	EX/031
1563	IN STOCK	IN STOCK	Switch	Summit 400-48t	Extreme	EX/400-48/003
1564	IN STOCK	IN STOCK	Converter	Media Converter	D-link	
1565	IN STOCK	IN STOCK	Converter	Media Converter	D-link	
1566	IN STOCK	IN STOCK	LIU	12 Port	D-link	
1567	IN STOCK	IN STOCK	GBIC	SFP	Extreme	EX/033
1568	IN STOCK	IN STOCK	Converter	Media Converter	D-link	
1569	IN STOCK	IN STOCK	Converter	Media Converter	D-link	
1570	IN STOCK	IN STOCK	Converter	Media Converter	TP-Link	
1571	IN STOCK	IN STOCK	Converter	Media Converter	D-link	
1572	IN STOCK	IN STOCK	Converter	Media Converter	D-link	
1573	IN STOCK	IN STOCK	Converter	Media Converter	D-link	
1574	IN STOCK	IN STOCK	Converter	Media Converter	D-link	
1575	IN STOCK	IN STOCK	Converter	Media Converter	D-link	
1576	IN STOCK	IN STOCK	Converter	Media Converter	D-link	
1577	IN STOCK	IN STOCK	Converter	Media Converter	D-link	
1578	IN STOCK	IN STOCK	Converter	Media Converter	D-link	
1579	IN STOCK	IN STOCK	Converter	Media Converter	D-link	
1580	IN STOCK	IN STOCK	Converter	Media Converter	D-link	
1581	IN STOCK	IN STOCK	Converter	Media Converter	D-link	
1582	IN STOCK	IN STOCK	Converter	Media Converter	D-link	
1583	IN STOCK	IN STOCK	Converter	Media Converter	Mrotek	
1584	IN STOCK	IN STOCK	Converter	Media Converter	D-link	

1585	IN STOCK	IN STOCK	Converter	Media Converter	D-link	
1586	IN STOCK	IN STOCK	GBIC	SFP	Extreme	EX/037
1587	IN STOCK	IN STOCK	GBIC	SFP	Extreme	EX/043
1588	IN STOCK	IN STOCK	GBIC	SFP	Extreme	EX/048
1589	IN STOCK	IN STOCK	GBIC	SFP	Extreme	EX/049
1590	IN STOCK	IN STOCK	GBIC	SFP	Extreme	EX/052
1591	IN STOCK	IN STOCK	GBIC	SFP	Extreme	EX/053
1592	IN STOCK	IN STOCK	GBIC	SFP	Extreme	EX/060
1593	IN STOCK	IN STOCK	GBIC	SFP	Extreme	EX/061
1594	IN STOCK	IN STOCK	GBIC	SFP	Extreme	EX/062
1595	IN STOCK	IN STOCK	GBIC	SFP	Extreme	EX/063
1596	IN STOCK	IN STOCK	GBIC	SFP	Extreme	EX/064
1597	IN STOCK	IN STOCK	GBIC	SFP	Extreme	EX/065
1598	IN STOCK	IN STOCK	GBIC	SFP	Extreme	EX/066
1599	IN STOCK	IN STOCK	GBIC	SFP	Extreme	EX/067
1600	IN STOCK	IN STOCK	Jack Panel	24 Port	D-link	
1601	IN STOCK	IN STOCK	LIU	Wall mount LIU (W	D-link	
1602	IN STOCK	IN STOCK	LIU	Wall mount LIU (W	D-link	
1603	IN STOCK	IN STOCK	Power Supply	48 V	Extreme	
1604	IN STOCK	IN STOCK	Power Supply	48 V	Extreme	
1605	IN STOCK	IN STOCK	Power Supply PLATE	EPS-1	Extreme	
1606	IN STOCK	IN STOCK	Router	2800	Cisco	
1607	IN STOCK	IN STOCK (Faulty)	Switch	Summit 400-24t	Extreme	EX/400-24t/018
1608	IN STOCK	IN STOCK (Faulty)	Switch	Summit 400-24t	Extreme	EX/400-24t/032
1609	IN STOCK	IN STOCK (Faulty)	Switch	Summit 400-24t	Extreme	EX/400-24t/033
1610	IN STOCK	IN STOCK	GBIC	SFP	Extreme	EX/069
1611	IN STOCK	IN STOCK	GBIC	SFP	Extreme	EX/070
1612	New Chemical	1st Floor	Access point	DWL-3500	D-link	DL/3500/043
1613	New Chemical	2nd Floor	Access point	DWL-3500	D-link	DL/3500/045
1614	New Chemical	2nd Floor	Access point	DWL-3500	D-link	DL/3500/050
1615	IN STOCK	IN STOCK	Access point	WA 2620-AGN	H3C	DL/3500/053
1616	Bhabha Bhavan	8th floor	Access point	DWL-3200	D-link	
1617	New Library	3rd floor	Access point	DWL-3200	D-link	
1618	IN STOCK	IN STOCK	Converter	Media Converter	D-link	
1619	IN STOCK	Stock at CCC (Corridore)	LIU Wall Mount	6 Port Wall Mount	D-link	
1620	IN STOCK	IN STOCK (Faulty)	Switch	Summit 400-24t	Extreme	EX/400-24t/004
1621	IN STOCK	IN STOCK	GBIC	SFP	Extreme	EX/077
1622	IN STOCK	IN STOCK	Switch	Summit 300-24P	Extreme	EX/300/008
1623	IN STOCK	IN STOCK	GBIC	SFP	Extreme	EX/085
1624	IN STOCK	IN STOCK (Faulty)	Switch	Summit 400-24t	Extreme	EX/400-24t/026
1625	IN STOCK	IN STOCK	GBIC	SFP	Extreme	EX/086
1626	IN STOCK	IN STOCK	GBIC	SFP	Extreme	EX/087
1627	IN STOCK	IN STOCK	Switch	Summit 400-24t	Extreme	EX/400-24t/009
1628	IN STOCK	IN STOCK	Access point	Altitude 300	Extreme	EX/300/016
1629	IN STOCK	IN STOCK	GBIC	SFP	Extreme	EX/089
1630	IN STOCK	IN STOCK	GBIC	SFP	Extreme	EX/090
1631	IN STOCK	IN STOCK	GBIC	SFP	Extreme	EX/091
1632	IN STOCK	IN STOCK	GBIC	SFP	Extreme	EX/092
1633	IN STOCK	IN STOCK	GBIC	SFP	Extreme	EX/093
1634	IN STOCK	IN STOCK	GBIC	SFP	Extreme	EX/094
1635	IN STOCK	IN STOCK	GBIC	SFP	Extreme	EX/095
1636	IN STOCK	IN STOCK	GBIC	SFP	Extreme	EX/096
1637	IN STOCK	IN STOCK	Jack Panel	24 Port	D-link	
1638	IN STOCK	IN STOCK	GBIC	SFP	Extreme	EX/097
1639	IN STOCK	IN STOCK	GBIC	SFP	Extreme	EX/098
1640	IN STOCK	IN STOCK	GBIC	SFP	Extreme	EX/099
1641	IN STOCK	IN STOCK	Switch	DES-3028P (POE)	D-link	DL/3028P/100
1642	IN STOCK	IN STOCK	Switch	Summit 400-24t	Extreme	EX/400-24t/005
1643	IN STOCK	IN STOCK	10 GBIC	SFP	Extreme	EX/10G/003
1644	IN STOCK	IN STOCK	10 GBIC	SFP	Extreme	EX/10G/004
1645	IN STOCK	IN STOCK	Switch	Summit 300-24P	Extreme	EX/300/003

1646	IN STOCK	IN STOCK	10 GBIC	SFP	Extreme	EX/10G/006
1647	IN STOCK	IN STOCK	10 GBIC	SFP	Extreme	EX/10G/007
1648	IN STOCK	IN STOCK	10 GBIC	SFP	Extreme	EX/10G/008
1649	IN STOCK	IN STOCK	Converter	Media Converter	D-link	
1650	IN STOCK	IN STOCK	Switch	DES-1008A	D-link	DL/1008A/012
1651	IN STOCK	IN STOCK	Switch	DES-1008A	D-link	DL/1008A/013
1652	Library	Server Room	LIU	24 Port	Dax	
1653	Library	First Floor UPS Room	Jack Panel	24 Port	D-link	
1654	Library	First Floor UPS Room	LIU	24 Port	D-link	
1655	Library	First Floor near UPS Roo	Jack Panel	24 Port	D-link	
1656	Library	First Floor near UPS Roo	Jack Panel	24 Port	D-link	
1657	Library	First Floor near UPS Roo	Jack Panel	24 Port	D-link	
1658	Library	First Floor UPS Room	Jack Panel	24 Port	D-link	
1659	Library	First Floor UPS Room	LIU	24 Port	D-link	
1660	Library	First Floor UPS Room	LIU	12 Port	D-link	
1661	Library	First Floor UPS Room	LIU	12 Port	D-link	
1662	Library	First Floor UPS Room	LIU	12 Port	D-link	
1663	Manufacture		Access Point	WA2620-AGN	H3C	DEPT/AP/066
1664	material_test		Access Point	WA2620-AGN	H3C	DEPT/AP/039
1665	Mechanical	Old Boiler Lab GF	GBIC	SFP	H3C	P1/1G/68
1666	Mechanical	Boiler Lab	LIU	24 port	Dax	
1667	Mechanical	I.C. Engine	LIU	24 port	Dax	
1668	Mechanical	Boiler Lab	POWER ADAPTER	Power Adap.	H3C	
1669	Mechanical	New Manufacture	POWER ADAPTER	Power Adap.	H3C	
1670	Mechanical	Fluid Extention	Jack Panel	24 Port	Dax	
1671	Mechanical	Fluid Extention	Jack Panel	24 Port	Dax	
1672	Mechanical	New Production	POWER ADAPTER	Power Adap.	H3C	
1673	Mechanical	Fluid Old	GBIC	SFP	D-link	DL/014
1674	Mechanical	First Floor Server Room	GBIC	SFP	Extreme	EX/017
1675	Mechanical	First Floor Server Room	GBIC	SFP	Extreme	EX/042
1676	Mechanical	First Floor Server Room	GBIC	SFP	Extreme	EX/047
1677	Mechanical	Old Boiler Lab GF	Access point	DWL-3500	D-link	DL/3500/042
1678	Mechanical	Old Boiler Lab GF	Switch	DES-1210P (POE)	D-link	DL/3028P/021
1679	Mechanical	First Floor Server Room	Jack Panel	24 Port	D-link	
1680	Mechanical	First Floor Server Room	LIU	12 Port	D-link	
1681	Mechanical	First Floor Server Room	Switch	3560G-24P	Cisco	EX/400-24t/006
1682	Mechanical	First Floor Server Room	Converter	Media Converter	D-link	
1683	Mechanical	First Floor Server Room	LIU	12 Port	D-link	
1684	Mechanical	First Floor Server Room	Jack Panel	24 Port	Dax	
1685	Mechanical	First Floor Server Room	Jack Panel	24 Port	Dax	
1686	Mechanical	First Floor Server Room	Jack Panel	24 Port	Dax	
1687	Mechanical	First Floor Server Room	Switch	DES-3028P (POE)	D-link	DL/3028P/066
1688	Mechanical	First Floor Server Room	Switch-Unmanage	DES-1024 D	D-link	DL/1024D/001
1689	Mechanical	First Floor Server Room	Switch-Unmanage	DES-1024 D	D-link	DL/1024D/002
1690	Mechanical	Fluid Extention	Switch	DES-3028P (POE)	D-link	DL/3028P/016
1691	Mechanical	Fluid Extention	LIU	12 Port	D-link	
1692	Mechanical	Fluid Old	Switch	DES-3028P (POE)	D-link	DL/3028P/022
1693	Mechanical	Fluid Old	Jack Panel	24 Port	D-link	
1694	Mechanical	Fluid Old	LIU	12 Port	D-link	
1695	Mechanical	IC Engine Old	Converter	Media Converter	D-link	
1696	Mechanical	IC Engine Old	LIU	12 Port	D-link	
1697	Mechanical	IC Engine Old	Switch-Unmanage	DES-1008 D	D-link	
1698	Mechanical	First Floor Server Room	GBIC	SFP	Cisco	
1699	Mechanical	First Floor Server Room	GBIC	SFP	Cisco	
1700	Mechanical	First Floor Server Room	GBIC	SFP	Cisco	
1701	Mechanical	First Floor Server Room	GBIC	SFP	Cisco	
1702	mechanical_wls1		Access Point	WA2620-AGN	H3C	DEPT/AP/059
1703	mechanical_wls2		Access Point	WA2620-AGN	H3C	DEPT/AP/060
1704	mechanical_wls3		Access Point	WA2620-AGN	H3C	DEPT/AP/061
1705	mechanical_wls4		Access Point	WA2620-AGN	H3C	DEPT/AP/062
1706	mechanical_wls5		Access Point	WA2620-AGN	H3C	DEPT/AP/063

1707	mechanical_wls6		Access Point	WA2620-AGN	H3C	DEPT/AP/064
1708	New Advance fluid	GF Electric room	Switch	DGS-1500-28	D-link	DL/1500/005
1709	New Advance fluid	GF Electric room	GBIC	DEM-310GT	D-link	DL/041
1710	New Advance fluid	GF Electric room	GBIC	DEM-310GT	D-link	DL/042
1711	New Advance fluid	GF Electric room	GBIC	DEM-310GT	D-link	
1712	New Advance fluid	GF Electric room	Jack Panel	24 port	D-link	
1713	New Advance fluid	GF Electric room	LIU	24 port	D-link	
1714	New Advance fluid	GF Electric room	LIU	24 port	D-link	
1715	New Advance fluid	GF Electric room	LIU	24 port	D-link	
1716	New Advance fluid	FF Electric Room	Switch	DES-3200-28	D-link	DL/3200/037
1717	New Advance fluid	FF Electric Room	Jack Panel	24 port	D-link	
1718	New Advance fluid	FF Electric Room	Jack Panel	24 port	D-link	
1719	New Advance fluid	FF Electric Room	LIU	24 port	D-link	
1720	New Advance fluid	FF Electric Room	GBIC	DEM-310GT	D-link	DL/043
1721	New Advance fluid	SF Electric Room	Switch	DES-3200-28	D-link	DL/3200/038
1722	New Advance fluid	SF Electric Room	Jack Panel	24 port	D-link	
1723	New Advance fluid	SF Electric Room	Jack Panel	24 port	D-link	
1724	New Advance fluid	SF Electric Room	LIU	24 port	D-link	
1725	New Advance fluid	SF Electric Room	GBIC	DEM-310GT	D-link	DL/044
1726	New Chemical	FF	Switch	3560G-24P (POE)	Cisco	EX/300/007
1727	New Chemical	FF Electric Room	GBIC	SFP	D-link	
1728	New Chemical	GF Electric Panel Room	Switch	DES-1008A	D-link	DL/1008A/011
1729	New Chemical	GF Electric Room	Jack Panel	24 port	Digilink	
1730	New Chemical	FF Electric Room	Jack Panel	24 port	Digilink	
1731	New Chemical	SF Electric Room	Jack Panel	24 port	Digilink	
1732	New Chemical	3F Electric Room	Jack Panel	24 port	Digilink	
1733	New Chemical	4F Electric Room	Jack Panel	24 port	Digilink	
1734	New Chemistry	GF Server rrom	GBIC	SFP	H3C	P1/1G/38
1735	New Chemistry	GF Server room	GBIC	SFP	H3C	P3/1G/63
1736	New Chemistry	GF Server room	Switch	DES-3028P (POE)	D-link	DL/3028P/083
1737	New Chemistry	2nd Floor store room	Switch-Unmanage	DES-1024 D	D-link	DL/1024D/010
1738	New Chemistry	2nd floor	Switch	DES-3028P (POE)	D-link	DL/3028P/080
1739	New Computer	Jr. Programming Lab	Switch-Unmanage	DES-1016 D	D-link	DL/1016D/001
1740	New Computer	FF Junior Prog. Lab	Switch	DES-1008A	D-link	DL/1008A/004
1741	New Computer	FF Junior Prog. Lab	Switch	DES-1008A	D-link	DL/1008A/005
1742	New Computer	FF Prog. Lab	Switch	DES-1008A	D-link	DL/1008A/006
1743	New Computer	FF Prog. Lab	Switch	DES-1008A	D-link	DL/1008A/007
1744	New Computer	SF SERVER ROOM	Switch	DES-1008A	D-link	DL/1008A/008
1745	New Computer	SF Software Lab	Switch	DES-1008A	D-link	DL/1008A/009
1746	New Computer	FF Electric Room	Switch	DGS-1500-28	D-link	DL/1500/001
1747	New Computer	FF Electric Room	GBIC	DEM-310GT	D-link	DL/016
1748	New Computer	FF Electric Room	Switch	DES-3200-28	D-link	DL/3200/001
1749	New Computer	FF Electric Room	Jack Panel	24 port	D-link	
1750	New Computer	FF Electric Room	Jack Panel	24 port	D-link	
1751	New Computer	FF Electric Room	LIU	24 port	D-link	
1752	New Computer	FF Electric Room	LIU	24 port	D-link	
1753	New Computer	FF Electric Room	GBIC	DEM-310GT	D-link	DL/017
1754	New Computer	FF Electric Room	GBIC	DEM-310GT	D-link	DL/018
1755	New Computer	FF Electric Room	Switch	DES-3200-28	D-link	DL/3200/002
1756	New Computer	FF Electric Room	Switch	DES-3200-28	D-link	DL/3200/003
1757	New Computer	FF Electric Room	Jack Panel	24 port	D-link	
1758	New Computer	FF Electric Room	Jack Panel	24 port	D-link	
1759	New Computer	FF Electric Room	Switch	DES-3200-28	D-link	DL/3200/004
1760	New Computer	FF Electric Room	Switch	DES-3200-28	D-link	DL/3200/005
1761	New Computer	FF Electric Room	Jack Panel	24 port	D-link	
1762	New Computer	FF Electric Room	Jack Panel	24 port	D-link	
1763	New Computer	SF Electric Room	Switch	DES-3200-28	D-link	DL/3200/006
1764	New Computer	SF Electric Room	Switch	DES-3200-28	D-link	DL/3200/007
1765	New Computer	SF Electric Room	Jack Panel	24 port	D-link	
1766	New Computer	SF Electric Room	Jack Panel	24 port	D-link	
1767	New Computer	SF Electric Room	LIU	24 port	D-link	

1768	New Computer	SF Electric Room	GBIC	DEM-310GT	D-link	DL/019
1769	New Computer	SF Electric Room	Switch	DES-3200-28	D-link	DL/3200/008
1770	New Computer	SF Electric Room	Switch	DES-3200-28	D-link	DL/3200/009
1771	New Computer	SF Electric Room	Jack Panel	24 port	D-link	
1772	New Computer	SF Electric Room	Jack Panel	24 port	D-link	
1773	New Computer	4F Electric Room	Switch	DES-3200-28	D-link	DL/3200/010
1774	New Computer	4F Electric Room	Switch	DES-3200-28	D-link	DL/3200/011
1775	New Computer	4F Electric Room	Jack Panel	24 port	D-link	
1776	New Computer	4F Electric Room	Jack Panel	24 port	D-link	
1777	New Computer	4F Electric Room	LIU	24 port	D-link	
1778	New Computer	4F Electric Room	Switch	DES-3200-28	D-link	DL/3200/012
1779	New Computer	4F Electric Room	Switch	DES-3200-28	D-link	DL/3200/013
1780	New Computer	4F Electric Room	Jack Panel	24 port	D-link	
1781	New Computer	4F Electric Room	Jack Panel	24 port	D-link	
1782	New Computer	4F Electric Room	GBIC	DEM-310GT	D-link	DL/020
1783	New CRC	Ground Floor	LIU	24 port	Dax	
1784	New CRC	Ground Floor	GBIC	SFP	H3C	P1/1G/81
1785	New CRC	Ground Floor	GBIC	SFP	H3C	P1/1G/86
1786	New CRC	4th Floor	Converter	Media Converter	D-link	
1787	New CRC	GF Store room	Switch	DES-3028P (POE)	D-link	DL/3028P/081
1788	New CRC	IIIT Office 6th floor 601	Switch-Unmanage	DES-1008 D	D-link	DL/1008D/013
1789	New CRC	4TH FLOOR	Switch	DGS-1024D	D-link	DL/DGS-1024D/003
1790	New CRC	4TH FLOOR	Switch	DGS-1024D	D-link	DL/DGS-1024D/004
1791	New CRC	Ground Floor	Jack Panel	24 Port	D-link	
1792	New CRC	4th Floor	Jack Panel	24 Port	D-link	
1793	New CRC	4th Floor	Jack Panel	24 Port	D-link	
1794	New CRC	4th Floor	LIU	24 Port	D-link	
1795	New CRC	Ground Floor	LIU	24 Port	D-link	
1796	New CRC	Ground Floor	LIU	24 Port	D-link	
1797	New CRC	Ground Floor	Converter	Media Converter	D-link	
1798	New CRC	Ground Floor	Converter	Media Converter	D-link	
1799	New CRC	Ground Floor	LIU	24 Port	D-link	
1800	New Electrical	SF Electric room 2	Switch	A5120-48G EI	H3C	P1/5120-48G/25
1801	New Electrical	SF Electric room2	GBIC	SFP	H3C	P3/1G/64
1802	New Electrical	GF Near Lift	Unmanage Switch	DES-1024D	D-Link	DL/1024D/019
1803	New Electrical	GF Near Lift	Jack Panel	24 port	Digilink	
1804	New Electrical	GF Electric room 1	Unmanage Switch	DES-1024D	D-Link	DL/1024D/020
1805	New Electrical	GF Electric room 1	Jack Panel	24 port	Digilink	
1806	New Electrical	FF Near Lift	Unmanage Switch	DES-1024D	D-Link	DL/1024D/021
1807	New Electrical	FF Near Lift	Jack Panel	24 port	Digilink	
1808	New Electrical	FF Electric room 2	Unmanage Switch	DES-1024D	D-Link	DL/1024D/022
1809	New Electrical	FF Electric room 2	Jack Panel	24 port	Digilink	
1810	New Electrical	SF Near Lift	Unmanage Switch	DES-1024D	D-Link	DL/1024D/023
1811	New Electrical	SF Near Lift	Jack Panel	24 port	Digilink	
1812	New Electrical	SF Electric room 2	Unmanage Switch	DES-1024D	D-Link	DL/1024D/024
1813	New Electrical	SF Electric room 2	Jack Panel	24 port	Digilink	
1814	New Electrical	SF Electric room 2	LIU	24 port	D-Link	
1815	New Electrical	TF Near Lift	Unmanage Switch	DES-1024D	D-Link	DL/1024D/025
1816	New Electrical	TF Near Lift	Jack Panel	24 port	Digilink	
1817	New Electrical	TF Electric room 2	Unmanage Switch	DES-1024D	D-Link	DL/1024D/026
1818	New Electrical	TF Electric room 2	Jack Panel	24 port	Digilink	
1819	New Electrical	4th floor Near Lift	Unmanage Switch	DES-1024D	D-Link	DL/1024D/027
1820	New Electrical	4th floor Near Lift	Jack Panel	24 port	Digilink	
1821	New Electrical	4th floor Electric room 2	Unmanage Switch	DES-1024D	D-Link	DL/1024D/028
1822	New Electrical	4th floor Electric room 2	Jack Panel	24 port	Digilink	
1823	New Electrocnis	SF Electric Room	Switch	DES-1210P (POE)	D-link	DL/3028P/062
1824	New Electrocnis	GF Electric Room	Jack Panel	24 Port	D-link	
1825	New Electrocnis	FF Electric Room	Jack Panel	24 Port	D-link	
1826	New Electrocnis	SF Electric Room	Jack Panel	24 Port	D-link	
1827	New Electrocnis	3F Electric Room	Jack Panel	24 Port	D-link	
1828	New Guest House	FF-Store Room-1	GBIC	SFP	Extreme	EX/055

1829	New Guest House	SF-Nr. Room No.204	Switch-Unmanage	DES-1016A	D-link	
1830	New Guest House	FF-Nr. Room No.104	Switch-Unmanage	DES-1016A	D-link	
1831	New Guest House	FF-Store Room-1	Switch-Unmanage	DES-1016A	D-link	
1832	New Guest House	GF- Nr. Confrence Room	Switch-Unmanage	DES-1016A	D-link	
1833	New Guest House	SF- Store Room-2	Switch-Unmanage	DES-1016A	D-link	
1834	New Guest House	TF- Store Room-3	Switch-Unmanage	DES-1016A	D-link	
1835	New Guest House	4th Floor - Store Room-4	Switch-Unmanage	DES-1016A	D-link	
1836	New Guest House	TF-Nr. Room No.304	Switch-Unmanage	DES-1016A	D-link	
1837	New Guest House	4th floor-Nr. Room No.4	Switch-Unmanage	DES-1016A	D-link	
1838	New Library	3rd Floor Server Room	GBIC	SFP	H3C	P2/1G/031
1839	New Library	3rd Floor Server Room	POWER ADAPTER	Power Adap.	H3C	
1840	New Library	3rd Floor Server Room	POWER ADAPTER	Power Adap.	H3C	
1841	New Library	3rd Floor Server Room	POWER ADAPTER	Power Adap.	H3C	
1842	New Library	3rd Floor Server Room	POWER ADAPTER	Power Adap.	H3C	
1843	New Library	2nd Floor	Switch	A5120-48G EI	H3C	P1/5120-48G/24
1844	New Library	3rd Floor	Access point	DWL-3500	D-link	DL/3500/023
1845	New Library	3rd Floor	Access point	DWL-3500	D-link	DL/3500/035
1846	New Library	3rd Floor	LIU	24 Port	D-link	
1847	New Manufacture	Ground Floor Electric Ro	POWER ADAPTER	Power Adap.	H3C	
1848	New Manufacture	GF UPS Room	Switch	DGS-1500-28	D-Link	DL/1500/003
1849	New Manufacture	GF UPS Room	Switch	DES-3200-28	D-Link	DL/3200/024
1850	New Manufacture	GF UPS Room	Jack Panel	24 port	D-Link	
1851	New Manufacture	GF UPS Room	Jack Panel	24 port	D-Link	
1852	New Manufacture	GF UPS Room	LIU	24 port	D-Link	
1853	New Manufacture	GF UPS Room	GBIC		D-Link	DL/026
1854	New Manufacture	GF UPS Room	GBIC		D-Link	DL/027
1855	New Manufacture	GF UPS Room	GBIC		D-Link	DL/028
1856	New Manufacture	SF Office	Switch	DES-3200-28	D-Link	DL/3200/025
1857	New Manufacture	SF Office	Switch	DES-3200-28	D-Link	DL/3200/026
1858	New Manufacture	SF Office	Jack Panel	24 port	D-Link	
1859	New Manufacture	SF Office	Jack Panel	24 port	D-Link	
1860	New Manufacture	SF Office	LIU	24 port	D-Link	
1861	New Manufacture	SF Office	GBIC		D-Link	DL/029
1862	New Manufacture	SF Lab	Switch	DES-3200-28	D-Link	DL/3200/027
1863	New Manufacture	SF Lab	Switch	DES-3200-28	D-Link	DL/3200/028
1864	New Manufacture	SF Lab	Jack Panel	24 port	D-Link	
1865	New Manufacture	SF Lab	Jack Panel	24 port	D-Link	
1866	New Manufacture	SF Lab	LIU	24 port	D-Link	
1867	New Manufacture	SF Lab	GBIC		D-Link	DL/030
1868	New Math	GF	LIU	24 Port	D-link	
1869	New Maths	Ground Floor	GBIC	SFP	H3C	P1/1G/56
1870	New Maths	GF Electric Room	GBIC	SFP	H3C	P2/1G/005
1871	New Maths	Ground Floor	Switch	A5120-48G EI	H3C	P1/5120-48G/21
1872	New Maths	GF Computer Lab	Switch-Unmanage	DES-1024 D	D-link	DL/1024D/012
1873	New Maths	2nd Floor Electric room	Switch	Summit 400-24t	Extreme	EX/400-24t/035
1874	New Maths	2nd Floor Electric room	GBIC	SFP	Extreme	EX/040
1875	New Maths	2nd Floor Electric room	GBIC	SFP	Extreme	EX/079
1876	New Mech	FF Electric Room	Switch	DES-3200-28	D-link	DL/3200/039
1877	New Mech	FF Electric Room	Switch	DES-3200-28	D-link	DL/3200/040
1878	New Mech	FF Electric Room	Jack Panel	24 port	D-link	
1879	New Mech	FF Electric Room	Jack Panel	24 port	D-link	
1880	New Mech	FF Electric Room	LIU	24 port	D-link	
1881	New Mech	FF Electric Room	GBIC	DEM-310GT	D-link	DL/045
1882	New Mech	FF Electric Room	Switch	DES-3200-28	D-link	DL/3200/041
1883	New Mech	FF Electric Room	Switch	DES-3200-28	D-link	DL/3200/042
1884	New Mech	FF Electric Room	Switch	DES-3200-28	D-link	DL/3200/043
1885	New Mech	FF Electric Room	Jack Panel	24 port	D-link	
1886	New Mech	FF Electric Room	Jack Panel	24 port	D-link	
1887	New Mech	FF Electric Room	Jack Panel	24 port	D-link	
1888	New Mech	FF Electric Room	Switch	DES-3200-28	D-link	DL/3200/044
1889	New Mech	FF Electric Room	Switch	DES-3200-28	D-link	DL/3200/045

1890	New Mech	FF Electric Room	Jack Panel	24 port	D-link	
1891	New Mech	FF Electric Room	Jack Panel	24 port	D-link	
1892	New Physics	Ground Floor	GBIC	SFP	H3C	P1/1G/85
1893	New Physics	Ground Floor	Switch	A5120-48G EI	H3C	P1/5120-48G/22
1894	New Physics	First Floor	Switch	A5120-48G EI	H3C	P1/5120-48G/23
1895	New Physics	1st Floor	Switch-Unmanage	DES-1016 A	D-link	DL/1016D/003
1896	New Physics	GF	LIU	24 Port	D-link	
1897	New Physics	SF	Switch	DES-1008A	D-link	DL/1008A/010
1898	New Production		Access Point	WA2620-AGN	H3C	DEPT/AP/065
1899	New Production	First Floor electric room	POWER ADAPTER	Power Adap.	H3C	
1900	New Production	FF UPS Room	Switch	DES-3200-28	D-Link	DL/3200/014
1901	New Production	FF UPS Room	Switch	DES-3200-28	D-Link	DL/3200/015
1902	New Production	FF UPS Room	Jack Panel	24 port	D-Link	
1903	New Production	FF UPS Room	Jack Panel	24 port	D-Link	
1904	New Production	FF UPS Room	Switch	DGS-1500-28	D-Link	DL/1500/002
1905	New Production	FF UPS Room	Jack Panel	24 port	D-Link	
1906	New Production	FF UPS Room	LIU	24 port	D-Link	
1907	New Production	FF UPS Room	GBIC		D-Link	DL/021
1908	New Production	FF UPS Room	GBIC		D-Link	DL/022
1909	New Production	FF UPS Room	GBIC		D-Link	DL/023
1910	New Production	FF UPS Room	Switch	DES-3200-28	D-Link	DL/3200/016
1911	New Production	FF UPS Room	Switch	DES-3200-28	D-Link	DL/3200/017
1912	New Production	FF UPS Room	Jack Panel	24 port	D-Link	
1913	New Production	FF UPS Room	Jack Panel	24 port	D-Link	
1914	New Production	SF UPS Room	Switch	DES-3200-28	D-Link	DL/3200/018
1915	New Production	SF UPS Room	Switch	DES-3200-28	D-Link	DL/3200/019
1916	New Production	SF UPS Room	Jack Panel	24 port	D-Link	
1917	New Production	SF UPS Room	Jack Panel	24 port	D-Link	
1918	New Production	SF UPS Room	GBIC		D-Link	DL/024
1919	New Production	SF UPS Room	LIU	24 port	D-Link	
1920	New Production	SF UPS Room	Switch	DES-3200-28	D-Link	DL/3200/020
1921	New Production	SF UPS Room	Switch	DES-3200-28	D-Link	DL/3200/021
1922	New Production	SF UPS Room	Jack Panel	24 port	D-Link	
1923	New Production	SF UPS Room	Jack Panel	24 port	D-Link	
1924	New Production	SF Comp Lab	Switch	DES-3200-28	D-Link	DL/3200/022
1925	New Production	SF Comp Lab	Switch	DES-3200-28	D-Link	DL/3200/023
1926	New Production	SF Comp Lab	Jack Panel	24 port	D-Link	
1927	New Production	SF Comp Lab	Jack Panel	24 port	D-Link	
1928	New Production	SF Comp Lab	GBIC		D-Link	DL/025
1929	New Production	SF Comp Lab	LIU	24 port	D-Link	
1930	New Quarter	A TOWER GF	GBIC	SFP	H3C	P2/1G/025
1931	New Quarter	B TOWER GF	GBIC	SFP	H3C	P2/1G/026
1932	New Quarter	A TOWER GF	GBIC	SFP	H3C	P2/1G/027
1933	New Quarter	B TOWER GF	Switch	5500-24G POE	H3C	P2/5500-24G/15
1934	New Quarter	A TOWER GF	Switch	5500-24G POE	H3C	P2/5500-24G/16
1935	New Quarter	A-Tower	Switch	Summit 400-24t	Extreme	EX/400-24t/027
1936	New Quarter	B-Tower	Switch	Summit 400-24t	Extreme	EX/400-24t/029
1937	New Quarter	A-Tower	Switch	Summit 400-24t	Extreme	EX/400-24t/030
1938	New Quarter	B-Tower	Switch	Summit x450e-24p	Extreme	EX/x450e/037
1939	New Quarter	B-Tower	Switch	Summit 400-24t	Extreme	EX/400-24t/019
1940	New Quarter	A-Tower	Switch	Summit 400-24t	Extreme	EX/400-24t/028
1941	New Quarter	A-Tower	Switch	Summit 400-24t	Extreme	EX/400-24t/003
1942	New Quarter	B-Tower	Switch	DGS-1024D	D-link	DL/DGS-1024D/001
1943	New Quarter	A-Tower	Jack Panel	24 Port	D-link	
1944	New Quarter	A-Tower	Jack Panel	24 Port	D-link	
1945	New Quarter	A-Tower	Jack Panel	24 Port	D-link	
1946	New Quarter	A-Tower	Jack Panel	24 Port	D-link	
1947	New Quarter	A-Tower	Jack Panel	24 Port	D-link	
1948	New Quarter	B-Tower	Jack Panel	24 Port	D-link	
1949	New Quarter	B-Tower	Jack Panel	24 Port	D-link	
1950	New Quarter	B-Tower	Jack Panel	24 Port	D-link	

1951	New Quarter	B-Tower	Jack Panel	24 Port	D-link	
1952	New Quarter	B-Tower	Jack Panel	24 Port	D-link	
1953	New Quarter	A-Tower	LIU	24 Port	D-link	
1954	New Quarter	A-Tower	LIU	24 Port	D-link	
1955	New Quarter	B-Tower	LIU	24 Port	D-link	
1956	NewMaths	GF Comp lab	Switch	DES-3028P (POE)	D-link	DL/3028P/084
1957	Old CRC	FF Allumni Room	GBIC	SFP	H3C	P2/1G/036
1958	PG Boys	GF A wing (CR 2)	Switch	A5120-48G EI	H3C	P3/5120-48/01
1959	PG Boys	GF A wing (CR 2)	Jack Panel	24 Port	Dax	
1960	PG Boys	GF A wing (CR 2)	Jack Panel	24 Port	Dax	
1961	PG Boys	GF A wing (CR 2)	LIU	24 port	Dax	
1962	PG Boys	GF B wing (CR 1)	Switch	A5120-48G EI	H3C	P3/5120-48/10
1963	PG Boys	GF B wing (CR 1)	Jack Panel	24 Port	Dax	
1964	PG Boys	GF B wing (CR 1)	Jack Panel	24 Port	Dax	
1965	PG Boys	GF B wing (CR 1)	LIU	24 port	Dax	
1966	PG Boys	FF Awing (CR 102)	Switch	A5120-48G EI	H3C	P3/5120-48/02
1967	PG Boys	FF Awing (CR 102)	Switch	5500-24G POE	H3C	P3/5500-24G/01
1968	PG Boys	FF Awing (CR 102)	Jack Panel	24 Port	Dax	
1969	PG Boys	FF Awing (CR 102)	Jack Panel	24 Port	Dax	
1970	PG Boys	FF Awing (CR 102)	Jack Panel	24 Port	Dax	
1971	PG Boys	FF Awing (CR 102)	LIU	24 port	Dax	
1972	PG Boys	FF Bwing (CR 101)	Switch	A5120-48G EI	H3C	P3/5120-48/11
1973	PG Boys	FF Bwing (CR 101)	Switch	5500-24G POE	H3C	P3/5500-24G/04
1974	PG Boys	FF Bwing (CR 101)	Jack Panel	24 Port	Dax	
1975	PG Boys	FF Bwing (CR 101)	Jack Panel	24 Port	Dax	
1976	PG Boys	FF Bwing (CR 101)	Jack Panel	24 Port	Dax	
1977	PG Boys	FF Bwing (CR 101)	LIU	24 port	Dax	
1978	PG Boys	2F Awing (CR 202)	Switch	A5120-48G EI	H3C	P3/5120-48/03
1979	PG Boys	2F Awing (CR 202)	LIU	24 port	Dax	
1980	PG Boys	2F Awing (CR 202)	Jack Panel	24 Port	Dax	
1981	PG Boys	2F Awing (CR 202)	Jack Panel	24 Port	Dax	
1982	PG Boys	2F Bwing (CR 201)	Switch	A5120-48G EI	H3C	P3/5120-48/12
1983	PG Boys	2F Bwing (CR 201)	Jack Panel	24 Port	Dax	
1984	PG Boys	2F Bwing (CR 201)	Jack Panel	24 Port	Dax	
1985	PG Boys	2F Bwing (CR 201)	LIU	24 port	Dax	
1986	PG Boys	3F Awing (CR 302)	Switch	A5120-48G EI	H3C	P3/5120-48/04
1987	PG Boys	3F Awing (CR 302)	Jack Panel	24 Port	Dax	
1988	PG Boys	3F Awing (CR 302)	Jack Panel	24 Port	Dax	
1989	PG Boys	3F Awing (CR 302)	LIU	24 port	Dax	
1990	PG Boys	3F Bwing (CR 301)	Switch	A5120-48G EI	H3C	P3/5120-48/13
1991	PG Boys	3F Bwing (CR 301)	Jack Panel	24 Port	Dax	
1992	PG Boys	3F Bwing (CR 301)	Jack Panel	24 Port	Dax	
1993	PG Boys	3F Bwing (CR 301)	LIU	24 port	Dax	
1994	PG Boys	4F Awing (CR 402)	Switch	A5120-48G EI	H3C	P3/5120-48/05
1995	PG Boys	4F Awing (CR 402)	Switch	5500-24G POE	H3C	P3/5500-24G/02
1996	PG Boys	4F Awing (CR 402)	LIU	24 port	Dax	
1997	PG Boys	4F Awing (CR 402)	Jack Panel	24 Port	Dax	
1998	PG Boys	4F Awing (CR 402)	Jack Panel	24 Port	Dax	
1999	PG Boys	4F Awing (CR 402)	Jack Panel	24 Port	Dax	
2000	PG Boys	5F Awing (CR 502)	Switch	A5120-48G EI	H3C	P3/5120-48/06
2001	PG Boys	5F Awing (CR 502)	Jack Panel	24 Port	Dax	
2002	PG Boys	5F Awing (CR 502)	Jack Panel	24 Port	Dax	
2003	PG Boys	5F Awing (CR 502)	LIU	24 port	Dax	
2004	PG Boys	5F Bwing (CR 501)	Switch	A5120-48G EI	H3C	P3/5120-48/15
2005	PG Boys	5F Bwing (CR 501)	Jack Panel	24 Port	Dax	
2006	PG Boys	5F Bwing (CR 501)	Jack Panel	24 Port	Dax	
2007	PG Boys	5F Bwing (CR 501)	LIU	24 port	Dax	
2008	PG Boys	6F Awing (CR 602)	Switch	A5120-48G EI	H3C	P3/5120-48/07
2009	PG Boys	6F Awing (CR 602)	Jack Panel	24 port	Dax	
2010	PG Boys	6F Awing (CR 602)	Jack Panel	24 port	Dax	
2011	PG Boys	6F Awing (CR 602)	LIU	24 port	Dax	

2012	PG Boys	6F Bwing (CR 601)	Switch	A5120-48G EI	H3C	P3/5120-48/16
2013	PG Boys	6F Bwing (CR 601)	Jack Panel	24 port	Dax	
2014	PG Boys	6F Bwing (CR 601)	Jack Panel	24 port	Dax	
2015	PG Boys	6F Bwing (CR 601)	LIU	24 port	Dax	
2016	PG Boys	7F Awing (CR 702)	GBIC	SFP	H3C	P1/1G/01
2017	PG Boys	7F Awing (CR 702)	Switch	A5120-48G EI	H3C	P3/5120-48/08
2018	PG Boys	7F Awing (CR 702)	Switch	5500-24G POE	H3C	P3/5500-24G/03
2019	PG Boys	7F Awing (CR 702)	Jack Panel	24 port	Dax	
2020	PG Boys	7F Awing (CR 702)	Jack Panel	24 port	Dax	
2021	PG Boys	7F Awing (CR 702)	Jack Panel	24 port	Dax	
2022	PG Boys	7F Awing (CR 702)	LIU	24 port	Dax	
2023	PG Boys	7F Bwing (CR 701)	Switch	A5120-48G EI	H3C	P3/5120-48/17
2024	PG Boys	7F Bwing (CR 701)	Switch	5500-24G POE	H3C	P3/5500-24G/06
2025	PG Boys	7F Bwing (CR 701)	Jack Panel	24 port	Dax	
2026	PG Boys	7F Bwing (CR 701)	Jack Panel	24 port	Dax	
2027	PG Boys	7F Bwing (CR 701)	Jack Panel	24 port	Dax	
2028	PG Boys	7F Bwing (CR 701)	LIU	24 port	Dax	
2029	PG Boys	8F Awing (CR 802)	Switch	A5120-48G EI	H3C	P3/5120-48/09
2030	PG Boys	8F Awing (CR 802)	Jack Panel	24 port	Dax	
2031	PG Boys	8F Awing (CR 802)	Jack Panel	24 port	Dax	
2032	PG Boys	8F Awing (CR 802)	LIU	24 port	Dax	
2033	PG Boys	8F Bwing (CR 801)	Switch	A5120-48G EI	H3C	P3/5120-48/18
2034	PG Boys	8F Bwing (CR 801)	Jack Panel	24 port	Dax	
2035	PG Boys	8F Bwing (CR 801)	Jack Panel	24 port	Dax	
2036	PG Boys	8F Bwing (CR 801)	LIU	24 port	Dax	
2037	PG Boys	1F Cwing (EL 101)	Switch	A5120-48G EI	H3C	P3/5120-48/19
2038	PG Boys	1F Cwing (EL 101)	Switch	5500-24G POE	H3C	P3/5500-24G/07
2039	PG Boys	1F Cwing (EL 101)	Jack Panel	24 port	Dax	
2040	PG Boys	1F Cwing (EL 101)	Jack Panel	24 port	Dax	
2041	PG Boys	1F Cwing (EL 101)	LIU	24 port	Dax	
2042	PG Boys	2F Cwing (EL 201)	Switch	A5120-48G EI	H3C	P3/5120-48/20
2043	PG Boys	2F Cwing (EL 201)	Switch	5500-24G POE	H3C	P3/5500-24G/08
2044	PG Boys	2F Cwing (EL 201)	Jack Panel	24 port	Dax	
2045	PG Boys	2F Cwing (EL 201)	Jack Panel	24 port	Dax	
2046	PG Boys	2F Cwing (EL 201)	Jack Panel	24 port	Dax	
2047	PG Boys	2F Cwing (EL 201)	LIU	24 port	Dax	
2048	PG Boys	3F Cwing (EL 301)	Switch	A5120-48G EI	H3C	P3/5120-48/21
2049	PG Boys	3F Cwing (EL 301)	Switch	5500-24G POE	H3C	P3/5500-24G/09
2050	PG Boys	3F Cwing (EL 301)	Jack Panel	24 port	Dax	
2051	PG Boys	3F Cwing (EL 301)	Jack Panel	24 port	Dax	
2052	PG Boys	3F Cwing (EL 301)	Jack Panel	24 port	Dax	
2053	PG Boys	3F Cwing (EL 301)	LIU	24 port	Dax	
2054	PG Boys	4F Cwing (EL 401)	Switch	A5120-48G EI	H3C	P3/5120-48/22
2055	PG Boys	4F Cwing (EL 401)	Switch	5500-24G POE	H3C	P3/5500-24G/10
2056	PG Boys	4F Cwing (EL 401)	Jack Panel	24 port	Dax	
2057	PG Boys	4F Cwing (EL 401)	Jack Panel	24 port	Dax	
2058	PG Boys	4F Cwing (EL 401)	Jack Panel	24 port	Dax	
2059	PG Boys	4F Cwing (EL 401)	LIU	24 port	Dax	
2060	PG Boys	5F Cwing(EL 501)	Switch	A5120-48G EI	H3C	P3/5120-48/23
2061	PG Boys	5F Cwing(EL 501)	Switch	5500-24G POE	H3C	P3/5500-24G/11
2062	PG Boys	5F Cwing(EL 501)	Jack Panel	24 port	Dax	
2063	PG Boys	5F Cwing(EL 501)	Jack Panel	24 port	Dax	
2064	PG Boys	5F Cwing(EL 501)	Jack Panel	24 port	Dax	
2065	PG Boys	5F Cwing(EL 501)	LIU	24 port	Dax	
2066	PG Boys	6F Cwing (EL 601)	Switch	A5120-48G EI	H3C	P3/5120-48/24
2067	PG Boys	6F Cwing (EL 601)	Switch	5500-24G POE	H3C	P3/5500-24G/12
2068	PG Boys	6F Cwing (EL 601)	Jack Panel	24 port	Dax	
2069	PG Boys	6F Cwing (EL 601)	Jack Panel	24 port	Dax	
2070	PG Boys	6F Cwing (EL 601)	Jack Panel	24 port	Dax	
2071	PG Boys	6F Cwing (EL 601)	LIU	24 port	Dax	
2072	PG Boys	7F Cwing (EL 701)	Switch	A5120-48G EI	H3C	P3/5120-48/25

2073	PG Boys	7F Cwing (EL 701)	Switch	5500-24G POE	H3C	P3/5500-24G/13
2074	PG Boys	7F Cwing (EL 701)	Jack Panel	24 port	Dax	
2075	PG Boys	7F Cwing (EL 701)	Jack Panel	24 port	Dax	
2076	PG Boys	7F Cwing (EL 701)	Jack Panel	24 port	Dax	
2077	PG Boys	7F Cwing (EL 701)	LIU	24 port	Dax	
2078	PG Boys	8F Cwing (EL 801)	Switch	A5120-48G EI	H3C	P3/5120-48/26
2079	PG Boys	8F Cwing (EL 801)	Switch	5500-24G POE	H3C	P3/5500-24G/14
2080	PG Boys	8F Cwing (EL 801)	Jack Panel	24 port	Dax	
2081	PG Boys	8F Cwing (EL 801)	Jack Panel	24 port	Dax	
2082	PG Boys	8F Cwing (EL 801)	LIU	24 port	Dax	
2083	PG Boys	4F Bwing (CR 401)	Switch	5500-24G POE	H3C	P3/5500-24G/05
2084	PG Boys	4F Bwing (CR 401)	HP A 7506 6 SLOT CHASSIS CO	JD239B	H3C	P3/7506/01
2085	PG Boys	4F Bwing (CR 401)	48 Port Ethernet Module	JD210A	H3C	P3/7506/1G-EM/01
2086	PG Boys	4F Bwing (CR 401)	Fabric Module	JD194B	H3C	P3/7506/FM/01
2087	PG Boys	4F Bwing (CR 401)	Power Supply	JD218A	H3C	P3/7506/PS/01
2088	PG Boys	4F Bwing (CR 401)	Power Supply	JD218A	H3C	P3/7506/PS/02
2089	PG Boys	4F Bwing (CR 401)	Jack Panel	24 port	Dax	
2090	PG Boys	4F Bwing (CR 401)	Jack Panel	24 port	Dax	
2091	PG Boys	4F Bwing (CR 401)	Jack Panel	24 port	Dax	
2092	PG Boys	4F Bwing (CR 401)	LIU	24 port	Dax	
2093	PG Boys	4F Bwing (CR 401)	LIU	24 port	Dax	
2094	PG Boys	4F Bwing (CR 401)	LIU	24 port	Dax	
2095	PG Boys	4F Bwing (CR 401)	LIU	24 port	Dax	
2096	PG Boys	4F Bwing (CR 401)	LIU	24 port	Dax	
2097	PG Boys	4F Bwing (CR 401)	LIU	24 port	Dax	
2098	PG Boys	4F Bwing (CR 401)	LIU	24 port	Dax	
2099	PG Boys	4F Bwing (CR 401)	LIU	24 port	Dax	
2100	PG Boys	4F Bwing (CR 401)	GBIC	SFP	H3C	P1/1G/55
2101	PG Boys	4F Bwing (CR 401)	GBIC	SFP	H3C	P1/1G/58
2102	PG Boys	1A_1	Access Point	WA2620-AGN	H3C	P3/AP/001
2103	PG Boys	1A_2	Access Point	WA2620-AGN	H3C	P3/AP/002
2104	PG Boys	1A_3	Access Point	WA2620-AGN	H3C	P3/AP/003
2105	PG Boys	1A_4	Access Point	WA2620-AGN	H3C	P3/AP/004
2106	PG Boys	1A_6	Access Point	WA2620-AGN	H3C	P3/AP/006
2107	PG Boys	1B_1	Access Point	WA2620-AGN	H3C	P3/AP/007
2108	PG Boys	1B_2	Access Point	WA2620-AGN	H3C	P3/AP/008
2109	PG Boys	1B_3	Access Point	WA2620-AGN	H3C	P3/AP/009
2110	PG Boys	1B_4	Access Point	WA2620-AGN	H3C	P3/AP/010
2111	PG Boys	1B_5	Access Point	WA2620-AGN	H3C	P3/AP/011
2112	PG Boys	1B_6	Access Point	WA2620-AGN	H3C	P3/AP/012
2113	PG Boys	2A_1	Access Point	WA2620-AGN	H3C	P3/AP/013
2114	PG Boys	2A_2	Access Point	WA2620-AGN	H3C	P3/AP/014
2115	PG Boys	2A_3	Access Point	WA2620-AGN	H3C	P3/AP/015
2116	PG Boys	2A_4	Access Point	WA2620-AGN	H3C	P3/AP/016
2117	PG Boys	2A_5	Access Point	WA2620-AGN	H3C	P3/AP/017
2118	PG Boys	2A_6	Access Point	WA2620-AGN	H3C	P3/AP/018
2119	PG Boys	2B_1	Access Point	WA2620-AGN	H3C	P3/AP/019
2120	PG Boys	2B_2	Access Point	WA2620-AGN	H3C	P3/AP/020
2121	PG Boys	2B_3	Access Point	WA2620-AGN	H3C	P3/AP/021
2122	PG Boys	2B_4	Access Point	WA2620-AGN	H3C	P3/AP/022
2123	PG Boys	2B_5	Access Point	WA2620-AGN	H3C	P3/AP/023
2124	PG Boys	2B_6	Access Point	WA2620-AGN	H3C	P3/AP/024
2125	PG Boys	3A_1	Access Point	WA2620-AGN	H3C	P3/AP/025
2126	PG Boys	3A_2	Access Point	WA2620-AGN	H3C	P3/AP/026
2127	PG Boys	3A_3	Access Point	WA2620-AGN	H3C	P3/AP/027
2128	PG Boys	3A_4	Access Point	WA2620-AGN	H3C	P3/AP/028
2129	PG Boys	3A_5	Access Point	WA2620-AGN	H3C	P3/AP/029
2130	PG Boys	3A_6	Access Point	WA2620-AGN	H3C	P3/AP/030
2131	PG Boys	3B_1	Access Point	WA2620-AGN	H3C	P3/AP/031
2132	PG Boys	3B_2	Access Point	WA2620-AGN	H3C	P3/AP/032
2133	PG Boys	3B_3	Access Point	WA2620-AGN	H3C	P3/AP/033

2134	PG Boys	3B_4	Access Point	WA2620-AGN	H3C	P3/AP/034
2135	PG Boys	3B_5	Access Point	WA2620-AGN	H3C	P3/AP/035
2136	PG Boys	3B_6	Access Point	WA2620-AGN	H3C	P3/AP/036
2137	PG Boys	4A_1	Access Point	WA2620-AGN	H3C	P3/AP/037
2138	PG Boys	4A_2	Access Point	WA2620-AGN	H3C	P3/AP/038
2139	PG Boys	4A_3	Access Point	WA2620-AGN	H3C	P3/AP/039
2140	PG Boys	4A_4	Access Point	WA2620-AGN	H3C	P3/AP/040
2141	PG Boys	4F Bwing (CR 401)	10G GBIC	XFP	H3C	P3/10G/01
2142	PG Boys	4A_5	Access Point	WA2620-AGN	H3C	P3/AP/041
2143	PG Boys	4A_6	Access Point	WA2620-AGN	H3C	P3/AP/042
2144	PG Boys	4B_1	Access Point	WA2620-AGN	H3C	P3/AP/043
2145	PG Boys	GF A wing (CR 2)	GBIC	SFP	H3C	P3/1G/01
2146	PG Boys	FF Awing (CR 102)	GBIC	SFP	H3C	P3/1G/02
2147	PG Boys	2F Awing (CR 202)	GBIC	SFP	H3C	P3/1G/03
2148	PG Boys	3F Awing (CR 302)	GBIC	SFP	H3C	P3/1G/04
2149	PG Boys	4B_2	Access Point	WA2620-AGN	H3C	P3/AP/044
2150	PG Boys	4F Awing (CR 402)	GBIC	SFP	H3C	P3/1G/05
2151	PG Boys	4B_3	Access Point	WA2620-AGN	H3C	P3/AP/045
2152	PG Boys	4B_4	Access Point	WA2620-AGN	H3C	P3/AP/046
2153	PG Boys	4B_5	Access Point	WA2620-AGN	H3C	P3/AP/047
2154	PG Boys	4B_6	Access Point	WA2620-AGN	H3C	P3/AP/048
2155	PG Boys	5A_1	Access Point	WA2620-AGN	H3C	P3/AP/049
2156	PG Boys	5A_2	Access Point	WA2620-AGN	H3C	P3/AP/050
2157	PG Boys	5A_3	Access Point	WA2620-AGN	H3C	P3/AP/051
2158	PG Boys	5A_4	Access Point	WA2620-AGN	H3C	P3/AP/052
2159	PG Boys	5F Awing (CR 502)	GBIC	SFP	H3C	P3/1G/06
2160	PG Boys	5A_5	Access Point	WA2620-AGN	H3C	P3/AP/053
2161	PG Boys	6F Awing (CR 602)	GBIC	SFP	H3C	P3/1G/07
2162	PG Boys	5A_6	Access Point	WA2620-AGN	H3C	P3/AP/054
2163	PG Boys	8F Awing (CR 802)	GBIC	SFP	H3C	P3/1G/09
2164	PG Boys	GF B wing (CR 1)	GBIC	SFP	H3C	P3/1G/10
2165	PG Boys	FF Bwing (CR 101)	GBIC	SFP	H3C	P3/1G/11
2166	PG Boys	2F Bwing (CR 201)	GBIC	SFP	H3C	P3/1G/12
2167	PG Boys	3F Bwing (CR 301)	GBIC	SFP	H3C	P3/1G/13
2168	PG Boys	4F Bwing (CR 401)	GBIC	SFP	H3C	P3/1G/14
2169	PG Boys	5F Bwing (CR 501)	GBIC	SFP	H3C	P3/1G/15
2170	PG Boys	6F Bwing (CR 601)	GBIC	SFP	H3C	P3/1G/16
2171	PG Boys	7F Bwing (CR 701)	GBIC	SFP	H3C	P3/1G/17
2172	PG Boys	5B_1	Access Point	WA2620-AGN	H3C	P3/AP/055
2173	PG Boys	5B_2	Access Point	WA2620-AGN	H3C	P3/AP/056
2174	PG Boys	8F Bwing (CR 801)	GBIC	SFP	H3C	P3/1G/18
2175	PG Boys	2F Cwing (EL 201)	GBIC	SFP	H3C	P3/1G/19
2176	PG Boys	2F Cwing (EL 201)	GBIC	SFP	H3C	P3/1G/20
2177	PG Boys	3F Cwing (EL 301)	GBIC	SFP	H3C	P3/1G/21
2178	PG Boys	4F Cwing (EL 401)	GBIC	SFP	H3C	P3/1G/22
2179	PG Boys	5F Cwing(EL 501)	GBIC	SFP	H3C	P3/1G/23
2180	PG Boys	7F Cwing (EL 701)	GBIC	SFP	H3C	P3/1G/24
2181	PG Boys	6F Cwing (EL 601)	GBIC	SFP	H3C	P3/1G/25
2182	PG Boys	4F Bwing (CR 401)	GBIC	SFP	H3C	P3/1G/27
2183	PG Boys	4F Bwing (CR 401)	GBIC	SFP	Electralsys	P3/1G/28
2184	PG Boys	4F Bwing (CR 401)	GBIC	SFP	H3C	P3/1G/29
2185	PG Boys	4F Bwing (CR 401)	GBIC	SFP	H3C	P3/1G/30
2186	PG Boys	4F Bwing (CR 401)	GBIC	SFP	H3C	P3/1G/31
2187	PG Boys	4F Bwing (CR 401)	GBIC	SFP	H3C	P3/1G/32
2188	PG Boys	4F Bwing (CR 401)	GBIC	SFP	H3C	P3/1G/33
2189	PG Boys	4F Bwing (CR 401)	GBIC	SFP	H3C	P3/1G/34
2190	PG Boys	4F Bwing (CR 401)	GBIC	SFP	H3C	P3/1G/35
2191	PG Boys	4F Bwing (CR 401)	GBIC	SFP	H3C	P3/1G/36
2192	PG Boys	4F Bwing (CR 401)	GBIC	SFP	H3C	P3/1G/37
2193	PG Boys	4F Bwing (CR 401)	GBIC	SFP	H3C	P3/1G/38
2194	PG Boys	4F Bwing (CR 401)	GBIC	SFP	H3C	P3/1G/39

2195	PG Boys	4F Bwing (CR 401)	GBIC	SFP	H3C	P3/1G/40
2196	PG Boys	4F Bwing (CR 401)	GBIC	SFP	H3C	P3/1G/41
2197	PG Boys	5B_3	Access Point	WA2620-AGN	H3C	P3/AP/057
2198	PG Boys	5B_4	Access Point	WA2620-AGN	H3C	P3/AP/058
2199	PG Boys	5B_5	Access Point	WA2620-AGN	H3C	P3/AP/059
2200	PG Boys	5B_6	Access Point	WA2620-AGN	H3C	P3/AP/060
2201	PG Boys	6A_1	Access Point	WA2620-AGN	H3C	P3/AP/061
2202	PG Boys	6A_2	Access Point	WA2620-AGN	H3C	P3/AP/062
2203	PG Boys	6A_3	Access Point	WA2620-AGN	H3C	P3/AP/063
2204	PG Boys	6A_4	Access Point	WA2620-AGN	H3C	P3/AP/064
2205	PG Boys	6A_5	Access Point	WA2620-AGN	H3C	P3/AP/065
2206	PG Boys	6A_6	Access Point	WA2620-AGN	H3C	P3/AP/066
2207	PG Boys	6B_1	Access Point	WA2620-AGN	H3C	P3/AP/067
2208	PG Boys	6B_2	Access Point	WA2620-AGN	H3C	P3/AP/068
2209	PG Boys	6B_3	Access Point	WA2620-AGN	H3C	P3/AP/069
2210	PG Boys	6B_4	Access Point	WA2620-AGN	H3C	P3/AP/070
2211	PG Boys	6B_5	Access Point	WA2620-AGN	H3C	P3/AP/071
2212	PG Boys	6B_6	Access Point	WA2620-AGN	H3C	P3/AP/072
2213	PG Boys	7A_1	Access Point	WA2620-AGN	H3C	P3/AP/073
2214	PG Boys	7A_2	Access Point	WA2620-AGN	H3C	P3/AP/074
2215	PG Boys	7A_3	Access Point	WA2620-AGN	H3C	P3/AP/075
2216	PG Boys	7A_4	Access Point	WA2620-AGN	H3C	P3/AP/076
2217	PG Boys	7A_5	Access Point	WA2620-AGN	H3C	P3/AP/077
2218	PG Boys	7A_6	Access Point	WA2620-AGN	H3C	P3/AP/078
2219	PG Boys	7B_1	Access Point	WA2620-AGN	H3C	P3/AP/079
2220	PG Boys	7B_2	Access Point	WA2620-AGN	H3C	P3/AP/080
2221	PG Boys	7B_3	Access Point	WA2620-AGN	H3C	P3/AP/081
2222	PG Boys	7B_4	Access Point	WA2620-AGN	H3C	P3/AP/082
2223	PG Boys	7B_5	Access Point	WA2620-AGN	H3C	P3/AP/083
2224	PG Boys	7B_6	Access Point	WA2620-AGN	H3C	P3/AP/084
2225	PG Boys	8A_1	Access Point	WA2620-AGN	H3C	P3/AP/085
2226	PG Boys	8A_2	Access Point	WA2620-AGN	H3C	P3/AP/086
2227	PG Boys	8A_3	Access Point	WA2620-AGN	H3C	P3/AP/087
2228	PG Boys	8A_4	Access Point	WA2620-AGN	H3C	P3/AP/088
2229	PG Boys	8A_5	Access Point	WA2620-AGN	H3C	P3/AP/089
2230	PG Boys	8A_6	Access Point	WA2620-AGN	H3C	P3/AP/090
2231	PG Boys	8B_1	Access Point	WA2620-AGN	H3C	P3/AP/091
2232	PG Boys	8B_2	Access Point	WA2620-AGN	H3C	P3/AP/092
2233	PG Boys	8B_3	Access Point	WA2620-AGN	H3C	P3/AP/093
2234	PG Boys	8B_4	Access Point	WA2620-AGN	H3C	P3/AP/094
2235	PG Boys	8B_5	Access Point	WA2620-AGN	H3C	P3/AP/095
2236	PG Boys	8B_6	Access Point	WA2620-AGN	H3C	P3/AP/096
2237	PG Boys	GA_1	Access Point	WA2620-AGN	H3C	P3/AP/097
2238	PG Boys	GA_2	Access Point	WA2620-AGN	H3C	P3/AP/098
2239	PG Boys	GA_3	Access Point	WA2620-AGN	H3C	P3/AP/099
2240	PG Boys	GA_4	Access Point	WA2620-AGN	H3C	P3/AP/100
2241	PG Boys	GA_5	Access Point	WA2620-AGN	H3C	P3/AP/101
2242	PG Boys	GA_6	Access Point	WA2620-AGN	H3C	P3/AP/102
2243	PG Boys	GB_1	Access Point	WA2620-AGN	H3C	P3/AP/103
2244	PG Boys	GB_2	Access Point	WA2620-AGN	H3C	P3/AP/104
2245	PG Boys	GB_3	Access Point	WA2620-AGN	H3C	P3/AP/105
2246	PG Boys	GB_4	Access Point	WA2620-AGN	H3C	P3/AP/106
2247	PG Boys	GB_5	Access Point	WA2620-AGN	H3C	P3/AP/107
2248	PG Boys	GB_6	Access Point	WA2620-AGN	H3C	P3/AP/108
2249	PG Boys	6F_C_b_2	Access Point	WA2620-AGN	H3C	P3/AP/109
2250	PG Boys	GF_C_2	Access Point	WA2620-AGN	H3C	P3/AP/110
2251	PG Boys	GF_C_3	Access Point	WA2620-AGN	H3C	P3/AP/111
2252	PG Boys	1F_C_1	Access Point	WA2620-AGN	H3C	P3/AP/112
2253	PG Boys	1F_C_2	Access Point	WA2620-AGN	H3C	P3/AP/113
2254	PG Boys	1F_C_3	Access Point	WA2620-AGN	H3C	P3/AP/114
2255	PG Boys	1F_C_4	Access Point	WA2620-AGN	H3C	P3/AP/115

2256	PG Boys	2F_C_a_1	Access Point	WA2620-AGN	H3C	P3/AP/116
2257	PG Boys	2F_C_a_2	Access Point	WA2620-AGN	H3C	P3/AP/117
2258	PG Boys	2F_C_a_3	Access Point	WA2620-AGN	H3C	P3/AP/118
2259	PG Boys	2F_C_b_1	Access Point	WA2620-AGN	H3C	P3/AP/119
2260	PG Boys	2F_C_b_2	Access Point	WA2620-AGN	H3C	P3/AP/120
2261	PG Boys	2F_C_b_3	Access Point	WA2620-AGN	H3C	P3/AP/121
2262	PG Boys	2F_C_c_1	Access Point	WA2620-AGN	H3C	P3/AP/122
2263	PG Boys	2F_C_c_2	Access Point	WA2620-AGN	H3C	P3/AP/123
2264	PG Boys	2F_C_c_3	Access Point	WA2620-AGN	H3C	P3/AP/124
2265	PG Boys	3F_C_a_1	Access Point	WA2620-AGN	H3C	P3/AP/125
2266	PG Boys	3F_C_a_2	Access Point	WA2620-AGN	H3C	P3/AP/126
2267	PG Boys	3F_C_a_3	Access Point	WA2620-AGN	H3C	P3/AP/127
2268	PG Boys	3F_C_b_1	Access Point	WA2620-AGN	H3C	P3/AP/128
2269	PG Boys	3F_C_b_2	Access Point	WA2620-AGN	H3C	P3/AP/129
2270	PG Boys	3F_C_b_3	Access Point	WA2620-AGN	H3C	P3/AP/130
2271	PG Boys	3F_C_c_1	Access Point	WA2620-AGN	H3C	P3/AP/131
2272	PG Boys	4F Bwing (CR 401)	GBIC	SFP	H3C	P3/1G/42
2273	PG Boys	4F Bwing (CR 401)	GBIC	SFP	H3C	P3/1G/43
2274	PG Boys	4F Bwing (CR 401)	GBIC	SFP	H3C	P3/1G/44
2275	PG Boys	4F Bwing (CR 401)	GBIC	SFP	H3C	P3/1G/45
2276	PG Boys	4F Bwing (CR 401)	GBIC	SFP	H3C	P3/1G/46
2277	PG Boys	4F Bwing (CR 401)	GBIC	SFP	H3C	P3/1G/47
2278	PG Boys	4F Bwing (CR 401)	GBIC	SFP	H3C	P3/1G/48
2279	PG Boys	4F Bwing (CR 401)	GBIC	SFP	H3C	P3/1G/49
2280	PG Boys	4F Bwing (CR 401)	GBIC	SFP	H3C	P3/1G/50
2281	PG Boys	4F Bwing (CR 401)	GBIC	SFP	H3C	P3/1G/51
2282	PG Boys	4F Bwing (CR 401)	GBIC	SFP	H3C	P3/1G/52
2283	PG Boys	1F Cwing (EL 101)	GBIC	SFP	H3C	P3/1G/74
2284	PG Boys	4F Bwing (CR 401)	4 Port 10G Fiber Module	JD235A	H3C	P3/7506/10G-M/01
2285	PG Boys	3F_C_c_2	Access Point	WA2620-AGN	H3C	P3/AP/132
2286	PG Boys	3F_C_c_3	Access Point	WA2620-AGN	H3C	P3/AP/133
2287	PG Boys	4F_C_a_1	Access Point	WA2620-AGN	H3C	P3/AP/134
2288	PG Boys	4F_C_a_2	Access Point	WA2620-AGN	H3C	P3/AP/135
2289	PG Boys	4F_C_a_3	Access Point	WA2620-AGN	H3C	P3/AP/136
2290	PG Boys	4F_C_b_1	Access Point	WA2620-AGN	H3C	P3/AP/137
2291	PG Boys	4F_C_b_2	Access Point	WA2620-AGN	H3C	P3/AP/138
2292	PG Boys	4F_C_b_3	Access Point	WA2620-AGN	H3C	P3/AP/139
2293	PG Boys	4F_C_c_1	Access Point	WA2620-AGN	H3C	P3/AP/140
2294	PG Boys	4F_C_c_2	Access Point	WA2620-AGN	H3C	P3/AP/141
2295	PG Boys	4F_C_c_3	Access Point	WA2620-AGN	H3C	P3/AP/142
2296	PG Boys	5F_C_a_1	Access Point	WA2620-AGN	H3C	P3/AP/143
2297	PG Boys	5F_C_a_2	Access Point	WA2620-AGN	H3C	P3/AP/144
2298	PG Boys	5F_C_a_3	Access Point	WA2620-AGN	H3C	P3/AP/145
2299	PG Boys	5F_C_b_1	Access Point	WA2620-AGN	H3C	P3/AP/146
2300	PG Boys	5F_C_b_2	Access Point	WA2620-AGN	H3C	P3/AP/147
2301	PG Boys	5F_C_b_3	Access Point	WA2620-AGN	H3C	P3/AP/148
2302	PG Boys	5F_C_c_1	Access Point	WA2620-AGN	H3C	P3/AP/149
2303	PG Boys	5F_C_c_2	Access Point	WA2620-AGN	H3C	P3/AP/150
2304	PG Boys	4F Bwing (CR 401)	48 Port SFP Module	JD211B	H3C	P3/7506/1G-M/01
2305	PG Boys	5F_C_c_3	Access Point	WA2620-AGN	H3C	P3/AP/151
2306	PG Boys	6F_C_a_1	Access Point	WA2620-AGN	H3C	P3/AP/152
2307	PG Boys	6F_C_a_2	Access Point	WA2620-AGN	H3C	P3/AP/153
2308	PG Boys	6F_C_a_3	Access Point	WA2620-AGN	H3C	P3/AP/154
2309	PG Boys	6F_C_b_1	Access Point	WA2620-AGN	H3C	P3/AP/155
2310	PG Boys	6F_C_b_3	Access Point	WA2620-AGN	H3C	P3/AP/157
2311	PG Boys	6F_C_c_1	Access Point	WA2620-AGN	H3C	P3/AP/158
2312	PG Boys	6F_C_c_2	Access Point	WA2620-AGN	H3C	P3/AP/159
2313	PG Boys	6F_C_c_3	Access Point	WA2620-AGN	H3C	P3/AP/160
2314	PG Boys	7F_C_a_1	Access Point	WA2620-AGN	H3C	P3/AP/161
2315	PG Boys	7F_C_a_2	Access Point	WA2620-AGN	H3C	P3/AP/162
2316	PG Boys	7F_C_a_3	Access Point	WA2620-AGN	H3C	P3/AP/163

2317	PG Boys	7F_C_b_1	Access Point	WA2620-AGN	H3C	P3/AP/164
2318	PG Boys	7F_C_b_2	Access Point	WA2620-AGN	H3C	P3/AP/165
2319	PG Boys	7F_C_b_3	Access Point	WA2620-AGN	H3C	P3/AP/166
2320	PG Boys	7F_C_c_1	Access Point	WA2620-AGN	H3C	P3/AP/167
2321	PG Boys	7F_C_c_2	Access Point	WA2620-AGN	H3C	P3/AP/168
2322	PG Boys	7F_C_c_3	Access Point	WA2620-AGN	H3C	P3/AP/169
2323	PG Boys	8F_C_a_1	Access Point	WA2620-AGN	H3C	P3/AP/170
2324	PG Boys	8F_C_a_2	Access Point	WA2620-AGN	H3C	P3/AP/171
2325	PG Boys	8F_C_a_3	Access Point	WA2620-AGN	H3C	P3/AP/172
2326	PG Boys	8F_C_b_1	Access Point	WA2620-AGN	H3C	P3/AP/173
2327	PG Boys	8F_C_b_2	Access Point	WA2620-AGN	H3C	P3/AP/174
2328	PG Boys	8F_C_b_3	Access Point	WA2620-AGN	H3C	P3/AP/175
2329	PG Boys	8F_C_c_1	Access Point	WA2620-AGN	H3C	P3/AP/176
2330	PG Boys	8F_C_c_2	Access Point	WA2620-AGN	H3C	P3/AP/177
2331	PG Boys	8F_C_c_3	Access Point	WA2620-AGN	H3C	P3/AP/178
2332	PG Girls Hostel	PG_GF_A_WL4	Access Point	WA2620-AGN	H3C	DEPT/AP/069
2333	PG Girls Hostel	PG_1F_1D_WL4	Access Point	WA2620-AGN	H3C	DEPT/AP/070
2334	PG Girls Hostel	PG_1F_1A_WL4	Access Point	WA2620-AGN	H3C	DEPT/AP/071
2335	PG Girls Hostel	GF A-Wing	Switch	A5120-48G EI	H3C	P2/5120-48G/01
2336	PG Girls Hostel	GF A-Wing	Jack Panel	24 Port	Dax	
2337	PG Girls Hostel	GF A-Wing	Jack Panel	24 Port	Dax	
2338	PG Girls Hostel	GF A-Wing	LIU	24 Port	Dax	
2339	PG Girls Hostel	GF A-Wing	POWER ADAPTER	Power Adap.	H3C	
2340	PG Girls Hostel	GF A-Wing	POWER ADAPTER	Power Adap.	H3C	
2341	PG Girls Hostel	GF A-Wing	POWER ADAPTER	Power Adap.	H3C	
2342	PG Girls Hostel	GF A-Wing	POWER ADAPTER	Power Adap.	H3C	
2343	PG Girls Hostel	GF D-Wing	Switch	5500-24G POE	H3C	P2/5500-24G/17
2344	PG Girls Hostel	GF D-Wing	Jack Panel	24 Port	Dax	
2345	PG Girls Hostel	GF D-Wing	LIU	24 Port	Dax	
2346	PG Girls Hostel	1F A-Wing	Switch	A5120-48G EI	H3C	P2/5120-48G/02
2347	PG Girls Hostel	1F A-Wing	Jack Panel	24 Port	Dax	
2348	PG Girls Hostel	1F A-Wing	Jack Panel	24 Port	Dax	
2349	PG Girls Hostel	1F A-Wing	LIU	24 Port	Dax	
2350	PG Girls Hostel	1F A-Wing	POWER ADAPTER	Power Adap.	H3C	
2351	PG Girls Hostel	1F A-Wing	POWER ADAPTER	Power Adap.	H3C	
2352	PG Girls Hostel	1F A-Wing	POWER ADAPTER	Power Adap.	H3C	
2353	PG Girls Hostel	1F A-Wing	POWER ADAPTER	Power Adap.	H3C	
2354	PG Girls Hostel	1F D-Wing	Jack Panel	24 Port	Dax	
2355	PG Girls Hostel	1F D-Wing	Jack Panel	24 Port	Dax	
2356	PG Girls Hostel	1F D-Wing	LIU	24 Port	Dax	
2357	PG Girls Hostel	1F D-Wing	POWER ADAPTER	Power Adap.	H3C	
2358	PG Girls Hostel	1F D-Wing	POWER ADAPTER	Power Adap.	H3C	
2359	PG Girls Hostel	1F D-Wing	POWER ADAPTER	Power Adap.	H3C	
2360	PG Girls Hostel	1F D-Wing	POWER ADAPTER	Power Adap.	H3C	
2361	PG Girls Hostel	2F A-Wing	Switch	A5120-24 EI	H3C	P2/5120-24G/33
2362	PG Girls Hostel	2F A-Wing	Jack Panel	24 Port	Dax	
2363	PG Girls Hostel	2F A-Wing	LIU	24 Port	Dax	
2364	PG Girls Hostel	2F A-Wing	POWER ADAPTER	Power Adap.	H3C	
2365	PG Girls Hostel	2F B-Wing	Switch	A5120-24 EI	H3C	P2/5120-24G/34
2366	PG Girls Hostel	2F B-Wing	Jack Panel	24 Port	Dax	
2367	PG Girls Hostel	2F B-Wing	LIU	24 Port	Dax	
2368	PG Girls Hostel	2F B-Wing	POWER ADAPTER	Power Adap.	H3C	
2369	PG Girls Hostel	2F C-Wing	Switch	5500-24G POE	H3C	P2/5500-24G/18
2370	PG Girls Hostel	2F C-Wing	Jack Panel	24 Port	Dax	
2371	PG Girls Hostel	2F C-Wing	LIU	24 Port	Dax	
2372	PG Girls Hostel	2F C-Wing	POWER ADAPTER	Power Adap.	H3C	
2373	PG Girls Hostel	2F D-Wing	Switch	A5120-24 EI	H3C	P2/5120-24G/35
2374	PG Girls Hostel	2F D-Wing	Jack Panel	24 Port	Dax	
2375	PG Girls Hostel	2F D-Wing	LIU	24 Port	Dax	
2376	PG Girls Hostel	2F D-Wing	POWER ADAPTER	Power Adap.	H3C	
2377	PG Girls Hostel	3F A-Wing	Switch	A5120-24 EI	H3C	P2/5120-24G/36

2378	PG Girls Hostel	3F A-Wing	Jack Panel	24 Port	Dax	
2379	PG Girls Hostel	3F A-Wing	LIU	24 Port	Dax	
2380	PG Girls Hostel	3F A-Wing	POWER ADAPTER	Power Adap.	H3C	
2381	PG Girls Hostel	3F B-Wing	Switch	A5120-24 EI	H3C	P2/5120-24G/37
2382	PG Girls Hostel	3F B-Wing	Jack Panel	24 Port	Dax	
2383	PG Girls Hostel	3F B-Wing	LIU	24 Port	Dax	
2384	PG Girls Hostel	3F B-Wing	POWER ADAPTER	Power Adap.	H3C	
2385	PG Girls Hostel	3F C-Wing	Switch	5500-24G POE	H3C	P2/5500-24G/19
2386	PG Girls Hostel	3F C-Wing	Jack Panel	24 Port	Dax	
2387	PG Girls Hostel	3F C-Wing	LIU	24 Port	Dax	
2388	PG Girls Hostel	3F D-Wing	Switch	A5120-24 EI	H3C	P2/5120-24G/38
2389	PG Girls Hostel	3F D-Wing	Jack Panel	24 Port	Dax	
2390	PG Girls Hostel	3F D-Wing	LIU	24 Port	Dax	
2391	PG Girls Hostel	3F D-Wing	POWER ADAPTER	Power Adap.	H3C	
2392	PG Girls Hostel	4F A-Wing	Switch	A5120-24 EI	H3C	P2/5120-24G/39
2393	PG Girls Hostel	4F A-Wing	Jack Panel	24 Port	Dax	
2394	PG Girls Hostel	4F A-Wing	LIU	24 Port	Dax	
2395	PG Girls Hostel	4F A-Wing	POWER ADAPTER	Power Adap.	H3C	
2396	PG Girls Hostel	4F B-Wing	Switch	5500-24G POE	H3C	P2/5500-24G/20
2397	PG Girls Hostel	4F B-Wing	Jack Panel	24 Port	Dax	
2398	PG Girls Hostel	4F B-Wing	LIU	24 Port	Dax	
2399	PG Girls Hostel	4F C-Wing	Switch	5500-24G POE	H3C	P2/5500-24G/21
2400	PG Girls Hostel	4F C-Wing	Jack Panel	24 Port	Dax	
2401	PG Girls Hostel	4F C-Wing	LIU	24 Port	Dax	
2402	PG Girls Hostel	4F D-Wing	Switch	A5120-24 EI	H3C	P2/5120-24G/40
2403	PG Girls Hostel	4F D-Wing	Jack Panel	24 Port	Dax	
2404	PG Girls Hostel	4F D-Wing	LIU	24 Port	Dax	
2405	PG Girls Hostel	4F D-Wing	POWER ADAPTER	Power Adap.	H3C	
2406	PG Girls Hostel	5F A-Wing	Switch	A5120-24 EI	H3C	P2/5120-24G/41
2407	PG Girls Hostel	5F A-Wing	Switch	5500-24G POE	H3C	P2/5500-24G/22
2408	PG Girls Hostel	5F A-Wing	Jack Panel	24 Port	Dax	
2409	PG Girls Hostel	5F A-Wing	Jack Panel	24 Port	Dax	
2410	PG Girls Hostel	5F A-Wing	LIU	24 Port	Dax	
2411	PG Girls Hostel	5F B-Wing	10G GIBIC	XFP	H3C	P2/10G/02
2412	PG Girls Hostel	5F B-Wing	Switch	5500-24G POE	H3C	P2/5500-24G/23
2413	PG Girls Hostel	5F B-Wing	HP A 7506 6 SLOT CHASSIS CO	JD239B	H3C	P2/7506/02
2414	PG Girls Hostel	5F B-Wing	Fabric Module	JD194B	H3C	P2/7506/FM/02
2415	PG Girls Hostel	5F B-Wing	Power Supply	JD218A	H3C	P2/7506/PS/03
2416	PG Girls Hostel	5F B-Wing	Power Supply	JD218A	H3C	P2/7506/PS/04
2417	PG Girls Hostel	5F B-Wing	Jack Panel	24 Port	Dax	
2418	PG Girls Hostel	5F B-Wing	Jack Panel	24 Port	Dax	
2419	PG Girls Hostel	5F B-Wing	Jack Panel	24 Port	Dax	
2420	PG Girls Hostel	5F B-Wing	Jack Panel	24 Port	Dax	
2421	PG Girls Hostel	5F B-Wing	LIU	24 Port	Dax	
2422	PG Girls Hostel	5F B-Wing	LIU	24 Port	Dax	
2423	PG Girls Hostel	5F B-Wing	LIU	24 Port	Dax	
2424	PG Girls Hostel	5F B-Wing	LIU	24 Port	Dax	
2425	PG Girls Hostel	5F B-Wing	LIU	24 Port	Dax	
2426	PG Girls Hostel	5F B-Wing	LIU	24 Port	Dax	
2427	PG Girls Hostel	5F B-Wing	POWER ADAPTER	Power Adap.	H3C	
2428	PG Girls Hostel	5F C-Wing	Switch	A5120-24 EI	H3C	P2/5120-24G/43
2429	PG Girls Hostel	5F C-Wing	Switch	A5120-24 EI	H3C	P2/5120-24G/44
2430	PG Girls Hostel	5F C-Wing	Switch	5500-24G POE	H3C	P2/5500-24G/24
2431	PG Girls Hostel	5F C-Wing	Switch	5500-24G POE	H3C	P2/5500-24G/25
2432	PG Girls Hostel	5F C-Wing	Jack Panel	24 Port	Dax	
2433	PG Girls Hostel	5F C-Wing	Jack Panel	24 Port	Dax	
2434	PG Girls Hostel	5F C-Wing	Jack Panel	24 Port	Dax	
2435	PG Girls Hostel	5F C-Wing	Jack Panel	24 Port	Dax	
2436	PG Girls Hostel	5F C-Wing	LIU	24 Port	Dax	
2437	PG Girls Hostel	5F D-Wing	Switch	A5120-24 EI	H3C	P2/5120-24G/45
2438	PG Girls Hostel	5F D-Wing	Switch	5500-24G POE	H3C	P2/5500-24G/26

2439	PG Girls Hostel	5F D-Wing	Jack Panel	24 Port	Dax	
2440	PG Girls Hostel	5F D-Wing	Jack Panel	24 Port	Dax	
2441	PG Girls Hostel	5F D-Wing	LIU	24 Port	Dax	
2442	PG Girls Hostel	6F A-Wing	Switch	A5120-24 EI	H3C	P2/5120-24G/46
2443	PG Girls Hostel	6F A-Wing	Jack Panel	24 Port	Dax	
2444	PG Girls Hostel	6F A-Wing	LIU	24 Port	Dax	
2445	PG Girls Hostel	6F A-Wing	POWER ADAPTER	Power Adap.	H3C	
2446	PG Girls Hostel	6F A-Wing	GBIC	SFP	H3C	P2/1G/033
2447	PG Girls Hostel	6F B-Wing	Jack Panel	24 Port	Dax	
2448	PG Girls Hostel	6F B-Wing	LIU	24 Port	Dax	
2449	PG Girls Hostel	6F D-Wing	GBIC	SFP	H3C	P2/1G/034
2450	PG Girls Hostel	6F C-Wing	Switch	5500-24G POE	H3C	P2/5500-24G/27
2451	PG Girls Hostel	6F C-Wing	Jack Panel	24 Port	Dax	
2452	PG Girls Hostel	6F C-Wing	LIU	24 Port	Dax	
2453	PG Girls Hostel	1F A-Wing	GBIC	SFP	H3C	P2/1G/035
2454	PG Girls Hostel	6F D-Wing	Switch	A5120-24 EI	H3C	P2/5120-24G/47
2455	PG Girls Hostel	6F D-Wing	Jack Panel	24 Port	Dax	
2456	PG Girls Hostel	6F D-Wing	LIU	24 Port	Dax	
2457	PG Girls Hostel	6F D-Wing	POWER ADAPTER	Power Adap.	H3C	
2458	PG Girls Hostel	7F A-Wing	Switch	A5120-24 EI	H3C	P2/5120-24G/48
2459	PG Girls Hostel	7F A-Wing	Jack Panel	24 Port	Dax	
2460	PG Girls Hostel	7F A-Wing	LIU	24 Port	Dax	
2461	PG Girls Hostel	7F A-Wing	POWER ADAPTER	Power Adap.	H3C	
2462	PG Girls Hostel	2F A-Wing	GBIC	SFP	H3C	P2/1G/037
2463	PG Girls Hostel	7F B-Wing	Switch	5500-24G POE	H3C	P2/5500-24G/28
2464	PG Girls Hostel	7F B-Wing	Switch	5500-24G POE	H3C	P2/5500-24G/29
2465	PG Girls Hostel	7F B-Wing	Jack Panel	24 Port	Dax	
2466	PG Girls Hostel	7F B-Wing	Jack Panel	24 Port	Dax	
2467	PG Girls Hostel	7F B-Wing	LIU	24 Port	Dax	
2468	PG Girls Hostel	7F B-Wing	POWER ADAPTER	Power Adap.	H3C	
2469	PG Girls Hostel	2F B-Wing	GBIC	SFP	H3C	P2/1G/038
2470	PG Girls Hostel	7F C-Wing	Switch	5500-24G POE	H3C	P2/5500-24G/30
2471	PG Girls Hostel	7F C-Wing	Switch	5500-24G POE	H3C	P2/5500-24G/31
2472	PG Girls Hostel	7F C-Wing	Jack Panel	24 Port	Dax	
2473	PG Girls Hostel	7F C-Wing	Jack Panel	24 Port	Dax	
2474	PG Girls Hostel	7F C-Wing	LIU	24 Port	Dax	
2475	PG Girls Hostel	2F C-Wing	GBIC	SFP	H3C	P2/1G/039
2476	PG Girls Hostel	7F D-Wing	Switch	A5120-24 EI	H3C	P2/5120-24G/49
2477	PG Girls Hostel	7F D-Wing	Jack Panel	24 Port	Dax	
2478	PG Girls Hostel	7F D-Wing	LIU	24 Port	Dax	
2479	PG Girls Hostel	7F D-Wing	POWER ADAPTER	Power Adap.	H3C	
2480	PG Girls Hostel	2F D-Wing	GBIC	SFP	H3C	P2/1G/040
2481	PG Girls Hostel	8F A-Wing	Switch	A5120-24 EI	H3C	P2/5120-24G/50
2482	PG Girls Hostel	8F A-Wing	Jack Panel	24 Port	Dax	
2483	PG Girls Hostel	8F A-Wing	LIU	24 Port	Dax	
2484	PG Girls Hostel	8F A-Wing	POWER ADAPTER	Power Adap.	H3C	
2485	PG Girls Hostel	3F A-Wing	GBIC	SFP	H3C	P2/1G/041
2486	PG Girls Hostel	8F B-Wing	Switch	5500-24G POE	H3C	P2/5500-24G/32
2487	PG Girls Hostel	8F B-Wing	Jack Panel	24 Port	Dax	
2488	PG Girls Hostel	8F B-Wing	LIU	24 Port	Dax	
2489	PG Girls Hostel	3F B-Wing	GBIC	SFP	H3C	P2/1G/042
2490	PG Girls Hostel	8F C-Wing	Switch	A5120-24 EI	H3C	P2/5120-24G/51
2491	PG Girls Hostel	8F C-Wing	Jack Panel	24 Port	Dax	
2492	PG Girls Hostel	8F C-Wing	LIU	24 Port	Dax	
2493	PG Girls Hostel	8F C-Wing	POWER ADAPTER	Power Adap.	H3C	
2494	PG Girls Hostel	3F C-Wing	GBIC	SFP	H3C	P2/1G/043
2495	PG Girls Hostel	8F D-Wing	Switch	A5120-24 EI	H3C	P2/5120-24G/52
2496	PG Girls Hostel	8F D-Wing	Jack Panel	24 Port	Dax	
2497	PG Girls Hostel	8F D-Wing	LIU	24 Port	Dax	
2498	PG Girls Hostel	8F D-Wing	POWER ADAPTER	Power Adap.	H3C	
2499	PG Girls Hostel	pg_2_a_wl1	Access Point	WA2620-AGN	H3C	P1/AP/123

2500	PG Girls Hostel	pg_2_b_wl4	Access Point	WA2620-AGN	H3C	P1/AP/124
2501	PG Girls Hostel	pg_2_c_wl4	Access Point	WA2620-AGN	H3C	P1/AP/125
2502	PG Girls Hostel	pg_2_d_wl1	Access Point	WA2620-AGN	H3C	P1/AP/126
2503	PG Girls Hostel	pg_3_a_wl1	Access Point	WA2620-AGN	H3C	P1/AP/127
2504	PG Girls Hostel	pg_3_b_wl4	Access Point	WA2620-AGN	H3C	P1/AP/128
2505	PG Girls Hostel	pg_3_c_wl4	Access Point	WA2620-AGN	H3C	P1/AP/129
2506	PG Girls Hostel	pg_3_d_wl1	Access Point	WA2620-AGN	H3C	P1/AP/130
2507	PG Girls Hostel	pg_4_a_wl1	Access Point	WA2620-AGN	H3C	P1/AP/131
2508	PG Girls Hostel	pg_4_b_wl4	Access Point	WA2620-AGN	H3C	P1/AP/132
2509	PG Girls Hostel	pg_4_c_wl4	Access Point	WA2620-AGN	H3C	P1/AP/133
2510	PG Girls Hostel	pg_4_d_wl1	Access Point	WA2620-AGN	H3C	P1/AP/134
2511	PG Girls Hostel	pg_5_a_wl1	Access Point	WA2620-AGN	H3C	P1/AP/135
2512	PG Girls Hostel	pg_5_b_wl4	Access Point	WA2620-AGN	H3C	P1/AP/136
2513	PG Girls Hostel	pg_5_c_wl4	Access Point	WA2620-AGN	H3C	P1/AP/137
2514	PG Girls Hostel	pg_5_d_wl1	Access Point	WA2620-AGN	H3C	P1/AP/138
2515	PG Girls Hostel	pg_6_a_wl1	Access Point	WA2620-AGN	H3C	P1/AP/139
2516	PG Girls Hostel	pg_6_b_wl4	Access Point	WA2620-AGN	H3C	P1/AP/140
2517	PG Girls Hostel	pg_6_c_wl4	Access Point	WA2620-AGN	H3C	P1/AP/141
2518	PG Girls Hostel	pg_6_d_wl1	Access Point	WA2620-AGN	H3C	P1/AP/142
2519	PG Girls Hostel	pg_7_a_wl1	Access Point	WA2620-AGN	H3C	P1/AP/143
2520	PG Girls Hostel	pg_7_b_wl4	Access Point	WA2620-AGN	H3C	P1/AP/144
2521	PG Girls Hostel	pg_7_c_wl4	Access Point	WA2620-AGN	H3C	P1/AP/145
2522	PG Girls Hostel	pg_7_d_wl1	Access Point	WA2620-AGN	H3C	P1/AP/146
2523	PG Girls Hostel	pg_8_a_wl1	Access Point	WA2620-AGN	H3C	P1/AP/147
2524	PG Girls Hostel	pg_8_b_wl4	Access Point	WA2620-AGN	H3C	P1/AP/148
2525	PG Girls Hostel	pg_8_c_wl4	Access Point	WA2620-AGN	H3C	P1/AP/149
2526	PG Girls Hostel	pg_8_d_wl1	Access Point	WA2620-AGN	H3C	P1/AP/150
2527	PG Girls Hostel	3F D-Wing	GBIC	SFP	H3C	P2/1G/044
2528	PG Girls Hostel	4F A-Wing	GBIC	SFP	H3C	P2/1G/045
2529	PG Girls Hostel	4F B-Wing	GBIC	SFP	H3C	P2/1G/046
2530	PG Girls Hostel	4F C-Wing	GBIC	SFP	H3C	P2/1G/047
2531	PG Girls Hostel	4F D-Wing	GBIC	SFP	H3C	P2/1G/048
2532	PG Girls Hostel	5F A-Wing	GBIC	SFP	H3C	P2/1G/049
2533	PG Girls Hostel	5F B-Wing	GBIC	SFP	H3C	P2/1G/050
2534	PG Girls Hostel	5F C-Wing	GBIC	SFP	H3C	P2/1G/051
2535	PG Girls Hostel	5F D-Wing	GBIC	SFP	H3C	P2/1G/052
2536	PG Girls Hostel	6F A-Wing	GBIC	SFP	H3C	P2/1G/053
2537	PG Girls Hostel	6F B-Wing	GBIC	SFP	H3C	P2/1G/054
2538	PG Girls Hostel	6F C-Wing	GBIC	SFP	H3C	P2/1G/055
2539	PG Girls Hostel	6F D-Wing	GBIC	SFP	H3C	P2/1G/056
2540	PG Girls Hostel	7F A-Wing	GBIC	SFP	H3C	P2/1G/057
2541	PG Girls Hostel	7F B-Wing	GBIC	SFP	H3C	P2/1G/058
2542	PG Girls Hostel	7F C-Wing	GBIC	SFP	H3C	P2/1G/059
2543	PG Girls Hostel	7F D-Wing	GBIC	SFP	H3C	P2/1G/060
2544	PG Girls Hostel	8F A-Wing	GBIC	SFP	H3C	P2/1G/061
2545	PG Girls Hostel	8F D-Wing	GBIC	SFP	H3C	P2/1G/062
2546	PG Girls Hostel	8F C-Wing	GBIC	SFP	H3C	P2/1G/063
2547	PG Girls Hostel	1F D-Wing	GBIC	SFP	H3C	P2/1G/064
2548	PG Girls Hostel	5F B-Wing	GBIC	SFP	H3C	P2/1G/065
2549	PG Girls Hostel	5F B-Wing	GBIC	SFP	H3C	P2/1G/066
2550	PG Girls Hostel	5F B-Wing	GBIC	SFP	H3C	P2/1G/067
2551	PG Girls Hostel	5F B-Wing	GBIC	SFP	H3C	P2/1G/068
2552	PG Girls Hostel	5F B-Wing	GBIC	SFP	H3C	P2/1G/069
2553	PG Girls Hostel	5F B-Wing	GBIC	SFP	H3C	P2/1G/070
2554	PG Girls Hostel	5F B-Wing	GBIC	SFP	H3C	P2/1G/071
2555	PG Girls Hostel	5F B-Wing	GBIC	SFP	H3C	P2/1G/072
2556	PG Girls Hostel	5F B-Wing	GBIC	SFP	H3C	P2/1G/073
2557	PG Girls Hostel	5F B-Wing	GBIC	SFP	H3C	P2/1G/074
2558	PG Girls Hostel	5F B-Wing	GBIC	SFP	H3C	P2/1G/075
2559	PG Girls Hostel	5F B-Wing	GBIC	SFP	H3C	P2/1G/076
2560	PG Girls Hostel	5F B-Wing	GBIC	SFP	H3C	P2/1G/077

2561	PG Girls Hostel	5F B-Wing	GBIC	SFP	H3C	P2/1G/078
2562	PG Girls Hostel	5F B-Wing	GBIC	SFP	H3C	P2/1G/079
2563	PG Girls Hostel	5F B-Wing	GBIC	SFP	H3C	P2/1G/080
2564	PG Girls Hostel	5F B-Wing	GBIC	SFP	H3C	P2/1G/081
2565	PG Girls Hostel	5F B-Wing	GBIC	SFP	H3C	P2/1G/082
2566	PG Girls Hostel	5F B-Wing	GBIC	SFP	H3C	P2/1G/083
2567	PG Girls Hostel	5F B-Wing	GBIC	SFP	H3C	P2/1G/084
2568	PG Girls Hostel	5F B-Wing	GBIC	SFP	H3C	P2/1G/085
2569	PG Girls Hostel	5F B-Wing	GBIC	SFP	H3C	P2/1G/086
2570	PG Girls Hostel	5F B-Wing	GBIC	SFP	H3C	P2/1G/087
2571	PG Girls Hostel	5F B-Wing	GBIC	SFP	H3C	P2/1G/088
2572	PG Girls Hostel	5F B-Wing	GBIC	SFP	H3C	P2/1G/089
2573	PG Girls Hostel	5F B-Wing	GBIC	SFP	H3C	P2/1G/090
2574	PG Girls Hostel	5F B-Wing	GBIC	SFP	H3C	P2/1G/091
2575	PG Girls Hostel	5F B-Wing	GBIC	SFP	H3C	P2/1G/092
2576	PG Girls Hostel	5F B-Wing	GBIC	SFP	H3C	P2/1G/093
2577	PG Girls Hostel	5F B-Wing	GBIC	SFP	H3C	P2/1G/094
2578	PG Girls Hostel	5F B-Wing	GBIC	SFP	H3C	P2/1G/095
2579	PG Girls Hostel	5F B-Wing	GBIC	SFP	H3C	P2/1G/096
2580	PG Girls Hostel	pg_8_a_wls1	Access Point	WA2620-AGN	H3C	P2/AP/097
2581	PG Girls Hostel	pg_8_a_wls2	Access Point	WA2620-AGN	H3C	P2/AP/098
2582	PG Girls Hostel	pg_8_b_wls1	Access Point	WA2620-AGN	H3C	P2/AP/099
2583	PG Girls Hostel	pg_8_b_wls2	Access Point	WA2620-AGN	H3C	P2/AP/100
2584	PG Girls Hostel	pg_8_b_wls3	Access Point	WA2620-AGN	H3C	P2/AP/101
2585	PG Girls Hostel	pg_8_c_wls1	Access Point	WA2620-AGN	H3C	P2/AP/102
2586	PG Girls Hostel	pg_8_c_wls2	Access Point	WA2620-AGN	H3C	P2/AP/103
2587	PG Girls Hostel	pg_8_c_wls3	Access Point	WA2620-AGN	H3C	P2/AP/104
2588	PG Girls Hostel	pg_8_d_wls1	Access Point	WA2620-AGN	H3C	P2/AP/105
2589	PG Girls Hostel	pg_8_d_wls2	Access Point	WA2620-AGN	H3C	P2/AP/106
2590	PG Girls Hostel	pg_7_a_wls1	Access Point	WA2620-AGN	H3C	P2/AP/107
2591	PG Girls Hostel	pg_7_a_wls2	Access Point	WA2620-AGN	H3C	P2/AP/108
2592	PG Girls Hostel	pg_7_b_wls1	Access Point	WA2620-AGN	H3C	P2/AP/109
2593	PG Girls Hostel	pg_7_b_wls2	Access Point	WA2620-AGN	H3C	P2/AP/110
2594	PG Girls Hostel	pg_7_b_wls3	Access Point	WA2620-AGN	H3C	P2/AP/111
2595	PG Girls Hostel	pg_7_c_wls1	Access Point	WA2620-AGN	H3C	P2/AP/112
2596	PG Girls Hostel	pg_7_c_wls2	Access Point	WA2620-AGN	H3C	P2/AP/113
2597	PG Girls Hostel	pg_7_c_wls3	Access Point	WA2620-AGN	H3C	P2/AP/114
2598	PG Girls Hostel	pg_7_d_wls1	Access Point	WA2620-AGN	H3C	P2/AP/115
2599	PG Girls Hostel	pg_7_d_wls2	Access Point	WA2620-AGN	H3C	P2/AP/116
2600	PG Girls Hostel	pg_6_a_wls1	Access Point	WA2620-AGN	H3C	P2/AP/117
2601	PG Girls Hostel	pg_6_a_wls2	Access Point	WA2620-AGN	H3C	P2/AP/118
2602	PG Girls Hostel	pg_6_b_wls1	Access Point	WA2620-AGN	H3C	P2/AP/119
2603	PG Girls Hostel	pg_6_b_wls2	Access Point	WA2620-AGN	H3C	P2/AP/120
2604	PG Girls Hostel	pg_6_b_wls3	Access Point	WA2620-AGN	H3C	P2/AP/121
2605	PG Girls Hostel	pg_6_c_wls1	Access Point	WA2620-AGN	H3C	P2/AP/122
2606	PG Girls Hostel	pg_6_c_wls2	Access Point	WA2620-AGN	H3C	P2/AP/123
2607	PG Girls Hostel	pg_6_c_wls3	Access Point	WA2620-AGN	H3C	P2/AP/124
2608	PG Girls Hostel	pg_6_d_wls1	Access Point	WA2620-AGN	H3C	P2/AP/125
2609	PG Girls Hostel	pg_6_d_wls2	Access Point	WA2620-AGN	H3C	P2/AP/126
2610	PG Girls Hostel	pg_5_a_wls1	Access Point	WA2620-AGN	H3C	P2/AP/127
2611	PG Girls Hostel	pg_5_a_wls2	Access Point	WA2620-AGN	H3C	P2/AP/128
2612	PG Girls Hostel	pg_5_b_wls1	Access Point	WA2620-AGN	H3C	P2/AP/129
2613	PG Girls Hostel	pg_5_b_wls2	Access Point	DWL 3200	D-link	P2/AP/130
2614	PG Girls Hostel	pg_5_b_wls3	Access Point	WA2620-AGN	H3C	P2/AP/131
2615	PG Girls Hostel	pg_5_c_wls1	Access Point	WA2620-AGN	H3C	P2/AP/132
2616	PG Girls Hostel	pg_5_c_wls2	Access Point	WA2620-AGN	H3C	P2/AP/133
2617	PG Girls Hostel	pg_5_c_wls3	Access Point	WA2620-AGN	H3C	P2/AP/134
2618	PG Girls Hostel	pg_5_d_wls1	Access Point	WA2620-AGN	H3C	P2/AP/135
2619	PG Girls Hostel	pg_5_d_wls2	Access Point	WA2620-AGN	H3C	P2/AP/136
2620	PG Girls Hostel	pg_4_a_wls1	Access Point	WA2620-AGN	H3C	P2/AP/137
2621	PG Girls Hostel	pg_4_a_wls2	Access Point	WA2620-AGN	H3C	P2/AP/138

2622	PG Girls Hostel	pg_4_b_wls1	Access Point	WA2620-AGN	H3C	P2/AP/139
2623	PG Girls Hostel	pg_4_b_wls2	Access Point	WA2620-AGN	H3C	P2/AP/140
2624	PG Girls Hostel	pg_4_b_wls3	Access Point	WA2620-AGN	H3C	P2/AP/141
2625	PG Girls Hostel	pg_4_c_wls1	Access Point	WA2620-AGN	H3C	P2/AP/142
2626	PG Girls Hostel	pg_4_c_wls2	Access Point	WA2620-AGN	H3C	P2/AP/143
2627	PG Girls Hostel	pg_4_c_wls3	Access Point	WA2620-AGN	H3C	P2/AP/144
2628	PG Girls Hostel	pg_4_d_wls1	Access Point	WA2620-AGN	H3C	P2/AP/145
2629	PG Girls Hostel	pg_4_d_wls2	Access Point	WA2620-AGN	H3C	P2/AP/146
2630	PG Girls Hostel	pg_3_a_wls1	Access Point	WA2620-AGN	H3C	P2/AP/147
2631	PG Girls Hostel	pg_3_a_wls2	Access Point	WA2620-AGN	H3C	P2/AP/148
2632	PG Girls Hostel	pg_3_b_wls1	Access Point	WA2620-AGN	H3C	P2/AP/149
2633	PG Girls Hostel	pg_3_b_wls2	Access Point	WA2620-AGN	H3C	P2/AP/150
2634	PG Girls Hostel	pg_3_b_wls3	Access Point	WA2620-AGN	H3C	P2/AP/151
2635	PG Girls Hostel	pg_3_c_wls1	Access Point	WA2620-AGN	H3C	P2/AP/152
2636	PG Girls Hostel	pg_3_c_wls2	Access Point	WA2620-AGN	H3C	P2/AP/153
2637	PG Girls Hostel	pg_3_c_wls3	Access Point	WA2620-AGN	H3C	P2/AP/154
2638	PG Girls Hostel	pg_3_d_wls1	Access Point	WA2620-AGN	H3C	P2/AP/155
2639	PG Girls Hostel	pg_3_d_wls2	Access Point	WA2620-AGN	H3C	P2/AP/156
2640	PG Girls Hostel	pg_2_a_wls1	Access Point	WA2620-AGN	H3C	P2/AP/157
2641	PG Girls Hostel	pg_2_a_wls2	Access Point	WA2620-AGN	H3C	P2/AP/158
2642	PG Girls Hostel	pg_2_b_wls1	Access Point	WA2620-AGN	H3C	P2/AP/159
2643	PG Girls Hostel	pg_2_b_wls2	Access Point	WA2620-AGN	H3C	P2/AP/160
2644	PG Girls Hostel	pg_2_b_wls3	Access Point	WA2620-AGN	H3C	P2/AP/161
2645	PG Girls Hostel	pg_2_c_wls1	Access Point	WA2620-AGN	H3C	P2/AP/162
2646	PG Girls Hostel	pg_2_c_wls2	Access Point	WA2620-AGN	H3C	P2/AP/163
2647	PG Girls Hostel	pg_2_c_wls3	Access Point	WA2620-AGN	H3C	P2/AP/164
2648	PG Girls Hostel	pg_2_d_wls1	Access Point	WA2620-AGN	H3C	P2/AP/165
2649	PG Girls Hostel	pg_2_d_wls2	Access Point	WA2620-AGN	H3C	P2/AP/166
2650	PG Girls Hostel	pg_1_a_wls1	Access Point	WA2620-AGN	H3C	P2/AP/167
2651	PG Girls Hostel	pg_1_a_wls2	Access Point	WA2620-AGN	H3C	P2/AP/168
2652	PG Girls Hostel	pg_1_a_wls3	Access Point	WA2620-AGN	H3C	P2/AP/169
2653	PG Girls Hostel	pg_1_d_wls1	Access Point	WA2620-AGN	H3C	P2/AP/170
2654	PG Girls Hostel	pg_1_d_wls2	Access Point	WA2620-AGN	H3C	P2/AP/171
2655	PG Girls Hostel	pg_1_d_wls3	Access Point	WA2620-AGN	H3C	P2/AP/172
2656	PG Girls Hostel	pg_gf_a_wls1	Access Point	WA2620-AGN	H3C	P2/AP/173
2657	PG Girls Hostel	pg_gf_a_wls2	Access Point	WA2620-AGN	H3C	P2/AP/174
2658	PG Girls Hostel	pg_gf_a_wls3	Access Point	WA2620-AGN	H3C	P2/AP/175
2659	PG Girls Hostel	pg_gf_d_wls3	Access Point	WA2620-AGN	H3C	P2/AP/176
2660	PG Girls Hostel	pg_gf_d_wls2	Access Point	WA2620-AGN	H3C	P2/AP/177
2661	PG Girls Hostel	pg_gf_d_wls1	Access Point	WA2620-AGN	H3C	P2/AP/178
2662	PG Girls Hostel	1F D-Wing	Switch	A5120-48G EI	H3C	P1/5120-48G/09
2663	PG Girls Hostel	5F B-Wing	GBIC	SFP	H3C	P2/1G/106
2664	PG Girls Hostel	5F B-Wing	4 Port 10G Fiber Module	JD235A	H3C	P2/7506/10G-M/02
2665	PG Girls Hostel	5F B-Wing	48 Port SFP Module	JD211B	H3C	P2/7506/1G-M/02
2666	PG Girls Hostel	5F B-Wing	Switch	A5120-48G EI	H3C	P1/5120-48G/10
2667	PG Girls Hostel	6F B-Wing	Switch	5500-24G POE	H3C	P1/5500-24G/10
2668	PG Girls Hostel	5F B-Wing	GBIC	SFP	H3C	P3/1G/71
2669	PG Girls Hostel	5F B-Wing	GBIC	SFP	H3C	P3/1G/72
2670	PG Girls Hostel	4th Floor Server Room	10 GBIC	SFP	Extreme	EX/10G/005
2671	PG Girls Hostel	4th Floor Server Room	10 GBIC	SFP	GOCK	EX/10G/009
2672	PG Girls Hostel	8F B-Wing	GBIC	SFP	D-link	
2673	Phy.Edu	Ground Floor	POWER ADAPTER	Power Adap.	H3C	
2674	Phy.Edu	Ground Floor	POWER ADAPTER	Power Adap.	H3C	
2675	Phy.Edu	Ground Floor	GBIC	SFP	Syrotech	EX/059
2676	Phy.Edu	Chirag Cabin	Access point	DWL-3500	D-link	DL/3500/046
2677	Phy.Edu	Badminton Hall	Access point	DWL-3500	D-link	DL/3500/036
2678	Phy.Edu	Ground Floor	LIU	24 Port	D-link	
2679	Phy.Edu	Ground Floor	Switch	Summit 400-24t	Extreme	EX/400-24t/025
2680	Prasar Bharti	5th Floor	GBIC	SFP	H3C	P3/1G/58
2681	Production	Lab	GBIC	SFP	s	P1/1G/02
2682	Production	Lab	Jack Panel	24 Port	D-link	

2683	Production	Lab	LIU	12 Port	D-link	
2684	Production	Lab	Switch	Summit 400-24t	Extreme	EX/400-24t/011
2685	Production	Lab	Jack Panel	24 Port	D-link	
2686	Production	Lab	Jack Panel	24 Port	D-link	
2687	Production	Lab	Switch-Unmanage	DES-1024 D	D-link	DL/1024D/008
2688	Production	Lab	Switch-Unmanage	DES-1024 D	D-link	DL/1024R+/002
2689	Referigeration lab	SF Electric Room	Switch	DES-3200-28	D-link	DL/3200/031
2690	Referigeration lab	SF Electric Room	Jack Panel	24 port	D-link	
2691	Referigeration lab	SF Electric Room	LIU	24 port	D-link	
2692	Referigeration lab	SF Electric Room	GBIC	DEM-310GT	D-link	DL/036
2693	Referigeration lab	SF Research lab	Switch	DES-3200-28	D-link	DL/3200/032
2694	Referigeration lab	SF Research lab	Jack Panel	24 port	D-link	
2695	Referigeration lab	SF Research lab	LIU	24 port	D-link	
2696	Referigeration lab	SF Research lab	GBIC	DEM-310GT	D-link	DL/037
2697	Renewable Energy	FF Lab	Switch	DGS-1500-28	D-link	DL/1500/004
2698	Renewable Energy	GF Electric Room	GBIC	DEM-310GT	D-link	DL/031
2699	Renewable Energy	SF Electric Room	GBIC	DEM-310GT	D-link	DL/032
2700	Renewable Energy	GF Electric Room	GBIC	DEM-310GT	D-link	DL/033
2701	Renewable Energy	GF Electric Room	GBIC	DEM-310GT	D-link	DL/034
2702	Renewable Energy	GF Electric Room	Jack Panel	24 port	D-link	
2703	Renewable Energy	GF Electric Room	LIU	24 port	D-link	
2704	Renewable Energy	GF Electric Room	LIU	24 port	D-link	
2705	Renewable Energy	FF Lab	Switch	DES-3200-28	D-link	DL/3200/029
2706	Renewable Energy	FF Lab	Switch	DES-3200-28	D-link	DL/3200/030
2707	Renewable Energy	FF Lab	Jack Panel	24 port	D-link	
2708	Renewable Energy	FF Lab	Jack Panel	24 port	D-link	
2709	Renewable Energy	FF Lab	LIU	24 port	D-link	
2710	Renewable Energy	FF Lab	GBIC	DEM-310GT	D-link	DL/035
2711	SIC Lab	SIC Lab	GBIC	SFP	H3C	P2/1G/024
2712	SIC Lab	SIC Lab	Access point	DWL-3500	D-link	DL/3500/020
2713	SIC Lab	SIC Lab	Access point	DWL-3500	D-link	DL/3500/049
2714	Staff Club	Ground Floor	LIU	6 port	D-link	
2715	Staff Club	Ground Floor	LIU	24 Port	D-link	
2716	SVP School	FF Comp. Room	GBIC	SFP	H3C	P1/1G/54
2717	SVP SCHOOL	GF Clerk Room	Switch	A5120-24 EI	H3C	P3/5120-24/01
2718	SVP SCHOOL	FF Comp. Room	Switch	A5120-24 EI	H3C	P3/5120-24/08
2719	SVP SCHOOL	FF Comp. Room	Switch	A5120-24 EI	H3C	P3/5120-24/09
2720	SVP SCHOOL	FF Comp. Room	Switch	A5120-24 EI	H3C	P3/5120-24/10
2721	SVP School	Principal Office	Access Point	WA2620-AGN	H3C	DEPT/AP/074
2722	SVP School	Staff Room	Access Point	WA2620-AGN	H3C	DEPT/AP/075
2723	SVP School	FF Comp. Room	LIU	24 port	Dax	
2724	SVP School	FF Class room	Switch	A5120-24 EI	H3C	P2/5120-24G/30
2725	SVP School	GF Clerk Room	POWER ADAPTER	Power Adap.	H3C	
2726	SVP School	GF Clerk Room	POWER ADAPTER	Power Adap.	H3C	
2727	SVP School	GF Clerk Room	Jack Panel	24 Port	Dax	
2728	SVP School	FF Comp. Room	Jack Panel	24 Port	Dax	
2729	SVP School	FF Comp. Room	Jack Panel	24 Port	Dax	
2730	SVP School	FF Comp. Room	Jack Panel	24 Port	Dax	
2731	transport_eng		Access Point	WA2620-AGN	H3C	DEPT/AP/040
2732	water_reso_wls1		Access Point	WA2620-AGN	H3C	DEPT/AP/067
2733	Workshop	Ground Floor	POWER ADAPTER	Power Adap.	H3C	
2734	Workshop	Ground Floor	POWER ADAPTER	Power Adap.	H3C	
2735	Workshop	Lab	Switch	DES-1210P (POE)	D-link	DL/3028P/019
2736	Workshop	Lab	Jack Panel	24 Port	D-link	
2737	Workshop	Lab	LIU	12 Port	D-link	
2738	Workshop	Lab	Switch-Unmanage	DES-3026 P	D-link	DL/3026/01
2739	workshop_wls1		Access Point	WA2620-AGN	H3C	DEPT/AP/041
2740	workshop_wls2		Access Point	WA2620-AGN	H3C	DEPT/AP/042